STATE OF KANSAS STATE CORPORATION COMMISSION

15-141-00222-00-00

WELL PLUGGING RECORD

Required Affidavit r Deliver Report to: nservation Division	WELL PLUGGING RECORD							
nte Corporation Commission O Bitting Building ichita, Kansas	Osb	orne	County	, Sec. 34 T	wp. 10 Rg	e. 15	(E) W $($	W)
NORTH	Location as "N	E/CNW4SW4"	or footage from	$_{\rm n}$ $_{\rm lines}$ S	<u>w sw sw</u>	<u> </u>	,, ,	
	Lease Owner_	S1	nields Oil	Producer	·s	11	· · · 1	
	Lease Name	W Sh	orley 'B'	' B11666	all Kans	Well	No1	
	Office Address	Vell (completed	as Oil Cas or	Dry Hole)	D D	ry Hol	le	
	Date well com	pleted	as On, Gas or	June	1		19	
i		plugging filed_		June	1			
	Application for	plugging appro	ved	June	1			
	Plugging comp	nenced		June_	<u> </u>		19	
	Plugging completed June 1 19 50						27	
	Reason for aba	Reason for abandonment of well or producing formationDry_hole						
	If a producing	If a producing well is abandoned, date of last production						
THE RESERVE AND ASSESSED THE PROPERTY OF THE P		n obtained from						
Locate well correctly on above Section Plat	menced?		Yes	[
of Congernation Agent who sum	ervised plugging of th	is well	$\mathbf{Donald} \ \mathbf{T}_{i}$	ruan		***************************************	2420	
icing formation		Depth to top	Botton		Total Depth	of Well	3430	Feet
depth and thickness of all water	, oil and gas formation	ns.						
IL, GAS OR WATER RECORI	D S					CASING	G RECOR	D
FORMATION	CONTENT	FROM	то	SIZE	PUT IN	P	ULLED OUT	
, unitality			1	8 5/8"	3201		td. w/	150
		1.						
			-			_		
					<u> </u>			•
Fill w/heavy r Set bridging pl Dump 25 sax o Fill w/heavy r	ment or other plugs vet. mud to 300! lug @ 300! w/ cement thru d mud to 40!	vere used, state	the character of ulls on pl n plug	f same and dept	th placed, from	n	fe	
freducing it into the hole. If cer feet for each plug s Fill w/heavy r Set bridging pl Dump 25 sax c	ment or other plugs vet. mud to 300' w/ lug @ 300' w/ cement thru d mud to 40' lug @ 40' w/	1/4 sax hrill pipe o	ulls on plug	of same and depted	th placed, from	COLVIS 1959	SION	
Fill w/heavy r Set bridging pl Dump 25 sax c Fill w/heavy r Set bridging pl Dump 25 sax c Fill w/heavy r	ment or other plugs vet. mud to 300' w/ lug @ 300' w/ cement thru d mud to 40' lug @ 40' w/	1/4 sax hrill pipe o	ulls on plug	of same and depted	th placed, from	COLVIS 1959	SION	
Fill w/heavy r Set bridging pl Dump 25 sax c Fill w/heavy r Set bridging pl Dump 25 sax c Fill w/heavy r	ment or other plugs vet. mud to 300! lug @ 300! w/ cement thru d mud to 40! lug @ 40! w/ cement on plu	1/4 sax h rill pipe o 1/4 sax hu g to cellar	ulls on plug Ils on plug Ils on plug Control of the character of the ch	ref same and depter same and depter same and depter same and depter same same and depter same same same same same same same same	th placed, from	TON DV	SION SION	
Fill w/heavy r Set bridging pl Dump 25 sax c Fill w/heavy r Set bridging pl Dump 10 sax c ress TE OF Kansa; R. J. being first duly sworn on oath,	ment or other plugs vet. mud to 300! lug @ 300! w/ ement thru d mud to 40! lug @ 40! w/ ement on plu ement on plu Shields D Shields B Shields says: That I have k	1/4 sax h rill pipe o 1/4 sax hu g to cellar al description is near illing Co. 1dg., Russ OUNTY OF.	ulls on plug ul	Sof this sheet) Sas Sowner) or (ownents, and matter	ONSERVATIVE Wichits S. S	or) of the	SION above-desc	ribe
Fill w/heavy r Set bridging pl Dump 25 sax c Fill w/heavy r Set bridging pl Dump 10 sax c TE OF Kansa:	ment or other plugs vet. mud to 300! lug @ 300! w/ ement thru d mud to 40! lug @ 40! w/ ement on plu ement on plu Shields D Shields B Shields says: That I have k	1/4 sax h rill pipe o 1/4 sax hu g to cellar al description is ner rilling Co. ldg., Russ UNTY OF mowledge of the	ulls on plug ulls on plug ulls on plug ulls on plug uls on plug u	of same and depleting Ing STATE Softhis sheet) Sa.s. Sowner) or (owners, and matter	onservations with placed, from the placed, from the placed, from the placed, from the placed of the	or) of the tained and	above-desc	riber f the
Fill w/heavy reset bridging plump 25 sax of Fill w/heavy reset bridging plump 25 sax of Fill w/heavy reset bridging plump 10 sax of Set bridging plump 10 sax of	ment or other plugs vet. mud to 300! lug @ 300! w/ cement thru d mud to 40! lug @ 40! w/ cement on plu cement on plu shields D Shields B says: That I have leat the same are true seen.	1/4 sax h rill pipe o 1/4 sax hu g to cellar al description is ner rilling Co. ldg., Russ UNTY OF mowledge of the and correct. So (Signature)	ulls on plus n plug lls on plus lls on plu	Sof this sheet) Sas Sowner) or (ownents, and matter	onservations berein control of the c	or) of the tained and	above-desc	riber f the
Fill w/heavy r Set bridging pl Dump 25 sax c Fill w/heavy r Set bridging pl Dump 10 sax c ress TE OF Kansa; R. J. being first duly sworn on oath,	ment or other plugs vet. mud to 300! lug @ 300! w/ cement thru d mud to 40! lug @ 40! w/ cement on plu cement on plu shields D Shields B says: That I have leat the same are true seen.	1/4 sax h rill pipe o 1/4 sax hu g to cellar al description is ner rilling Co. ldg., Russ UNTY OF mowledge of the and correct. So (Signature)	ulls on plug ulls on plug ulls on plug ulls on plug uls on plug u	of this sheet) Sas where or (owners, and matter) Ids Bldg., June	onservations with placed, from the placed, from the placed, from the placed, from the placed of the	or) of the tained and	above-desc	riber f the

PLUGGING FILE SEC 34 T 10 R 15W BOOK PAGE 4/3 LINE 2



15-141-00222-02

Russell, Kansas

WELL LOG

Operator:

Shields Oil Producers

Well:

Worley "B " #1 May 22, 1959

Commenced: Completed:

June 1, 1959

Contractor:

Shields Drilling Co., Inc.

Chert

CASING RECORD

Run

Pulled

Size 8 5/8"

3201

Cmtd. w/150 sax

Well Description:

SW SW SW

Sec. 34-10S-15W

Osborne Co., Kansas

Elevation:

1880' RB

Treatment:

Production:

D & A

Topeka Tops: Heebner

Toronto

3000' Lansing-KC 3033'

Conglomerate Sand 33731

3409'

3430' RTD

3384!

Conglomerate Chert
. Figures Indicate Bottom of Formations Arbuckle

27291

29761

Shale 3201 Shale & Shells 400' Sand 510' Shale; Shells & Red Bed 855' Red Bed 980' Anhydrite 1017 Red Bed; Shale & Shells 1330' Shale; Shells & Salt 1400' Shale & Lime Streaks 1475 Shale w/Lime Streaks 1845' Shale 1870' Lime 1965' Shale & Lime 27931 Lime; Sand & Shale 33881 Lime; Sand & Chert 33981 Sand; Chert

OTES

DST #1	3046-3080	Tool open I hr. w/fair blow thruout. Recovered
		245' muddy SW. BHP-665#/20 min.
DST #2	3368-3388	Tool open 22 min. w/weak blow for 12 min. Recovered
		130' mud. BHP-0#/20 min.
DST #3	3375-3398	Tool open 30 min. w/weak blow for 8 min. Recovered
		130' mud. BHP-525#/20 min.

PLUGGING FILE SEO 34T 10 R 154 BOOK PAGE 43 LINE 2