

TO: STATE CORPORATION COMMISSION
CONSERVATION DIVISION - PLUGGING
130 SOUTH MARKET, SUITE 2078
WICHITA, KANSAS 67202

API Well Number: 15-003-24222-00-00
Spot: NWNWSW Sec/Twnshp/Rge: 26-19S-19E
2310 feet from S Section Line, 4950 feet from E Section Line
Lease Name: GARRISON Well #: SWD 26-13
County: ANDERSON Total Vertical Depth: 1805 feet

Operator License No.: 33138
Op Name: MERITAGE KCM EXPLORATION, LLC
Address: INDEPENDENCE PLAZA 1050 17TH ST
DENVER, CO 80265

String	Size	Depth (ft)	Pulled (ft)	Comment
PKR		1401		PACKER TYPE AND SETTING DEPTH: HOOKWALL SET @ 1401'.
PROD	5.5	1451		
SURF	8.625	21		
T1	2.875	1451		

\$ 58.66

Well Type: SWD UIC Docket No: D28123.0 Date/Time to Plug: 06/14/2006 1:00 PM
Plug Co. License No.: 31440 Plug Co. Name: CONSOLIDATED OIL WELL SERVICES, INC
Proposal Rcvd. from: LARRY BRYANT Company: Phone: (970) 301-1411

Proposed Plugging Method: CIRCULATE 60/40 CLASS A/POZIMIX CEMENT WITH 4% GEL AND ADD LCM DURING MIX FROM PBTD TO 1300' FOLLOW W/ WIPER PLUG. SD AND LET CEMENT SET 36 HOURS. CONFIRM CEMENT DEPTH W/ WIRELINE. CIRCULATE 60/40 CLASS A/POZIMIX CEMENT FROM 1300' TO 4' BELOW GROUND LEVEL; CUT CASING AND WELD STEEL PLATE 4' BELOW GROUND LEVEL; GRADE SURFACE LEVEL.

Plugging Proposal Received By: JOHN ALMOND Witness Type: PARTIAL
Date/Time Plugging Completed: 06/15/2006 12:00 PM KCC Agent: LEVI SHORT

Actual Plugging Report:

Remove hookwall packer set at 1401 feet. Run 2 3/8 inch tubing to PBTD (1805 feet) and circulate 125 sacks 60/40 Class A/Pozimix cement with 4% gel from PBTD to 1405 feet below ground level. Let cement set overnight. Return next day and run 2 3/8 inch tubing to 1405 feet and circulate 125 sacks 60/40 Class A/Pozimix cement from 1405 to 4 feet below ground level. Cut casing and weld steel plate 4 feet below ground level. Grade surface level.

Perfs:

RECEIVED
KCC DISTRICT #3

AUG 15 2006 LS

CHANUTE, KS

INVOICED
DATE 12-14-06
INV. NO. 2007060977

RECEIVED
DEC 11 2006
KCC WICHITA

Remarks:

Plugged through: TBG

District: 03

Signed

Levi Short

(TECHNICIAN)

PKT