For KCC Use:	12-10-06
Effective Date:	702-10-00
District #	
CCA2 []Yes	<b>→</b> No

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

## NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

	Spot	✓ East
xpected Spud Date	SW NW NW Sec. Twp. 14S S. R.	22 West
	4125 feet from N / V S	Line of Section
PERATOR: License# 33640	5115	Line of Section
Haas Petroleum, LLC	Is SECTION ✓ Regular frregular?	
Address: 800 W. 47th St., Suite 409	(Note: Locate well on the Section Plat on reverse	e side)
Address:	County: Johnson	
Contact Person Mark Haas	Lease Name: WeidemeirW	/ell #: 15
Phone: 816 531-5922	Field Name: Gardner	
CONTRACTOR: License# 33557	Is this a Prorated / Spaced Field?	Yes ✓ No
Name: Skyy Drilling	Target Formation(s): Bartlesville	
lame. = 97	Nearest Lease or unit boundary: 165'	
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation:	feet MSL
✓ Oil Enh Rec ✓ Infield ✓ Mud Rotary	Water well within one-quarter mile:	Yes ✓ No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	Yes √ No
OWWO Disposal Wildcat Cable	B . I . I - I - I - I - I - I - I - I - I	
Seismic; # of Holes Other	Depth to bottom of usable water:	
Other		
	Length of Surface Pipe Planned to be set: 20'	
If OWWO: old well information as follows:	Length of Conductor Pipe required: N/A	
Operator:	Projected Total Depth: 900'	
Well Name:	Formation at Total Depth: Bartlesville	
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well ✓ Farm Pond Other	
If Yes, true vertical depth:		
Bottom Hole Location:	(Note: Apply for Permit with DWR	)
KCC DKT #:	Will Cores be taken?	Yes ✓ N
ROO DICE W	If Yes, proposed zone:	
AFF	DAVIT	
	lugging of this well will comply with K.S.A. 55 et. seq.	
The undersigned hereby affirms that the drilling, completion and eventual pl	lugging of this well will comply with K.S.A. 55 et. seq.	
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <b>prior</b> to spudding of well;		
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the search and the searc	ch drilling rig;  If by circulating cement to the top; in all cases surface pipe, the underlying formation.  Idistrict office on plug length and placement is necessary paged or production casing is cemented in; ted from below any usable water to surface within 120 da #133,891-C, which applies to the KCC District 3 area, all be plugged. In all cases, NOTIFY district office prior to	prior to plugging; nys of spud date. Iternate II cementin
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constant of the set of the set of the well is either plut of the set of the s	ch drilling rig;  If by circulating cement to the top; in all cases surface pipe, the underlying formation.  It is strict office on plug length and placement is necessary paged or production casing is cemented in;  ted from below any usable water to surface within 120 da #133,891-C, which applies to the KCC District 3 area, all be plugged. In all cases, NOTIFY district office prior to firmy knowledge and belief.	orior to plugging; ys of spud date. Iternate II cementing any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constant of the set of the set of the well is either plut of the set of the s	ch drilling rig;  If by circulating cement to the top; in all cases surface pipe, the underlying formation.  It is strict office on plug length and placement is necessary paged or production casing is cemented in;  ted from below any usable water to surface within 120 da #133,891-C, which applies to the KCC District 3 area, all be plugged. In all cases, NOTIFY district office prior to firmy knowledge and belief.	orior to plugging; ys of spud date. Iternate II cementing any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the search and the searc	ch drilling rig;  If by circulating cement to the top; in all cases surface pipe the underlying formation.  Idistrict office on plug length and placement is necessary paged or production casing is cemented in; ted from below any usable water to surface within 120 dai #133,891-C, which applies to the KCC District 3 area, all be plugged. In all cases, NOTIFY district office prior to find the plugged of the KCA District office prior to find the plugged of the KCA District office prior to find the plugged of the KCA District office prior to find the plugged of the KCA District office prior to find the plugged of the KCA District office prior to find the plugged of the plugged	prior to plugging; uys of spud date. Iternate II cementing any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plats agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea:  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the	ch drilling rig;  If by circulating cement to the top; in all cases surface pipe the underlying formation.  Idistrict office on plug length and placement is necessary paged or production casing is cemented in;  ted from below any usable water to surface within 120 day  #133,891-C, which applies to the KCC District 3 area, at  the plugged. In all cases, NOTIFY district office prior to  form knowledge and belief.    Title:	prior to plugging;  lys of spud date.  Iternate II cementing.  any cementing.  III;  I date;  on orders;  sover or re-entry;  Isteted;
The undersigned hereby affirms that the drilling, completion and eventual plants is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constant of the set	ch drilling rig;  et by circulating cement to the top; in all cases surface pipe the underlying formation.  district office on plug length and placement is necessary proceed or production casing is cemented in; led from below any usable water to surface within 120 day #133,891-C, which applies to the KCC District 3 area, at the plugged. In all cases, NOTIFY district office prior to find the process of my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Driller in the process of the p	prior to plugging;  lys of spud date.  Iternate II cementing.  any cementing.  III; I date; on orders; cover or re-entry; leted; salt water.  date) please

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 091-23124-0000	Location of Well: County:_	Johnson
Operator: Haas Petroleum, LLC	4125	feet fromN / 🗸 S Line of Section
Lease: Weidemeir	5115	feet from 📝 E / 🗌 W Line of Section
Well Number: 15	Sec. 9 Twp. 14S	S. R
Field: Gardner	Is Section: ✓ Regular	or Irregular
Number of Acres attributable to well:	is dection.	or megalar
QTR / QTR / QTR of acreage: SW - NW - NW - NW	If Section is Irregular, loc Section corner used: N	eate well from nearest corner boundary.

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

ſ						
	-	•		Î		
		•	•			•
ļ.			•	1	•	
1						•
						_
<b>/</b>			•			
' ' '		 	· · · ·			
	•	•	•			
İ						
	•	•	•	1	•	
1		 				
1						
		•				
			•			•
ì		•		ļ ,	•	
1						
		•	•	•		•
ļ		 				
		 •				
				-	•	
	-					•
	-					•
	-				•	•
	-					•
	-			· · · ·		
	•			· · · ·		
	- - -	 	· · · · · ·	·		
	- - -		· · · · · ·	·		
	- - -	 	· · · · · ·	·		
	- - -	 	· · · · · ·	·		



NOTE: In all cases locate the spot of the proposed drilling locaton.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.

RECEIVED KANSAS CORPORATION COMMISSION

3. The distance to the nearest lease or unit boundary line.

4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; NOV 3 0 2006) CG-8 for gas wells).

> **CONSERVATION DIVISION** WICHITA, KS

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

₹Súbmit in Duplicate ႘

Operator Name: Haas Petroleum, LLC			License Number: 33640		
Operator Address: 800 W. 47th St. Suite #409, Kansas City, MO 64112					
Contact Person: Mark Haas			Phone Number: ( 816 ) 531 - 5922		
Lease Name & Well No.: Weidemeir #15			Pit Location (QQQQ):		
Type of Pit:	Pit is:		SW SW NW NW		
Emergency Pit Burn Pit	Proposed Existing		Sec. 9 Twp. 14S R. 22 ✓ East West		
Settling Pit	If Existing, date constructed:		4125 Feet from North / ✓ South Line of Section		
Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit capacity:		5115 Feet from ✓ East / West Line of Section		
(II VVF Supply AFT No. of Teal Diffied)	100	(bbls)	<u>Johnson</u> County		
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes 🗸	No No	Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?		
Yes No	[ ] Yes ✓	No	Native Clay		
Pit dimensions (all but working pits):	Length (fe	eet) 8	Width (feet) N/A: Steel Pits		
Depth fr	om ground level to de	eepest point: 3	(feet)		
If the pit is lined give a brief description of the material, thickness and installation procedure		-	edures for periodic maintenance and determining ncluding any special monitoring.		
Distance to nearest water well within one-mile		Source of infor	_		
N/A feet Depth of water well	1701 feet	measu	ured well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover: Native Mud			
Number of producing wells on lease:		Number of working pits to be utilized: 2  Abandonment procedure: Air dry and Backfill			
Barrels of fluid produced daily:  Does the slope from the tank battery allow all	spilled fluids to	Abandonment procedure: 7 th dry drid baskinii			
flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.  RECEIVED  KANSAS CORPORATION COMMISSION					
11/24/25 Date		S	Brad Krame NOV 3 0 2006 ignature of Applicant or Agent		
		0.5510.5.1.5.5.5.5	CONSERVATION DIVISION NEY WICHITA, KS		
,		OFFICE USE O			
Date Received: 11/30/04 Permit Num	ber:	Perm	it Date: 11/30/06 Lease Inspection: Yes Tho		