For KCC Use:	12-9-06
Effective Date:	12 700
District #	<u></u>
SGA? Yes	No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Expected Spud Date 12/7/06	Spot East
month day year	SW SE Sec. 30 Twp. 10 S. R. 20 West
OPERATOR: License# 4058 /	360feet fromN / ✓ S Line of Section
Name: American Warrior, Inc.	1510 feet from E / W Line of Section
P. O. Box 399	Is SECTIONRegularIrregular?
Address: City/State/Zip: Garden City, KS 67846-0399	(Note: Locate well on the Section Plat on reverse side)
Contact Person. Cecil O'Brate	County: Rooks
Phone: 620-275-9231	Lease Name: Schneider Well #: 5-30
	Field Name: Trico
CONTRACTOR: License# 30606 Name: Murfin Drilling Company, Inc.	Is this a Prorated / Spaced Field?
Name: Murian Britaing Company, Inc.	Target Formation(s): LKC, Arbuckle
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 360'
✓ Oil Enh Rec ✓ Infield ✓ Mud Rotary	Ground Surface Elevation: 2150 feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
OWNO Disposal Wildcat Cable	Public water supply well within one mile: Yes No
Seismic:# of Holes Other	Depth to bottom of fresh water: 100
Other	Depth to bottom of usable water:
	Surface Pipe by Alternate: 1 2 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 250
Operator:	Length of Conductor Pipe required: none Projected Total Depth: 3900'
Well Name:	Formation at Total Depth: Arbuckle
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other X
If Yes, true vertical depth:	DWR Permit #:
	(Note: Apply for Permit with DWR
Bottom Hole Location:	
Bottom Hole Location: KCC DKT #:	
Bottom Hole Location: KCC DKT #:	Will Cores be taken? Yes ✓ No If Yes, proposed zone:
KCC DKT #:	Will Cores be taken? Yes ✓ No
KCC DKT #:	Will Cores be taken?
AFF The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:	Will Cores be taken? Yes ✓ No If Yes, proposed zone:
AFF The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each at through all unconsolidated materials plus a minimum of 20 feet into the statement of the well is dry hole, an agreement between the operator and the constitution of the statement of the statement of the shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the prestored.	Will Cores be taken? If Yes, proposed zone: IDAVIT ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. Ilistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
AFF The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the pest	Will Cores be taken? If Yes, proposed zone: IDAVIT ugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; the by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. listrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plot is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the confidence of the well is either plug to the set of	Will Cores be taken? If Yes, proposed zone: IDAVIT ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set to be underlying formation. Ilistrict office on plug length and placement is necessary prior to plugging; uged or production casing is cemented in; uged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing. If Yes V No
The undersigned hereby affirms that the drilling, completion and eventual plots is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each at through all unconsolidated materials plus a minimum of 20 feet into the statement in the well is dry hole, an agreement between the operator and the constitution of the well is district office will be notified before well is either plug in the statement of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be remembered. I hereby certify that the statements made herein are true and to the prestor of the spuddate of the well shall be conductor pipe required. For KCC Use ONLY API # 15 - 163 - 235 77 - 50 - 50 - 50 - 50 - 50 - 50 - 50	Will Cores be taken? If Yes, proposed zone: IDAVIT ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Ilistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Provided and below Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plots agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set of the well is either plus of the set of	Will Cores be taken? If Yes, proposed zone: IDAVIT ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. Ilistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Provided and below. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each at through all unconsolidated materials plus a minimum of 20 feet into the statement in the well is dry hole, an agreement between the operator and the constitution of the well is district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate of the shall be cement of the shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be cement of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 163 - 235 77 - 00 - 00 - 00 - 00 - 00 - 00 - 00	Will Cores be taken? If Yes, proposed zone: IDAVIT ugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Ilistrict office on plug length and placement is necessary prior to plugging; iged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Pmy knowledge and bells. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

DEC 0 1 2006

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 163-23577-00-05 Operator: American Warrior, Inc. Lease: Schneider	Location of Well: County: Rooks 360
Well Number: 5-30 Field: Trico	Sec. 30 Twp. 10 S. R. 20 East West Is Section: Regular or Irregular
Number of Acres attributable to well: QTR / QTR / QTR of acreage: SW _ SE _ SW	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

				•		-	
	·					· · · · ·	· ,
	· · · ·			· · · · · ·		·	·
			3	0			·
		 			• • •		
	•		, , , , , ,		· ·		· ·
							· · · · · ·
15	10,	360'	• -		•	•	•

NOTE: In all cases locate the spot of the proposed drilling locaton.



CONSERVATION DIVISION WICHITA, KS

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: American Warrior, Inc.			License Number: 4058		
Operator Address: P. O. Box 399, Garden City, KS 67846					
Contact Person: Cecil O'Brate			Phone Number: (620) 275 - 9231		
Lease Name & Well No.: Schneider 5-30			Pit Location (QQQQ):		
Type of Pit:	Pit is:		NW SW SE SW		
Emergency Pit Bum Pit	Proposed Existing		Sec. 30 Twp. 10 R. 20 ☐ East ✓ West		
Settling Pit	If Existing, date constructed:		360 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		1510 Feet from East / ✓ West Line of Section		
(If WP Supply API No. or Year Drilled)	600	(bbls)	Rooks County		
Is the pit located in a Sensitive Ground Water	Area? Yes	Ne	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?		
✓ Yes No	Yes 🗸	No	Bentonite & solids from drilling oper. self seal pits		
Pit dimensions (all but working pits):1	00 Length (fe	et) 100	Width (feet) N/A: Steel Pits		
Depth fo	rom ground level to de	epest point: 4	(feet)		
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.					
Distance to nearest water well within one-mile	e of pit Depth to shallowest fresh water 30 feet.				
2292 feet Denth of water well	Source of infor		mation: iredwell owner electric log KDWR		
lest bopar of water were			kover and Haul-Off Pits ONLY:		
1 -		i -	naterial utilized in drilling/workover: Bentonite		
		orking pits to be utilized: 4			
		t procedure: allow pits to evaporate until dry, then backfill			
Does the slope from the tank battery allow all spilled fluids to when condit					
			Drill pits must be closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. 12/1/06 Date Signature of Applicant or Agent					
KCC OFFICE USE ONLY					
Date Received: 12/1/0 C Permit Number: Permit Date: 12 1 00 Lease Inspection: Yes No					

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 6720 FICE IVED KANSAS CORPORATION COMMISSION

DEC 0 1 2006

ONSERVATION DIVISION WICHITA, KS

15-163-23577-00-00