12-10-06 SGA? Yes X No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Form C-1

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

rected Spud Date month day year	Spot East ApSE - NESW - NE Sec. 20 Twp. 7 S. R. 20 ✓ West
·	1670 feet from V N / S Line of Section
PERATOR: License#	1530 feet from VE / W Line of Section
Ame: Hertel Oil Company	is SECTION ✓ RegularIrregular?
idress: 704 E. 12th Street	•
ty/State/Zip:	(Note: Locate well on the Section Plat on reverse side)
ontact Person: Mike Hertel	County: Rooks
none: (785) 628-2445	Lease Name: Satran Well #: 1
ONTRACTOR: License#	Field Name: wildcat
ame: Anderson Drilling	Is this a Prorated / Spaced Field?
1116.	Target Formation(s): Kansas City
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 1530'
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation: 2092 feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
OWWO Disposal Wildcat Cable	Public water supply well within one mile: Yes No
Seismic; # of Holes Other	Depth to bottom of fresh water:
Other	Depth to bottom of usable water: 9.25
	Surface Pipe by Alternate: 1 2
OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 200+
Operator:	Length of Conductor Pipe required: none
Well Name:	Projected Total Depth: 4,000'
Original Completion Date: Original Total Depth:	Formation at Total Depth: Kansas City
	Water Source for Drilling Operations:
rectional, Deviated or Horizontal wellbore?	Well Farm Pond Other Haul
Yes, true vertical depth:	DWR Permit #:
ottom Hole Location:	(Note: Apply for Permit with DWR)
CC DKT #:	Will Cores be taken? Yes ✓ No
30 ματ π.	Will Cores be taken? Yes ✓ No
AFF he undersigned hereby affirms that the drilling, completion and eventual p	If Yes, proposed zone:
AFF ne undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be sethrough all unconsolidated materials plus a minimum of 20 feet into the surface prior and the complete state of the surface propriate district office will be notified before well is either plus 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen	If Yes, proposed zone: IDAVIT Plugging of this well will comply with K.S.A. 55 PLOTE OF 2006 The drilling rig; In the underlying formation. In the underlying formation and placement is necessary prior to plugging; gged or production casing is cemented in; ited from below any usable water to surface within 120 days of spud date.
AFF ne undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order	If Yes, proposed zone: IDAVIT Plugging of this well will comply with K.S.A. 55 PLOTE OF 2006 The drilling rig; In the underlying formation. In the und
AFF ne undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the o 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	If Yes, proposed zone: IDAVIT Inlugging of this well will comply with K.S.A. 55 IDEC 0 5 2006 Inch drilling rig; Inch dri
AFF ne undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order	If Yes, proposed zone: IDAVIT Inlugging of this well will comply with K.S.A. 55 IDEC 0 5 2006 Inch drilling rig; Inch dri
AFF ne undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the o 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	If Yes, proposed zone: FIDAVIT FILIDIANT
AFF ne undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be strough all unconsolidated materials plus a minimum of 20 feet into the surface prior and the surface properties of the surface prior and the surface properties district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall nereby certify that the statements made herein are true and to the best of	If Yes, proposed zone: IDAVIT Plugging of this well will comply with K.S.A. 55 PLACEIVED DEC 0 5 2006 The drilling rig; The underlying formation. District office on plug length and placement is necessary prior to plugging; The green production casing is cemented in; Ited from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.
AFF the undersigned hereby affirms that the drilling, completion and eventual properties agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eat an amount of surface pipe as specified below shall be such through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the constant of the second of the specified before well is either plus. 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be coment or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the complete of the specific production of the place. Signature of Operator or Agent: For KCC Use ONLY	FIDAVIT Sugging of this well will comply with K.S.A. 55 CORPORATION COMM DEC 0 5 2006 The inch drilling rig; Set by circulating cement to the top; in all cases surful and placement is necessary prior to plugging; Signed or production casing is cemented in; Sted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent
AFF the undersigned hereby affirms that the drilling, completion and eventual properties agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eason through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constant of the set of	If Yes, proposed zone: IDAVIT Inlugging of this well will comply with K.S.A. 55 IDEC 0 5 2006 Inch drilling rig; Inch dri
AFF ne undersigned hereby affirms that the drilling, completion and eventual prise agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on east through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first to the well is dry hole, an agreement between the operator and the first through all unconsolidated materials plus a minimum of 20 feet into the first to the well is either plus. 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall nereby certify that the statements made herein are true and to the best of the place. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 163-23578-DOOD	If Yes, proposed zone: IDAVIT Idugging of this well will comply with K.S.A. 55 IDEC 0 5 2006
AFF ne undersigned hereby affirms that the drilling, completion and eventual prise agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be such through all unconsolidated materials plus a minimum of 20 feet into the surface prior and the surface district office will be notified before well is either plus. 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall nereby certify that the statements made herein are true and to the best of the surface surface surface and to the surface	If Yes, proposed zone: IDAVIT Plugging of this well will comply with K.S.A. 55 PLOTE OF 2006 The drilling rig; In the underlying formation. In the underlying formation in the underlying formation orders; In the underlying formation in the underlying formation orders; In the underlying formation in the underlying formation orders; In the underlying formation in the underlying formation orders; In the underlying formation. In the underlying formation in the underlying formation orders; In the underlying formation. In the underlying formation. In the underlying formation. In the underlying formation in the
AFF ne undersigned hereby affirms that the drilling, completion and eventual prise agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be such through all unconsolidated materials plus a minimum of 20 feet into the first through is dry hole, an agreement between the operator and the construction of the surface of the well is either plus. 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be comen or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall nereby certify that the statements made herein are true and to the best of the spud state of the spud state of the spud state of the well shall nereby certify that the statements made herein are true and to the best of the spud state o	IDAVIT Clugging of this well will comply with K.S.A. 55 CORPORATION COMM DEC 0 5 2006 The underlying formation. Clistrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If the member to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
AFF ne undersigned hereby affirms that the drilling, completion and eventual prise agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be supproved all unconsolidated materials plus a minimum of 20 feet into the first of the well is dry hole, an agreement between the operator and the construction of the surface plus an all the surface district office will be notified before well is either plus of the surface district office will be notified before well is either plus of the surface casing order must be completed within 30 days of the spud date or the well shall neereby certify that the statements made herein are true and to the best of the surface of	If Yes, proposed zone: IDAVIT Sugging of this well will comply with K.S.A. 55 CORPORATION COMM DEC 0 5 2006 Inch drilling rig; Inch drilling
AFF the undersigned hereby affirms that the drilling, completion and eventual properties agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea: 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the second second shall be second to the second shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud dat	If Yes, proposed zone: IDAVIT Idugging of this well will comply with K.S.A. 55 IDEC 0 5 2006 Inch drilling rig; Inch dril
AFF ne undersigned hereby affirms that the drilling, completion and eventual prise agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea: 3. The minimum amount of surface pipe as specified below shall be such through all unconsolidated materials plus a minimum of 20 feet into the second state of the well is dry hole, an agreement between the operator and the construction of the specified before well is either plus of the surface casing order must be completed within 30 days of the spud date or the well shall neereby certify that the statements made herein are true and to the best of the spud state of the spud s	If Yes, proposed zone: IDAVIT Inlugging of this well will comply with K.S.A. 55 Inch drilling rig; Inc
AFF the undersigned hereby affirms that the drilling, completion and eventual properties agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea: 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the construction of the surface of the well is either plus. 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be rereby certify that the statements made herein are true and to the best of the second of the spud date or the well shall be cemented becomes a signature of Operator or Agent: For KCC Use ONLY API # 15 - 163-23578-0000 Conductor pipe required Nove feet per Alt. 12 Approved by 124 12-5-00 This authorization expires: 6-5-07	If Yes, proposed zone: IDAVIT Idugging of this well will comply with K.S.A. 55 IDEC 0 5 2006 Inch drilling rig; Inch dril

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 163-23578-0000	Location of Well: County: Rooks
Operator: Hertel Oil Company	1670 feet from V / S Line of Section
Lease: Satran	1530 feet from 🗸 E / W Line of Section
Well Number: 1 Field: wildcat	Sec. 20 Twp. 7 S. R. 20 East ✓ West
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR / QTR / QTR of acreage: ApSE _ NESW _ NE	If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

1			j .	
ł				
1				
	• •		, ,	
	·	'	<i>.</i>	
		•		
1	•	•		
ì		•	· · •—	
1				
				·
	· · · · · · · · · · · · · · · · · · ·			
			:	
1 .	•	•		
	. ,	_		
	•		•	
	•	•	•	•
		*		
	*			
				•
		•		. •
1			l	
1 .			l	
				_
1	•	•	' '	•
'	•	•		•



NOTE: In all cases locate the spot of the proposed drilling locaton.

in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

		License Number: 33625
Operator Name: Hertel Oil Compar	у	License Number: 33625
Operator Address: 704 E. 12th Str		1
Contact Person: Mike Hertel		Phone Number: (785) 628 - 2445
Lease Name & Well No.: Satran #1	1800	Pit Location (QQQQ):
Type of Pit:	Pit is:	ApSE NE SW NE
Emergency Pit Burn Pit	✓ Proposed Existi	ing Sec. 20 Twp. 7 R. 20 ☐ East ✓ West
Settling Pit	If Existing, date constructed	: 1670 Feet from ✓ North / South Line of Sec
Workover Pit Haul-Off Pit	Pit conscitu	1530 Feet from ✓ East / West Line of Sec
(If WP Supply API No. or Year Drilled)	Pit capacity: 3,600	(bbls) Rooks Cou
Is the pit located in a Sensitive Ground Wate		Chloride concentration: m
To the pictodated in a solution of our a vicini		(For Emergency Pits and Settling Pits only)
Is the bottom below ground level?	Artificial Liner?	How is the pit lined if a plastic liner is not used?
✓ Yes No	Yes ✓ No	native clay
Pit dimensions (all but working pits):	60 Length (feet)	60 Width (feet) N/A: Steel Pits
Depth	from ground level to deepest poi	nt: 5(feet)
If the pit is lined give a brief description of th	e liner Describ	be procedures for periodic maintenance and determining legrity, including any special monitoring.
If the pit is lined give a brief description of th	e liner Describ	pe procedures for periodic maintenance and determining
If the pit is lined give a brief description of th material, thickness and installation procedu	e liner Describ e. Describ liner int le of pit Depth to	pe procedures for periodic maintenance and determining
If the pit is lined give a brief description of th material, thickness and installation procedu	le of pit Describ liner int Describ liner int Depth to Source	be procedures for periodic maintenance and determining egrity, including any special monitoring.
If the pit is lined give a brief description of the material, thickness and installation procedured in the procedure of the p	e liner e. Describ liner int le of pit Depth to Source	o shallowest fresh water
If the pit is lined give a brief description of the material, thickness and installation procedule. Distance to nearest water well within one-mi 2438 feet Depth of water well Emergency, Settling and Burn Pits ONLY	le of pit Describ liner int	eprocedures for periodic maintenance and determining egrity, including any special monitoring. o shallowest fresh water
If the pit is lined give a brief description of the material, thickness and installation procedured by the procedure of the material, thickness and installation procedured by the procedure of t	le of pit Source Describ liner int Describ liner int Depth to Source Drilling Type of Number	to shallowest fresh water
If the pit is lined give a brief description of the material, thickness and installation procedure. Distance to nearest water well within one-mine with the material procedure. The material water well within one-mine water well within one-mine water well. Emergency, Settling and Burn Pits ONLY Producing Formation:	le of pit Source Describ liner int Describ liner int Depth to Source Drilling Type of Number	eprocedures for periodic maintenance and determining regrity, including any special monitoring. o shallowest fresh waterL5feet. of information:w
If the pit is lined give a brief description of the material, thickness and installation procedure. Distance to nearest water well within one-mined water well begin for the material. The material water well begin for the material water water well begin for the material water wat	le of pit Source 30 feet Type of Number Abando	to shallowest fresh water
Distance to nearest water well within one-mi 2438 feet Depth of water well Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow a flow into the pit? Yes No	le of pit Source 30 feet Type of Number Abando Il spilled fluids to Describ Iner int Depth to Source Type of Number Abando Drill pits	to shallowest fresh waterL5feet. of information:
Distance to nearest water well within one-mi 2438 feet Depth of water well Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow a flow into the pit? I hereby certify that the above star	le of pit Source 30 feet Type of Number Abando Il spilled fluids to Describ Iner int Depth to Source Type of Number Abando Drill pits	the procedures for periodic maintenance and determining segrity, including any special monitoring. To shallowest fresh water
Distance to nearest water well within one-mi 2438 feet Depth of water well Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow a flow into the pit? Yes No	le of pit Source 30 feet Type of Number Abando Il spilled fluids to Describ Iner int Depth to Source Type of Number Abando Drill pits	to shallowest fresh waterL5feet. of information: