RECEIVED

For KCC Use:	10 10/0
Effective Date:	12-10-06
District #3	
2CA2 \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	▼ No

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION D OIL & GAS CONSERVATION DIVISION

DEC 0 5 2006

Form C-1 December 2002 Form must be Typed

NOTICE OF INTENT TO DRILL

Porm must be Signed

Expected Spud Date December 11, 2006	Spot ✓ East
month day year	<u>NE</u> - <u>SE</u> <u>Sec. 6</u> Twp. <u>28</u> S. R. <u>18</u> West
OPERATOR: License# 33344	1980feet from N / S Line of Section
tions. Quest Cherokee LLC	660 feet from F W Line of Section
9520 North May Avenue, Suite 300	is SECTION RegularIrregular?
City/State/Zip: Oklahoma City, Oklahoma 73120	(Note: Locate well on the Section Plat on reverse side)
Contact Person Richard Mariin	County: Neosho
Phone: (405) 286-9316	Lease Name: Wicker, Glenn LWell #: 6-1
CONTRACTOR: License# Will be licensed by the KCC	Field Name: Cherokee Basin CBM
CONTRACTOR: License#	Is this a Prorated / Spaced Field? Yes ✓ No
Name:	Target Formation(s): Cherokee Coals
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 660
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation: 968 feet MSL Water well within one-quarter mile: Yes ✓ No
Gas Storage Pool Ext. Air Rotary	
OWO Disposal Wildcat Cable	Public water supply well within one mile: Yes ✓ No Depth to bottom of fresh water:
Seismic;# of Holes Other	Depth to bottom of tresh water. Depth to bottom of usable water. 200- 150
✓ Other Coalbed Methane	Surface Pipe by Alternate: 1 / 2
	Length of Surface Pipe Planned to be set: 25
If OWWO: old well information as follows:	Length of Conductor Pipe required:
Operator:	Projected Total Depth: 1500
Well Name:Original Total Depth:	Formation at Total Depth: Cherokee Coals
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other Air
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
ΔFFI	IDAVIT
	IDAVIT luaging of this well will comply with K.S.A. 55 et. seg.
The undersigned hereby affirms that the drilling, completion and eventual pl	
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:	
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	lugging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be se</i>	lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the	lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the driver.	ch drilling rig; to by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the first the well is dry hole, an agreement between the operator and the figure of the appropriate district office will be notified before well is either plug	lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the drop the surface district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order	ch drilling rig; of by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging ; diged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drill shall unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the drough all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the drought is either plug that a propriate district office will be notified before well is either plug that a LTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well-shall in the spud date or the spud	ch drilling rig; the tribute of this well will comply with K.S.A. 55 et. seq. ch drilling rig; the tribute of the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the drop the surface district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order	ch drilling rig; the tribute of this well will comply with K.S.A. 55 et. seq. ch drilling rig; the tribute of the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the formal to the specified strict office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the best of	ch drilling rig; In the top circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It is trict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the formal to the specified strict office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the best of	ch drilling rig; the tribute of this well will comply with K.S.A. 55 et. seq. ch drilling rig; the tribute of the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the figure of the specified strict office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the best of	ch drilling rig; In the top circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It is trict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it I hereby certify that the statements made herein are true and to the best of Date: December 4, 2006 Signature of Operator or Agent: For KCC Use ONLY	ch drilling rig; In the property of this well will comply with K.S.A. 55 et. seq. In the underlying formation. It is trict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and form below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and below. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it I hereby certify that the statements made herein are true and to the best of Date: December 4, 2006 Signature of Operator or Agent:	ch drilling rig; In the property of this well will comply with K.S.A. 55 et. seq. In the underlying formation. It is trict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and form below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and below. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the d 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well-shall is 1 hereby certify that the statements made herein are true and to the best of Date: December 4, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133 - 2674/	ch drilling rig; In the property of this well will comply with K.S.A. 55 et. seq. In the underlying formation. It is the production casing is cemented in; and placement is necessary prior to plugging; and production casing is cemented in; and form below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and below. Title: **PRemember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well-shall it I hereby certify that the statements made herein are true and to the best of Date: December 4, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133 - 26 74/	ch drilling rig; In the property of this well will comply with K.S.A. 55 et. seq. In the underlying formation. It is trict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; aged or production casing is cemented in; aged or production casing is cemented in; aged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and below. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the de 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well-shall if I hereby certify that the statements made herein are true and to the best of Date: December 4, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133 - 2674/	ch drilling rig; by by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and below. Title: **Remember to:* File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the best of the properties of the properties of the spud date or the well shall it hereby certify that the statements made herein are true and to the best of the properties of	ch drilling rig; by by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and below. Title: **Remember to:* File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the test of the properties of the properti	ch drilling rig; In the production comply with K.S.A. 55 et. seq. In the underlying formation. It is trick office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and form below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and below. Title: **P **Remember to:* - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the best of the properties of the properties of the spud date or the well shall it hereby certify that the statements made herein are true and to the best of the properties of	ch drilling rig; In the price of this well will comply with K.S.A. 55 et. seq. In the underlying formation. It is trict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; aged or production and usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. # Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and a specified below shall be seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seed of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE il COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the test of Date: December 4, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133 - 26 74/- 500 Conductor pipe required	ch drilling rig; by by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belot. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - /3.3-26741-0000	Location of Well: County: Neosho
Operator: Quest Cherokee LLC	1980 feet from N / V S Line of Section
Lease: Wicker, Glenn L.	660 feet from VE / W Line of Section
Well Number: 6-1	Sec. 6 Twp. 28 S. R. 18 ✓ East Wes
Field: Cherokee Basin CBM	-
Number of Acres attributable to well:	Is Section: ✓ Regular or Irregular
QTR / QTR / QTR of acreage: NE SE	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

 :	EXAMPLE
	1980
	SEWARD CO.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

DEC 0 5 2006

Form CDP-1 April 2004 Form must be Typed

CONSERVATION DIVISION APPLICATION FOR SURFACE PI

WICHITA, KS

Submit in Duplicate Operator Name: Quest Cherokee LLC License Number: 33344 Operator Address: 9520 North May Avenue, Suite 300 Oklahoma City, Oklahoma 73120 Contact Person: Richard Marlin Phone Number: (405) 286 -9316 Lease Name & Well No.: Wicker, Glenn L. #6-1 Pit Location (QQQQ): NE SE Type of Pit: Pit is: ✓ Proposed Emergency Pit Existing Burn Pit Settling Pit 🗸 Drilling Pit If Existing, date constructed: Feet from North / South Line of Section Workover Pit Haul-Off Pit 660 Feet from ✓ East / West Line of Section Pit capacity: (If WP Supply API No. or Year Drilled) Neosho (bbls) County Is the pit located in a Sensitive Ground Water Area? Tyes Chloride concentration: ma/l (For Emergency Pits and Settling Pits only) Is the bottom below ground level? Artificial Liner? How is the pit lined if a plastic liner is not used? Yes ✓ No Yes ✓ No 10 Pit dimensions (all but working pits): Length (feet) _ Width (feet) N/A: Steel Pits Depth from ground level to deepest point: _ (feet) If the pit is lined give a brief description of the liner Describe procedures for periodic maintenance and determining material, thickness and installation procedure. liner integrity, including any special monitoring. Air Drilling Operation lasting approx 3 days Distance to nearest water well within one-mile of pit Depth to shallowest fresh water 5-133-26741- Das Source of information: kilks (٥٥ 4835 feet Depth of water well _ measured _ well owner _ _ electric log **KDWR** Emergency, Settling and Burn Pits ONLY: Drilling, Workover and Haul-Off Pits ONLY: Type of material utilized in drilling/workover: Air Drilled Producing Formation: _ Number of working pits to be utilized: One Number of producing wells on lease:_ Abandonment procedure: Air Dry, Back Fill and Cover Barrels of fluid produced daily: _ Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be closed within 365 days of spud date. I hereby certify that the above statements are true and correct to the best of my knowledge and belief. December 4, 2006 Date KCC OFFICE USE ONLY Date Received: 12/5/06

Permit Date: 12506 Lease Inspection: Yes V No