For KCC Use:

Effective Date:

District #

SGA? Yes No

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

### **NOTICE OF INTENT TO DRILL**

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

Funcated Struct Data December 11, 2006	Spot ✓ Eas	st		
Expected Spud Date	SENW - NW - SW Sec. 3 Twp. 30 S. R. 17 We			
00044	2100 feet from N / S Line of Section	J.		
OPERATOR: License# 30614	4800 feet from VE / W Line of Section			
Name: G.E.O. Oil & Gas, LLE Service	Is SECTION Regular Irregular?			
Address: 430 Kansas Avenue	<del>-</del>			
City/State/Zip: lola, KS 66749	(Note: Locate well on the Section Plat on reverse side)			
Contact Person: George Tush	County: Wilson  Lease Name: Gildart Well #: 2-A			
Phone: (620) 365-4694	Lease Name: Gildart Well #: 2-A Well #: 2-A			
CONTRACTOR: License# 33079 🗸		No.		
Name: Patrick Tubbs	Is this a Prorated / Spaced Field?  Target Formation(s):  Bartlesville  Yes V	10		
TVGIIIC,	Nearest Lease or unit boundary: 480'			
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: n/a feet M	SI		
✓ Oil ✓ Enh Rec Infield ✓ Mud Rotary	Citatic Children	ے No ک		
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	•		
OWWD Disposal Wildcat Cable	Depth to bottom of fresh water: 100+	•••		
Seismic;# of Holes Other	Depth to bottom of usable water.	_		
Other	Surface Pipe by Alternate: 1 2			
·	Length of Surface Pipe Planned to be set: 20'			
If OWWO: old well information as follows:	Length of Conductor Pipe required: none			
Operator:	Projected Total Depth: 850'			
Well Name:	Formation at Total Depth: Bartlesville			
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:			
Directional, Deviated or Horizontal wellbore?	Well ✓ Farm Pond Other			
If Yes, true vertical depth:	DWR Permit #:			
Bottom Hole Location:	(Note: Apply for Permit with DWR	_/		
Bottom Flore Location.				
VCC DKT #	Will Cores he taken?	Nο		
KCC DKT #:	Will Cores be taken? Yes ✓	No		
KCC DKT #:	Will Cores be taken?  If Yes, proposed zone:	No —		
		No —		
	If Yes, proposed zone:  DAVIT  RECEIVED	_		
AFFI The undersigned hereby affirms that the drilling, completion and eventual place.	If Yes, proposed zone:  DAVIT  RECEIVED  ugging of this well will comply with K.S.A. 55(ANSAS CORPORATION COMP	_		
AFFI The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	DAVIT  RECEIVED  ugging of this well will comply with K.S.A. 55KANSAS CORPORATION COMP	_		
AFFI The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the total the well is dry hole, an agreement between the operator and the description of the spudding of the spuddate of the well is either plug.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the spudding of the spuddate or the well shall the spudding of the spuddate or the well shall the spudding of the spuddate or the well shall the spudding of the spuddate or the well shall the spudding of the spuddate or the well shall the spudding of the spuddate or the well shall the spudding of the spuddate or the well shall the spudding of the spuddate or the well shall the spudding of the spuddate or the well shall the spudding of the spuddate or the well shall the spudding of the spuddate or the well shall the spudding of the sp	DAVIT  RECEIVED  ugging of this well will comply with K.S.A. 55 CANSAS CORPORATION COMP  DEC 0 6 2006  th drilling rig;  t by circulating cement to the top; in all cases surface within 120 cases of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate it cement to plugged. In all cases, NOTIFY district office prior to any cementing.	MISSI N		
AFFI The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the appropriate district of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the strength of the well is dry hole, an agreement between the operator and the dry the appropriate district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement.  Or pursuant to Appendix "B" - Fastern Kansas surface casing order	DAVIT  RECEIVED  ugging of this well will comply with K.S.A. 55 CANSAS CORPORATION COMP  DEC 0 6 2006  th drilling rig;  t by circulating cement to the top; in all cases surface within 120 cases of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate it cement to plugged. In all cases, NOTIFY district office prior to any cementing.	MISSI N		
AFFI The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the total the well is dry hole, an agreement between the operator and the description of the spudding of the spuddate of the well is either plug.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the spudding of the spuddate or the well shall the spudding of the spuddate or the well shall the spudding of the spuddate or the well shall the spudding of the spuddate or the well shall the spudding of the spuddate or the well shall the spudding of the spuddate or the well shall the spudding of the spuddate or the well shall the spudding of the spuddate or the well shall the spudding of the spuddate or the well shall the spudding of the spuddate or the well shall the spudding of the spuddate or the well shall the spudding of the sp	DAVIT  RECEIVED  ugging of this well will comply with K.S.A. 55 CANSAS CORPORATION COMP  DEC 0 6 2006  th drilling rig;  t by circulating cement to the top; in all cases surface within 120 cases of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate it cement to plugged. In all cases, NOTIFY district office prior to any cementing.	MISSI N		
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the fifth the well is dry hole, an agreement between the operator and the description of the specified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the least of the spud to the best of the specific plants.	DAVIT  RECEIVED  ugging of this well will comply with K.S.A. 55 CORPORATION COMP  DEC 0 6 2006  th drilling rig;  the by circulating cement to the top; in all cases surface prior to plugging ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate if cementing the plugged. In all cases, NOTIFY district office prior to any cementing.	MISSI N		
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the driving hall unconsolidated materials plus a minimum of 20 feet into the search and the driving hall unconsolidated materials plus a minimum of 20 feet into the search and the driving hall unconsolidated materials plus a minimum of 20 feet into the search and the driving hall unconsolidated materials plus a minimum of 20 feet into the search and the driving hall unconsolidated materials plus a minimum of 20 feet into the search and the driving hall unconsolidated materials plus a minimum of 20 feet into the driving hall be search and the driving hall be search	DAVIT  RECEIVED  ugging of this well will comply with K.S.A. 55 CANSAS CORPORATION COMP  DEC 0 6 2006  th drilling rig;  th by circulating cement to the top; in all cases surface prior to plugging ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate il cement be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;	MISSI N		
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into the	DAVIT  RECEIVED  ugging of this well will comply with K.S.A. 55 CANSAS CORPORATION COMP  DEC 0 6 2006  th drilling rig;  the by circulating cement to the top; in all cases surface prior to plugging ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate il cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.	MISSI N ; ing		
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into the	DAVIT  RECEIVED  ugging of this well will comply with K.S.A. 55 CANSAS CORPORATION COMP  DEC 0 6 2006  th drilling rig;  th by circulating cement to the top; in all cases surface prior to plugging ged or production casing is cemented in;  ed from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate il cementic per plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please	N ing		
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the driving all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set	DAVIT  RECEIVED  ugging of this well will comply with K.S.A. 55 AMSAS CORPORATION COMP  DEC 0 6 2006  th drilling rig;  If by circulating cement to the top; in all cases surface prior to plugging to underlying formation.  istrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in;  ed from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate il cementice plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	MISSI N ; ing		
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each and a copy of the approved notice of intent to drill shall be posted on each and a copy of the approved notice of intent to drill shall be posted on each and a copy of the approved notice of intent to drill shall be posted on each and a copy of the appropriate district office prior and the driving of the sum of the shall be set of the well is dry hole, an agreement between the operator and the driving of the sum of the shall be completed. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the prior of the prio	DAVIT  RECEIVED  ugging of this well will comply with K.S.A. 55 AMSAS CORPORATION COMP  DEC 0 6 2006  th drilling rig;  If by circulating cement to the top; in all cases surface prior to plugging to underlying formation.  istrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in;  ed from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate il cementice plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with intent to Drill;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired	MISSIN N ; ing		
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into the	DAVIT  RECEIVED  ugging of this well will comply with K.S.A. 55 AMSAS CORPORATION COMP  DEC 0 6 2006  th drilling rig;  If by circulating cement to the top; in all cases surface prior to plugging to underlying formation.  istrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in;  ed from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate il cementice plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	MISSIN N ; ing		

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 205-27043-0000	Location of Well: County: Wilson
Operator: G.E.O. Oil & Gas, LLC	2100 feet from N / S Line of Section
Lease: Gildart	4800 feet from VE / W Line of Section
Weil Number: 2-A Field: wildcat	Sec. 3 Twp. 30 S. R. 17 ✓ East Wes
Number of Acres attributable to well:	Is Section:  Regular or Irregular
QTR / QTR / QTR of acreage: SENW NW SW	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

			***************************************
		_	•
· ·			•
1 .	•		
1			='
1			
1		[ _	
1			,
	·		-
		•	
		_	
		'	
· -			
1			
1			. :
1 ' '			
1			·
	•		•
			·
	•		-
	_		
		•	-
	-	• •	
•			
1			
	1		
		• •	
	.		
	_		
1	.	•	*
1			
	-		
		•	•
			,
			İ
		* *	-
1			
1			
1			
_		-	
1 .	.	•	•
	-		



NOTE: in all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: G.E.O. Oil & Gas, LLC		License Number: 30614		
Operator Address: 430 Kansas Av	enue, Iola, KS	66749		
Contact Person: George Tush		Phone Number: ( 620 ) 365 - 4694		
Lease Name & Well No.: Gildart 2-A			Pit Location (QQQQ):	
Type of Pit:	Pit is:		SE NW NW SW	
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 3 Twp. 30 R. 17	
Settling Pit  Drilling Pit	If Existing, date co	onstructed:	2100 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit			4000	
(If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from Fast / West Line of Section	
	300	(bbis)	Wilson County	
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes 🗸	] No	Chloride concentration: mg/l	
•	T	····	(For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?	Mo	How is the pit lined if a plastic liner is not used?	
✓ Yes  No	les (V)		native clay	
Pit dimensions (all but working pits):	40 Length (fe	et)8	Width (feet) N/A: Steel Pits	
	rom ground level to de		(feet)	
Distance to nearest water well within one-mil	le of pit	Depth to shallo Source of info	owest fresh waterfeet.	
<b>-</b>		measi	uredwell owner electric logKDWR	
Emergency, Settling and Burn Pits ONLY	:	_	cover and Haul-Off Pits ONLY:	
		al utilized in drilling/workover: drilling mud		
Trumber or Production		rking pits to be utilized: 1		
Barrels of fluid produced daily: Abandonment		procedure: air dry and backfill		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		be closed within 365 days of spud date.		
I hereby certify that the above stat	ements are true and	correct to the bes		
		<b>)</b>	KANSAS CORPORATION COMMISSION	
December 6, 2006	$(\mathcal{N})$	onna	Thanda DEC 0 6 2006	
Date	<del></del>		Signature of Applicant or Agent CONSERVATION DIVISION	
	KCC	OFFICE USE O	WICHTA KS	
Date Received: 12/6/06 Permit Nur	mber:	Perm	nit Date: /2/6/06 Lease Inspection: Yes (No	