For KCC Use: Effective Date: _ District #_

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed

| Expected Spud Date | 12 | 22 | 2006 | Spot 120'N & 120' E | East |
|--|--|--|--|---|---------------------------------------|
| | month | day | year | · — | West |
| | | | | 1530 feet from N/ S Line of Section | |
| OPERATOR: License # | 3842 | | | 870 feet from 🛛 E / 🗌 W Line of Section | |
| | SON OPERATING | | | 1- OFOTION V Demiles | |
| | | | ERING, INC. | Is SECTION X Regular Irregular? | |
| | WEST HIGHWAY | | | (Note: Locate well on the Section Plat on Reverse Side) | |
| | IITZ, KS 67564-85 |) (1 | | County: LANE | |
| *************************************** | 1 LARSON) 653-7368 | | | County: LANE Lease Name: NEIL Well #: 2-28 | |
| (020 |) 033-7300 | | | Field Name: WILDCAT | |
| CONTRACTOR: License | # 30606 | | | Is this a Prorated / Spaced Field? | No. |
| Name: MURFIN DRILL | | | | Target Formation(s): L-KC, MARMATON, LOWER PENN | |
| | | | | Nearest Lease or unit boundary: 870' | • |
| Well Drilled For: | Well | Class: | Type Equipment: | · | et MSI |
| 🛛 Oil 🖊 🗌 Enh | | nfield | Mud Rotary | | ⊠ No |
| ☐ Gas ☐ Store | age 🔲 F | Pool Ext. | Air Rotary | Public water supply well within one mile: | No. |
| OWWO Disp | osal 🛛 V | Vildcat 🖊 | Cable | Depth to bottom of fresh water: | |
| Seismic; | | Other | | Depth to bottom of usable water: 1350 | |
| Other | | | | Surface Pipe by Alternate: | |
| *************************************** | | | | Length of Surface Pipe Planned to be set: 250' Alternate | ر م |
| If OWWO: old well inform | ation as follows: | | | Length of Conductor pipe required: NA | |
| Operator: | | | | Projected Total Depth: 4650' | |
| Well Name: | | | | Formation at Total Depth: MISSISSIPPI | |
| Original Completion | n Date: | Original Tot | tal Depth: | Water Source for Drilling Operations: | |
| | | | | ☐ Well ☐ Farm Pond Other <u>WATER HAULER</u> | |
| Directional, Deviated or H | orizontal wellbore? | ? | 🗌 Yes 🛛 No | DWR Permit #: | |
| If yes, true vertical depth: | | | | (Note : Apply for Permit with DWR 🔲) | |
| | | | | · · · · · · · · · · · · · · · · · · · | |
| Bottom Hole Location: | | | | Will Cores Be Taken? | ⊠ No |
| Bottom Hole Location: KCC DKT#: | | , | AF | If yes, proposed zone: | ⊠ No |
| Bottom Hole Location: KCC DKT#: The undersigned hereby a lit is agreed that the follow. 1. Notify the appropria. 2. A copy of the appro. 3. The minimum amouthrough all unconso. 4. If the well is a dry h. 5. The appropriate dis. 6. If an ALTERNATE Or pursuant to Appmust be completed. | offirms that the drilling minimum requite district office proved Notice of Interest of Surface pipe ole, an agreement office will be recompleted in COMPLETION, lendix "B" – Easter within 30 days of | ring, completificements will be a specified blus a minimal between the production pin Kansas surspud date or | AF ion and eventual plugging be met: ing of well; all be posted on each drilli below shall be set by circum of 20 feet into the under e operator and the district e well is either plugged or pe shall be cemented fron fface casing order #133,89 | If yes, proposed zone: FIDAVIT of this well will comply with K.S.A. 55-101, et. seq. Ing rig; Eulating cement to the top; in all cases surface pipe shall be set entying formation; office on plug length and placement is necessary prior to plugging; production casing is cemented in; to below any usable water to surface within 120 days of spud date. Ot-C, which applies to the KCC District 3 area, alternate II cementing In all cases, NOTIFY district office prior to any cementing. | ⊠ No |
| Bottom Hole Location: KCC DKT#: The undersigned hereby a lit is agreed that the follow. 1. Notify the appropria. 2. A copy of the appro. 3. The minimum amouthrough all unconso. 4. If the well is a dry h. 5. The appropriate dis. 6. If an ALTERNATE Or pursuant to Appmust be completed. | offirms that the drilling minimum requite district office proved Notice of Interest of Surface pipe ole, an agreement office will be recompleted in COMPLETION, pendix "B" – Easter within 30 days of atternents made he | ring, completificements will be a specified blus a minimal between the production pin Kansas surspud date or | AF ion and eventual plugging be met: ing of well; all be posted on each drilli below shall be set by circum of 20 feet into the under experience operator and the district experience well is either plugged or pe shall be cemented from face casing order #133,89 the well shall be plugged. and to the best of my known and the | If yes, proposed zone: FIDAVIT of this well will comply with K.S.A. 55-101, et. seq. Ing rig; culating cement to the top; in all cases surface pipe shall be set enlying formation; office on plug length and placement is necessary prior to plugging; production casing is cemented in; a below any usable water to surface within 120 days of spud date. O1-C, which applies to the KCC District 3 area, alternate If cementing In all cases, NOTIFY district office prior to any cementing. Wedge and belief. Title: PRESIDENT | ⊠ No |
| Bottom Hole Location: KCC DKT#: The undersigned hereby a lit is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is a dry h 5. The appropriate dis 6. If an ALTERNATE Or pursuant to Appmust be completed I hereby certify that the state Date: 12/05/2006 | offirms that the drilling minimum requite district office proved Notice of Interest of Surface pipe ole, an agreement office will be recompleted in COMPLETION, pendix "B" – Easter within 30 days of atternents made he | ring, completificements will be a specified blus a minimal between the production pin Kansas sur spud date or rein are true | AF ion and eventual plugging be met: ing of well; all be posted on each drilli below shall be set by circum of 20 feet into the under experience operator and the district experience well is either plugged or pe shall be cemented from face casing order #133,89 the well shall be plugged. and to the best of my known and the | If yes, proposed zone: FIDAVIT of this well will comply with K.S.A. 55-101, et. seq. Ing rig; Eulating cement to the top; in all cases surface pipe shall be set Enlying formation; office on plug length and placement is necessary prior to plugging; production casing is cemented in; in below any usable water to surface within 120 days of spud date. OT-C, which applies to the KCC District 3 area, alternate If cementing In all cases, NOTIFY district office prior to any cementing. Wedge and belief. Title: PRESIDENT | No. |
| Bottom Hole Location: KCC DKT#: The undersigned hereby a It is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is a dry h 5. The appropriate dis 6. If an ALTERNATE Or pursuant to Appmust be completed I hereby certify that the sta Date: 12/05/2006 | iffirms that the drill ing minimum requi ite district office <i>pi</i> oved Notice of Inte- unt of surface pipe blidated materials pole, an agreement strict office will be restrict office will be restrict office will be restrict office with 30 days of stements made he | ing, completi rements will in rior to spuddi nt to Drill sha as specified blus a minimulate between the notified before production pin Kansas sur spud date or rein are true | AF ion and eventual plugging be met: ing of well; all be posted on each drilli below shall be set by circum of 20 feet into the under experience operator and the district experience well is either plugged or pe shall be cemented from face casing order #133,89 the well shall be plugged. and to the best of my known and the | If yes, proposed zone: FIDAVIT of this well will comply with K.S.A. 55-101, et, seq. Ing rig; Eulating cement to the top; in all cases surface pipe shall be set entrying formation; office on plug length and placement is necessary prior to plugging; production casing is cemented in; in below any usable water to surface within 120 days of spud date. 11-C, which applies to the KCC District 3 area, alternate II cementing In all cases, NOTIFY district office prior to any cementing. wiedge and belief. Title: PRESIDENT PRESIDENT | <u> </u> |
| Bottom Hole Location: KCC DKT#: The undersigned hereby a lit is agreed that the follow: 1. Notify the appropriate 2. A copy of the appropriate distribution of through all unconsoce. If the well is a dry his the well is a dry his The appropriate distribution of the pursuant to Appropriate the completed of the pursuant to Appropriate the Appropriate the Appropriate th | affirms that the drill ing minimum requinted strict office proved Notice of Interest of Surface pipe olidated materials pole, an agreement office will be resident of B" – Eastern within 30 days of strements made he | ing, completice rements will be rior to spudding to Drill shad as specified blus a minimulate before production pin Kansas sure spud date or rein are true of Operator of Decidents will be remembered to the spudding to the | AF ion and eventual plugging be met: ing of well; all be posted on each drilli below shall be set by circ um of 20 feet into the unde e well is either plugged or pe shall be cemented fron pe shall be cemented fron face casing order #133,89 the well shall be plugged. and to the best of my know or Agent: | If yes, proposed zone: FIDAVIT of this well will comply with K.S.A. 55-101, et. seq. Ing rig; Eulating cement to the top; in all cases surface pipe shall be set entying formation; office on plug length and placement is necessary prior to plugging; production casing is cemented in; In below any usable water to surface within 120 days of spud date. Ot-C, which applies to the KCC District 3 area, alternate II cementing In all cases, NOTIFY district office prior to any cementing. Wedge and belief. Title: PRESIDENT PRESIDENT PRESIDENT File Completion Form ACO-1 within 120 days of spud date; | |
| Bottom Hole Location: KCC DKT#: The undersigned hereby a It is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is a dry h 5. The appropriate dis 6. If an ALTERNATE Or pursuant to Appmust be completed I hereby certify that the sta Date: 12/05/2006 | affirms that the drilling minimum requinte district office proved Notice of Interest of surface pipe olidated materials pole, an agreement office will be result office will be result office with a completion, gendix "B" — Easter within 30 days of stements made he | ing, completice rements will be rements will be rior to spudding to Drill she as specified blus a minimum to between the production pin Kansas sure spud date or rein are true of Operator of the spudding to the spudding true for the spuding true for the spudding true for the spudding true for the spuding true for t | AF ion and eventual plugging be met: ing of well; all be posted on each drilli below shall be set by circum of 20 feet into the under experience operator and the district experience well is either plugged or pe shall be cemented from face casing order #133,89 the well shall be plugged. and to the best of my known and the | If yes, proposed zone: FIDAVIT of this well will comply with K.S.A. 55-101, et. seq. Ing rig; Eulating cement to the top; in all cases surface pipe shall be set entrying formation; office on plug length and placement is necessary prior to plugging; production casing is cemented in; In below any usable water to surface within 120 days of spud date. Ot-C, which applies to the KCC District 3 area, alternate II cementing In all cases, NOTIFY district office prior to any cementing. Wedge and belief. Title: PRESIDENT PRESIDENT File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; | <u> </u> |
| Bottom Hole Location: KCC DKT#: The undersigned hereby a lit is agreed that the follow: 1. Notify the appropria 2. A copy of the appropria 3. The minimum amouthrough all unconsolous 4. If the well is a dry 5. The appropriate dis 6. If an ALTERNATE Or pursuant to Appmust be completed 1 hereby certify that the standard in the stand | affirms that the drill fing minimum requinted district office proved Notice of Interest of Surface pipe olidated materials pole, an agreement office will be result of 11 COMPLETION, pendix "B" – Eastern within 30 days of statements made he Signature of Signature of Company of Surface of Signature of Company of Surface of Company of Surface of Company of Surface of Surface of Company of Surface of Company of Surface of Surface of Company of Surface | ing, completi rements will into prior to spudding as specified blus a minimum to between the notified before production pin Kansas sur spud date or rein are true | AF ion and eventual plugging be met: ing of well; all be posted on each drilli below shall be set by circ um of 20 feet into the unde e well is either plugged or pe shall be cemented fron pe shall be cemented fron face casing order #133,89 the well shall be plugged. and to the best of my know or Agent: | If yes, proposed zone: FIDAVIT of this well will comply with K.S.A. 55-101, et. seq. Ing rig; Eulating cement to the top; in all cases surface pipe shall be set entying formation; office on plug length and placement is necessary prior to plugging; production casing is cemented in; In below any usable water to surface within 120 days of spud date. Ot-C, which applies to the KCC District 3 area, alternate II cementing In all cases, NOTIFY district office prior to any cementing. Wedge and belief. Title: PRESIDENT PRESIDENT PRESIDENT File Completion Form ACO-1 within 120 days of spud date; | |
| Bottom Hole Location: KCC DKT#: The undersigned hereby a lit is agreed that the follow 1. Notify the appropria 2. A copy of the approduction of through all unconsorthrough all the well is a dry him to a proposition of the proposition of the state of the proposition of the propositio | iffirms that the drilling minimum requite district office proved Notice of Interest of Surface pipe olicity and agreement office will be resulted in 30 days of stements made he signature of 10 COMPLETION, pendix "B" – Easter within 30 days of stements made he signature of 10 Nor required 21-7-00 | ing, completice rements will be rior to spudding as specified blus a minimum between the production pin Kansas sure spud date or rein are true of Operator of Oper | AF ion and eventual plugging be met: ing of well; all be posted on each drilli below shall be set by circum of 20 feet into the under e operator and the district e well is either plugged or pe shall be cemented from flace casing order #133,85 the well shall be plugged. and to the best of my known or Agent: | If yes, proposed zone: FIDAVIT of this well will comply with K.S.A. 55-101, et. seq. Ing rig; Evaluating cement to the top; in all cases surface pipe shall be set entrying formation; office on plug length and placement is necessary prior to plugging; production casing is cemented in; In below any usable water to surface within 120 days of spud date. Ot-C, which applies to the KCC District 3 area, alternate II cementing In all cases, NOTIFY district office prior to any cementing. Weldge and belief. Title: PRESIDENT | |
| Bottom Hole Location: KCC DKT#: The undersigned hereby a lit is agreed that the follow 1. Notify the appropria 2. A copy of the approduction of through all unconsorthrough all the well is a dry him to a proposition of the proposition of the state of the proposition of the propositio | iffirms that the drilling minimum requite district office proved Notice of Interest of Surface pipe olicity and agreement office will be resulted in 30 days of stements made he signature of 10 COMPLETION, pendix "B" – Easter within 30 days of stements made he signature of 10 Nor required 21-7-00 | ing, completice rements will be rior to spudding as specified blus a minimum between the production pin Kansas sure spud date or rein are true of Operator of Oper | AF ion and eventual plugging be met: ing of well; all be posted on each drilli below shall be set by circum of 20 feet into the under e operator and the district e well is either plugged or pe shall be cemented from flace casing order #133,85 the well shall be plugged. and to the best of my known or Agent: | If yes, proposed zone: FIDAVIT of this well will comply with K.S.A. 55-101, et. seq. Ing rig; Eulating cement to the top; in all cases surface pipe shall be set Enlying formation; office on plug length and placement is necessary prior to plugging; production casing is cemented in; in below any usable water to surface within 120 days of spud date. OT-C, which applies to the KCC District 3 area, alternate It cementing In all cases, NOTIFY district office prior to any cementing. Wedge and belief. Title: PRESIDENT Emeriber to: File Drill Pit Application (Form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. | <u> </u> |
| Bottom Hole Location: KCC DKT#: The undersigned hereby a lit is agreed that the follow: 1. Notify the appropria 2. A copy of the approduction of through all unconsorted. If the well is a dry high the substitution of the propriate dis for pursuant to Approved the production of the state of the production of the state of the production of the state of the production of | affirms that the drilling minimum requinte district office proved Notice of International Proved Notice of International Proved Notice of International Provential Completions of International Provential Completions of International Provential Completions of International Provential Completions of International Internationa | ing, completic rements will rior to spudding as specified blus a minimula to between the notified before production pin Kansas sur spud date or rein are true of Operator of | AF ion and eventual plugging be met: ing of well; all be posted on each drilli below shall be set by circ um of 20 feet into the unde e operator and the district e well is either plugged or pe shall be cemented fron frace casing order #133,85 the well shall be plugged. and to the best of my know or Agent: Refeet feet per Alt. 2 | FIDAVIT of this well will comply with K.S.A. 55-101, et. seq. Ingrig; unating cement to the top; in all cases surface pipe shall be set entrying formation; office on plug length and placement is necessary prior to plugging; production casing is cemented in; below any usable water to surface within 120 days of spud date. OT-C, which applies to the KCC District 3 area, alternate II cementing In all cases, NOTIFY district office prior to any cementing. Wedge and belief. Title: PRESIDENT PRESIDENT PRESIDENT File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please | |
| Bottom Hole Location: KCC DKT#: The undersigned hereby a lit is agreed that the follow 1. Notify the appropria 2. A copy of the approduction of through all unconsorthrough all the well is a dry him to a proposition of the proposition of the state of the proposition of the propositio | affirms that the drilling minimum requinte district office proved Notice of International Proved Notice of International Proved Notice of International Provential Completions of International Provential Completions of International Provential Completions of International Provential Completions of International Internationa | ing, completic rements will rior to spudding as specified blus a minimula to between the notified before production pin Kansas sur spud date or rein are true of Operator of | AF ion and eventual plugging be met: ing of well; all be posted on each drilli below shall be set by circ um of 20 feet into the unde e operator and the district e well is either plugged or pe shall be cemented fron frace casing order #133,85 the well shall be plugged. and to the best of my know or Agent: Refeet feet per Alt. 2 | FIDAVIT of this well will comply with K.S.A. 55-101, et. seq. In rig; In rig; In the seq. In the seq. In rig; In the seq. In the seq. | × × × × × × × × × × × × × × × × × × × |
| Bottom Hole Location: KCC DKT#: The undersigned hereby a lit is agreed that the follow 1. Notify the appropria 2. A copy of the appro- 3. The minimum amout hrough all unconso 4. If the well is a dry h 5. The appropriate dis 6. If an ALTERNATE Or pursuant to Appmust be completed I hereby certify that the state Date: 12/05/2006 For KCC use ONLY API # 15 - 101 - Conductor pipe require Minimum surface pipe Approved by III I | ing minimum requite district office proved Notice of Interest of Surface pipe old an agreement of Surface will be resulted in the surface will be resulted in the surface office will be resulted in the surface of Surface | ing, completificements will interest to spudding as specified plus a minimal between the notified before production pin Kansas surespud date or rein are true of Operator of O | AF ion and eventual plugging be met: ing of well; all be posted on each drilli below shall be set by circ um of 20 feet into the unde e operator and the district e well is either plugged or pe shall be cemented fron frace casing order #133,85 the well shall be plugged. and to the best of my know or Agent: Refeet feet per Alt. 2 | If yes, proposed zone: FIDAVIT of this well will comply with K.S.A. 55-101, et. seq. Ingrig; culating cement to the top; in all cases surface pipe shall be set rifying formation; office on plug length and placement is necessary prior to plugging; production casing is cemented in; in below any usable water to surface within 120 days of spud date. 11-C, which applies to the KCC District 3 area, alternate II cementing In all cases, NOTIFY district office prior to any cementing. Wiedge and belief. Title: PRESIDENT PRESIDENT PRESIDENT File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled – Permit Expired | |
| Bottom Hole Location: KCC DKT#: The undersigned hereby a lit is agreed that the follow: 1. Notify the appropria 2. A copy of the approduction of through all unconsorted. If the well is a dry high the substitution of the propriate dis for pursuant to Approved the production of the state of the production of the state of the production of the state of the production of | ing minimum requite district office proved Notice of Interest of Surface pipe old an agreement of Surface will be resulted in the surface will be resulted in the surface office will be resulted in the surface of Surface | ing, completificements will interest to spudding as specified plus a minimal between the notified before production pin Kansas surespud date or rein are true of Operator of O | AF ion and eventual plugging be met: ing of well; all be posted on each drilli below shall be set by circ um of 20 feet into the unde e operator and the district e well is either plugged or pe shall be cemented fron frace casing order #133,85 the well shall be plugged. and to the best of my know or Agent: Refeet feet per Alt. 2 | FIDAVIT of this well will comply with K.S.A. 55-101, et. seq. In rig; In rig; In the seq. In the seq. In rig; In the seq. In the seq. | 1 |

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of Acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within ½ mile of the boundaries of the proposed acreage attribution unit for oil wells.

| API No. 15 - 101-21995-0000 | Location of Well: County: LANE |
|--|---|
| LARSON OPERATING COMPANY Operator: A DIVISION OF LARSON ENGINEERING, INC. | feet from N/ S Line of Section |
| Lease: NEIL | 870feet from ☑ E / ☐ W Line of Section |
| Well Number: 2-28 | Sec. <u>28</u> Twp. <u>18</u> S. R. <u>29</u> ☐ East ☑ Wes |
| Field: WILDCAT | Is Section: Regular or Intregular |
| Number of Acres attributable to well: 10 QTR / QTR / QTR of acreage: NE/4 | If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW |

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling location.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (CO-7 for oil wells; RECEIVED CG-8 for gas wells).

DEC 0.7.2503

KCC WICHITA

KANSAS CORPORATION COMMISSION Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

| Operator Name: | LARSON OPERATING COMPANY BE: A DIVISION OF LARSON ENGINEERING, INC. | | | License Number: 3842 | | | |
|--|--|---|---|--|--|--|--|
| 562 WEST HIGHWAY 4 | | | | | | | |
| Contact Person: | OEMITZ, NO 01004 0001 | | | Phone Number: (620) 653-7368 | | | |
| Lease Name & Well N | lo.: NEIL #2-28 | | Pit Location (QQQQ): | | | | |
| Is the bottom below o | Sensitive Ground Water ground level? No at working pits): | If Existing, date cor Pit capacity: 6400 Area? Yes Artificial Liner? Yes | (bbls) No No 80 | 1 | | | |
| material, thickness a | a brief description of the nd installation procedure | e of pit | liner integrity, | edures for periodic maintenance and determining including any special monitoring owest fresh water feet. | | | |
| feet Depth of water wellfeet Emergency, Settling and Burn Pits ONLY: | | | measured well owner electric log KDWR Drilling, Workover and Haul-Off Pits ONLY: | | | | |
| Producing Formation | | | Type of material utilized in drilling/workover: FRESH WATER MUD | | | | |
| Number of producing wells on lease: | | | Number of working pits to be utilized: 3 | | | | |
| Barrels of fluid produ | uced daily: | | Abandonment | procedure: ALLOW TO DRY THEN BACKFILL | | | |
| Does the slope from the tank battery allow all spilled fluids to flow into the pit? | | | Drill pits must be closed within 365 days of spud date. | | | | |
| I hereby certify that the above statements are true and correct to the best of my knowledge and belief. 12-5-06 | | | | | | | |
| Date Received: 12 1 06 Permit Number: Permit Date: 12 106 Lease Inspection: Yes I No | | | | | | | |