For KCC Effective		12-12-06
District #		4
SGA?	Yes	X No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

December 12, 2006	
	Spot East
Expected Spud Date December 12, 2006 month day year	ApNW SENE NE Sec. 28 Twp. 7 S. R. 22 West
20250	840 feet from VN / S Line of Section
OPERATOR: License# 30259	345 / Feet from VE / W Line of Section
Nome: Welth Exploration Trust	Is SECTION ✓ RegularIrregular?
Address: 1308 Schwaller Avenue	
Address: City/State/Zip: Hays, KS 67601	(Note: Locate well on the Section Plat on reverse side) County: Graham
Contact Person, Andy Wertin	Lease Name: Worcester Well #: 1
Phone: (785) 625-3531	Field Name: wildcat
CONTRACTOR: License# 33237	1 1 2 2 2 2 2 2 2 2
Name: Anderson Drilling	Is this a Prorated / Spaced Field? Target Formation(s): Kansas City - Arbuckle
Hallie.	Nearest Lease or unit boundary: 345'
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 2271 feet MSL
Oil / Enh Rec Infield / Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 150'
Seismic; # of Holes Other	Depth to bottom of usable water: 1040'
Other	Surface Pipe by Alternate: 1 2
	Length of Surface Pipe Planned to be set: 200+
If OWWO: old well information as follows:	Length of Conductor Pipe required: none
Operator:	Projected Total Depth: 4,000'
Well Name:	Formation at Total Depth: Kansas City - Arbuckle
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other haul
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken? Yes ✓ No
NOO DIN II.	If Yes, proposed zone:
	DECENTED.
AFF	IDAVIT
The undersigned hereby affirms that the drilling, completion and eventual p	lugging of this well will comply with K.S.A. 55 et. Sec. CORPORATION COMMISSION
It is agreed that the following minimum requirements will be met:	DEC 07 2006
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the prior of specified below <i>shall be</i>. 	ch drilling rig; or by circulating cement to the top; in all cases surface pigchia is set on the top.
through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the constitution of the second of the seco	the underlying formation. Sistrict office on plug length and placement is necessary prior to plugging; Igged or production casing is cemented in; Ited from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the constitution of the second of the seco	the underlying formation. Sistrict office on plug length and placement is necessary prior to plugging; Igged or production casing is cemented in; Ited from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the control of the appropriate district office will be notified before well is either plugible. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	the underlying formation. Histrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the constitution of 20 feet into the constitution of 20 feet	the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; all from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the constitution of 20 feet into the complete of the constitution of 20 feet into the complete of 20 feet into the constitution of 20 feet into the constitutio	he underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent ###################################
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the constitution of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the constitution of 20 feet into the constitution of 20	instrict office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the constitution of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the constitution of 20 feet into the constitution of 20 feet into the constitution of 20 feet into the complete with a complete of 20 feet into the constitution of 20 feet into the constit	istrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; all the form below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the constitution of 20 feet into the constitution of 20 feet	istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the constitution of 20 feet into the constitution of 20 feet	istrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; all the form below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the continuous supportance district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: December 7, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - DUS - 23262-0000 Conductor pipe required None feet Minimum surface pipe required leet per Alt. (2) Approved by: LHH 12-7-06	istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the continuous forms of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the continuous forms of 20 feet into the 5. The appropriate district office will be notified before well is either plus for appropriate district office will be notified before well is either plus for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of the possible of the possible of the continuous forms of the possible of the poss	istrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the continuous supportance district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: December 7, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - DUS - 23262-0000 Conductor pipe required None feet Minimum surface pipe required leet per Alt. (2) Approved by: LHH 12-7-06	istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the continuous forms of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the continuous forms of 20 feet into the 5. The appropriate district office will be notified before well is either plus for appropriate district office will be notified before well is either plus for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of the possible of the possible of the continuous forms of the possible of the poss	Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. Interest of the plugging report (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 065-23262-0000	Location of Well: County: Graham
Operator: Werth Exploration Trust	840 feet from N / S Line of Section
Lease: Worcester	345 feet from VE / W Line of Section
Weil Number: 1 Field: wildcat	Sec28 Twp7 S. R22 East
Number of Acres attributable to well:	Is Section: 📝 Regular or 🔲 Irregular
QTR / QTR / QTR of acreage: ApNW _ SENE _ NE	If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

Γ-		-		
	· .			• •
		-		
		·		
			-	
	• •			•
1			•	
				•
	• •		•	
				
	•			
		•	•	-
			• • • • • • •	
		.	•	
	•		•	
	• • • • • •			
	•	•	•	
	•	.	•	
	•			•
			•	
		.		



NOTE: In all cases locate the spot of the proposed drilling locaton.

in plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

O				
Operator Name: Werth Exploration Trust			License Number: 30259	
Operator Address: 1308 Schwaller	Avenue, Ha	ys, KS 676	01	
Contact Person: Andy Werth			Phone Number: (785) 625 - 3531	
Lease Name & Well No.: Worcester #	#1	Pit Location (QQQQ):		
Type of Pit:	Pit is:		ApNW SE NE NE	
Emergency Pit Burn Pit	✓ Proposed Existing		Sec. 28 Twp. 7 R. 22 ☐ East ✓ West	
Settling Pit Drilling Pit	If Existing, date constructed:		840 '	
Workover Pit Haul-Off Pit	Pit capacity:		Feet from North / South Line of Section	
(If WP Supply API No. or Year Drilled)			Feet from 🗸 East / 🔛 West Line of Section	
	3,600	(bbls)	Graham County	
Is the pit located in a Sensitive Ground Water	Area? Yes	No No	Chloride concentration:mg/l	
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?	
✓ Yes No	☐ Yes 🗸	No	native clay	
		60	J	
Pit dimensions (all but working pits):	- '		Width (feet) N/A: Steel Pits	
Depth f	rom ground level to de	eepest point: 5	(feet)	
If the pit is lined give a brief description of the liner material, thickness and installation procedure.		liner integrity, i	ncluding any special monitoring. KANSAS CORPORATION COMM DEC 0 7 2006 CONSERVATION DIVISION	
Distance to nearest water well within one-mile of pit		Depth to shallowest fresh water <u>~30</u> feet. Source of information: メルドル (
feet Depth of water well	<u></u> ∫o feet	measu	iredwell owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:		
Producing Formation:		Type of material utilized in drilling/workover: drilling mud		
Number of producing wells on lease:		Number of working pits to be utilized: 1		
Barrels of fluid produced daily:		Abandonment procedure: air dry and backfill		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the t			t of my knowledge and belief.	
December 7, 206 Date	_(c)onna	t of my knowledge and belief. Manual ignature of Applicant or Agent	
	KCC	OFFICE USE O	NLY	
Date Received: 12/7/04 Permit Num	aber:	Perm	it Date: 12/7/04 Lease Inspection: Yes 🛭 No	