For KCC Use: Effective Date: District # SGA? Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must ba Signed
All blanks must be Filled

month day year	NE. SW. NE Sec. 14 Twp. 11 S. R. 23	✓ West
2522	1500feet from V N / S Line o	
OPERATOR: License# 3532	1410 feet from VE / W Line o	
CMX Inc.	Is SECTION Regular Irregular?	
Address: 1551 N. Waterfront Parkway, Suite 150	•	
City/State/Zip: Wichita, KS 67206	(Note: Locate well on the Section Plat on reverse side)	
Contact Person. Douglas H. McGinness II	County: Trego Lease Name: Pale RiderWell #: 1	
Phone: 316-269-9052	Id Ca k	
33575		lves (Z)Na
CONTRACTOR: License# 33575 Name: WW Drilling, LLC	Is this a Prorated / Spaced Field?	Yes ✓ No
Name: TYTY Drinning, ELO	Nearest Lease or unit boundary: 1230 per operation	Ntect.
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 2008	feet MSL
✓ Oil ✓ Enh Rec Infield ✓ Mud Rotary	Ground Surface Elevation: 2208	Yes No
✓ Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:	Yes No
OWWO Disposal Wildcat Cable	Public water supply well within one mile: Depth to bottom of fresh water:	ies 🗗 iio
Seismic:# of Holes Other	Depth to bottom of usable water: 820	
Other	Surface Pipe by Alternate: 1 2	•
	Length of Surface Pipe Planned to be set: $\lambda \leq 0$	
If OWWO: old well information as follows:	Length of Conductor Pipe required:	
Operator:	Projected Total Depth: 4100'	
Well Name:	Formation at Total Depth: 14 buckle	
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR	
KCC DKT #:	Will Cores be taken?	Yes ✓ No
	If Yes, proposed zone:	
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the desired	t by circulating cement to the top; in all cases surface pipe shall	be set
5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best or	ged or production casing is cemented in; ed from below any usable water to surface within 120 days of s #133,891-C, which applies to the KCC District 3 area, alternate be plugged. In all cases, NOTIFY district office prior to any case from knowledgerant pelies.	oud date.
5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	ged or production casing is cemented in; ed from below any usable water to surface within 120 days of s #133,891-C, which applies to the KCC District 3 area, alternate be plugged. In all cases, NOTIFY district office prior to any company to the second se	oud date.
5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: 12/7/06 Signature of Operator or Agent: For KCC Use ONLY API # 15	ged or production casing is cemented in; ed from below any usable water to surface within 120 days of si #133,891-C, which applies to the KCC District 3 area, alternate be plugged. In all cases, NOTIFY district office prior to any contempt in the p	oud date. Il cementing smenting.
5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best or Date: 12/7/06 Signature of Operator or Agent: For KCC Use ONLY API # 15	ged or production casing is cemented in; ed from below any usable water to surface within 120 days of si #133,891-C, which applies to the KCC District 3 area, alternate be plugged. In all cases, NOTIFY district office prior to any community in the product of the KCC District 3 area, alternate be plugged. In all cases, NOTIFY district office prior to any community in the product of the prior to any community in the president. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - Notify appropriate district office 48 hours prior to workover or - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) ple	oud date. Il cementing smenting.
5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best or Date: 12/7/06 Signature of Operator or Agent: For KCC Use ONLY API # 15 - /95 - 224/3-000 Conductor pipe required feet Minimum surface pipe required feet per Alt. (2) Approved by: 12 - 8-06	ged or production casing is cemented in; ed from below any usable water to surface within 120 days of s; #133,891-C, which applies to the KCC District 3 area, alternate be plugged. In all cases, NOTIFY district office prior to any contemporary of the prior to any	oud date. Il cementing menting.
5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best or Date: 12/7/06 Signature of Operator or Agent: For KCC Use ONLY API # 15	ged or production casing is cemented in; ed from below any usable water to surface within 120 days of significant specific to the KCC District 3 area, alternate to plugged. In all cases, NOTIFY district office prior to any confirm with the prior to any confirm with the prior to any confirm with the prior to any confirming the prior to a	oud date. Il cementing menting.
5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best or Date: 12/7/06 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 195 - 224/3 - 000 Conductor pipe required feet Minimum surface pipe required feet per Alt. (2) Approved by: 12 - 8 - 06 This authorization expires: 6 - 8 - 07 (This authorization void if drilling not started within 6 months of approval date.) Spud date: Agent:	ged or production casing is cemented in; ed from below any usable water to surface within 120 days of si #133,891-C, which applies to the KCC District 3 area, alternate be plugged. In all cases, NOTIFY district office prior to any confirming the prior to	oud date. Il cementing menting. s; re-entry; ase
5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best or Date: 12/7/06 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 195 - 224/3 - 000 Conductor pipe required feet Minimum surface pipe required feet per Alt. (2) Approved by: 12 - 8 - 06 This authorization expires: 6 - 8 - 07 (This authorization void if drilling not started within 6 months of approval date.) Spud date: Agent:	ged or production casing is cemented in; ed from below any usable water to surface within 120 days of significant specific to the KCC District 3 area, alternate to plugged. In all cases, NOTIFY district office prior to any confirm with the prior to any confirm with the prior to any confirm with the prior to any confirming the prior to a	oud date. Il cementing menting. Stree-entry; VED 2006

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 195 - 204/3-0000	Location of Well: County: Trego
Operator: CMX, Inc.	1500 feet from VN / S Line of Section
Lease: Pale Rider	1410 feet from ✓ E / W Line of Section
Well Number: 1	Sec. 14 Twp. 11 S. R. 23 East ✓ West
Field:	Is Section: 🗸 Regular or 🗌 Irregular
Number of Acres attributable to well:	is Section.
QTR / QTR / QTR of acreage:	If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

ſ				
		-		•
-	•	•	· · ·	•
		•		•
			l	
			1	
		•		
1				
				•
]			1	
				•
	· · · · ·		• • • • • • •	
i .				•
	•	•	[
I			I .	
		•		•
I			I	
				•
I				
I				
			1	
I			I	
	•			
	•			
	•			
				•
				•
		-	 	
-		-	• •	
	•	•	: :	•
		-	• •	
	•	•		•
-	•	•	· · ·	· ·
-		•	: :	
-	•	•		
	•	•		
	•	•		
	,			
	,			
	,			: : :
	· · · · · · · · · · · · · · · · · · ·			:
	· · · · · · · · · · · · · · · · · · ·			:
				:
	· · · · · · · · · · · · · · · · · · ·			:
				: : : :

EXAMPLE	
-	•
•	1980
- •	
	.10
	. 3390' ·
	•
•	
SEWARD CO.	<u> </u>

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, RECEIVED 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: CO-7100 of wells; **KCC WICHITA** CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

	Sut	omit in Duplicate	, \
Operator Name: CMX, Inc.			License Number: 3532
Operator Address: 1551 N. Wate	rfront Parkw	ay, Suite	150, Wichita, KS 67206
Contact Person: Douglas H. McGinness II			Phone Number: (316) 269 - 9052
Lease Name & Well No.: Pale Rider #1		Pit Location (QQQQ):	
Type of Pit:	Pit is:		NE NE SW. NE
Emergency Pit Burn Pit	Proposed Existing		Sec. 14 Twp. 11 R. 23 ☐ East ✓ West
Settling Pit	If Existing, date constructed:		1500 Feet from North / South Line of Section
Workover Pit Haul-Off Pit	Pit capacity:		1410 Feet from 🗸 East / 🗌 West Line of Section
(if WP Supply API No. or Year Drilled)	1750	(bbls)	Trego County
Is the pit located in a Sensitive Ground Water	Area? Yes] No	Chloride concentration: mg/l
	1		(For Emergency Pits and Settling Pits only)
Is the bottom below ground level?	Artificial Liner? Yes	No	How is the pit lined if a plastic liner is not used?
If the pit is lined give a brief description of the material, thickness and installation procedure	rom ground level to de bliner e.	Describe proce liner integrity, i	Width (feet)N/A: Steel Pits(feet)(feet)edures for periodic maintenance and determining ncluding any special monitoring.
Distance to nearest water well within one-mile of pit		Source of info	
NA feet Depth of water well feet			ured well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY:		1	over and Haul-Oil Fits ONLY.
Producing Formation:			al utilized in drilling/workover: Fresh rking pits to be utilized: 2
Number of producing wells on lease:		Abandonment	procedure: Allow fluid to evaporate and backfill when
oufficient.		sufficiently of	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No			be closed within 365 days of spud date.
I hereby certify that the above stat 12/7/06 Date	ements are true and	- del	Signature of Applicant or Agent
			Otal
KCC OFFICE USE ONLY			

Date Received:



CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR BRIAN J. MOLINE, CHAIR ROBERT E. KREHBIEL, COMMISSIONER MICHAEL C. MOFFET, COMMISSIONER

December 8, 2006

Mr. Douglas H. McGinness II CMX, Inc. 1551 N. Waterfront Parkway Ste 150 Wichita, KS 67206

RE: Drilling Pit Application

Pale Rider Lease Well No. 1 NE/4 Sec. 14-11S-23W Trego County, Kansas

Dear Mr. McGinness:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased. **Please keep all pits away from any draws.**

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (785) 625-0550 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

Environmental Protection and Remediation Department

cc: File