For KCC Use:	12 12 -14
Effective Date:	12-13-06
District #	
SCA2 TVes	▼ No

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

### NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed

	(5) days prior to commencing well
- 40 0000	_
Expected Spud DateDecember 19 2006	Spot East
month day year	SE SE NE Sec. 30 Twp. 7 S. R. 22 ✓ West
PERATOR: License# 5004	2240 feet from V N / S Line of Section
lame: Vincent Oil Corporation	
ddress:	Is SECTION RegularIrregular?
ity/State/Zip:Wichita, Kansas 67202	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Rick Hiebsch	County: Graham 1-30
hone: 316-262-3573	Lease Name: WebbWell #: 1-30
CONTRACTOR: License# 33575	Field Name: wildcat Is this a Prorated / Spaced Field? Yes No
lame: WW Drilling , LLC	Is this a Prorated / Spaced Field?  Target Formation(s):  Arbuckie
ane.	Nearest Lease or unit boundary: 360 ft.
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 2253 feet MSL
✓ Oil ✓ Enh Rec Infield Mud Rotary ✓	Water well within one-quarter mile: Yes ✓ No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
OWWO Disposal Vildcat Cable	Depth to bottom of fresh water: 150 ft.
Seismic; # of Holes Other	Depth to bottom of usable water: 1050 ft.
Other	Surface Pipe by Alternate: 1 √ 2
OWWO; old well information as follows:	Length of Surface Pipe Planned to be set: 280 ft.
Operator:	Length of Conductor Pipe required:none
Well Name:	Projected Total Depth: 3800 ft.
Original Completion Date:Original Total Depth:	Formation at Total Depth: Arbuckle
/	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well Farm Pond Other unknown
f Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	*(Note: Apply for Permit with DWR 🔟)
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
	FIDAVIT
The undersigned hereby affirms that the drilling, completion and eventual p	
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:	
The undersigned hereby affirms that the drilling, completion and eventual parties agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;	olugging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intent in the properties of the approved notice of intent to drill <i>shall be</i> posted on each of the intent intent intent in the shall be set in the properties of	olugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set
The undersigned hereby affirms that the drilling, completion and eventual put is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into	olugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.
The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into	ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the appropriate district office will be a minimum of 20 feet into the the well is dry hole, an agreement between the operator and the total composition of the policy of the propriate district office will be notified before well is either plus.	olugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  bet by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; ingged or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the  5. The appropriate district office will be notified before well is either plu  6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing orde	olugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; and the sequence of the sequence
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the  5. The appropriate district office will be notified before well is either plushing the company of the production pipe shall be cementable of the production of the company of the production pipe shall be cementable.	olugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  bet by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging;  inged or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the standard of the surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into the surface well is dry hole, an agreement between the operator and the the surface district office will be notified before well is either plus the appropriate district office will be notified before well is either plus the appropriate district office will be notified before well be cemer. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; attended from below any usable water to surface within 120 days of spud date.  If #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the posted on each of the state of	ach drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging;  gged or production casing is cemented in;  thed from below any usable water to surface within 120 days of spud date.  r #133,891-C, which applies to the KCC District 3 area, alternate II cementing  be plugged. In all cases, NOTIFY district office prior to any cementing.  of my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the specific of the specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into the specified below is drived. If the well is dry hole, an agreement between the operator and the the specified district office will be notified before well is either plus. If an ALTERNATE II COMPLETION, production pipe shall be cemer or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the specified within the statements made herein are true and to the best of the specified within the statements made herein are true and to the best of the specified within the statements made herein are true and to the best of the specified within the statements made herein are true and to the specified within the statements made herein are true and to the specified within the statements made herein are true and to the specified within the statements made herein are true and to the specified within the statements made herein are true and to the specified within the statements made herein are true and to the specified within the statements made herein are true and to the specified within the statements made herein are true and to the specified within the statements made herein are true and to the specified within the statements made herein are true and to the specified within the statements made herein are true and to the specified within the statements made herein are true and to the specified within the statements within the statements within the statements within the statements within the statement within the statements within the statements within the statements wit	ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; attended from below any usable water to surface within 120 days of spud date.  If #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the posted on each of the state of	ach drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging;  gged or production casing is cemented in;  thed from below any usable water to surface within 120 days of spud date.  r #133,891-C, which applies to the KCC District 3 area, alternate II cementing  be plugged. In all cases, NOTIFY district office prior to any cementing.  of my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the drilling of the approved notice of intent to drill <i>shall be</i> posted on each of the drilling of the standard below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into the determinent of the defense well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate of the defense of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the content of the defense of the	ach drilling rig;  ach drilling rig;  ach drilling rig;  act by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If the President  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the appropriate of the surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into the surface of the well is dry hole, an agreement between the operator and the surface of the well shall the surface of the well shall the surface of the well shall thereby certify that the statements made herein are true and to the best of the surface of the surface of the well shall the surface of t	ach drilling rig;  let by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; length or production casing is cemented in; length or production and usable water to surface within 120 days of spud date. If it is plugged. In all cases, NOTIFY district office prior to any cementing length or production in all cases, NOTIFY district office prior to any cementing.  Title: President  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the appropriate of the surface pipe as specified below <i>shall be</i> and the state of the spipe and the state of the appropriate district office will be notified before well is either plue of the appropriate district office will be notified before well is either plue of the appropriate of the spiral part of the spiral becompleted within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the spiral part of the sp	ach drilling rig;  Let by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Indicating comments and placement is necessary prior to plugging; legged or production casing is cemented in; let of from below any usable water to surface within 120 days of spud date. In all cases, NOTIFY district 3 area, alternate II cementing let be plugged. In all cases, NOTIFY district office prior to any cementing.  In the plugged in all cases, NOTIFY district office prior to any cementing.  Title: President  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the complete of the spud state of the plants of the spud state o	ach drilling rig;  Let by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Indicating the individual of the individual of the underlying formation.  Indigentation of the individual
The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set through all unconsolidated materials plus a minimum of 20 feet into</i> 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus of an ALTERNATE II COMPLETION, production pipe shall be cemer or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the control of the prior	ach drilling rig;  let by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging;  legged or production casing is cemented in;  let drom below any usable water to surface within 120 days of spud date.  If the plugged. In all cases, NOTIFY district office prior to any cementing let plugged. In all cases, NOTIFY district office prior to any cementing.  If the president  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual plants is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on east through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the foundation of the statement of the properties of the spuddate or the well shall be comen or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spuddate or the well shall hereby certify that the statements made herein are true and to the best of the properties of the p	ach drilling rig;  ach drilling rig;  ach drilling rig;  ach by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging;  igged or production casing is cemented in;  inted from below any usable water to surface within 120 days of spud date.  If #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be such through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the surface propriate district office will be notified before well is either plus of an ALTERNATE II COMPLETION, production pipe shall be cemer or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the surface of the surface of the plus of the surface of th	ach drilling rig;  let by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging;  legged or production casing is cemented in;  let drom below any usable water to surface within 120 days of spud date.  If the plugged. In all cases, NOTIFY district office prior to any cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If the president  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be such through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus of the surface casing order or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the surface of th	ach drilling rig;  Let by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Idistrict office on plug length and placement is necessary prior to plugging; inted from below any usable water to surface within 120 days of spud date.  The plugged. In all cases, NOTIFY district office prior to any cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Title: President  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be such through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the surface propriate district office will be notified before well is either plus of an ALTERNATE II COMPLETION, production pipe shall be cemer or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the surface of the surface of the plus of the surface of th	ach drilling rig;  Let by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; and the set of the underlying formation. The form below any usable water to surface within 120 days of spud date. The plugged. In all cases, NOTIFY district 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. The plugged and belief.  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 065-23263-0000	Location of Well: County: Graham
Operator: Vincent Oil Corporation	S Line of Section
Lease: Webb	feet from E / W Line of Section
Well Number: 1-30 Field: wildcat	Sec. 30 Twp. 7 S. R. 22 East ✓ Wes
Number of Acres attributable to well:	Is Section: 🕢 Regular or 🔲 Irregular
QTR / QTR / QTR of acreage: SE _ SE _ NE	If Section is Irregular, locate well from nearest corner boundary.  Section corner used:NENWSESW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

	· .			
	· .		: :	: `_
		·	·	· . \$
	· .		· .	: ~~
	·	•	webb	
	• •	•	+ 1-30	. 0360
	· · · · · · · · · · · · · · · · · · ·	3 <i>o</i> —	· · · · · · · · · · · · · · · · · · ·	
		50 :		
		•	• •	•
\ . · · · .				
:	•	•	•	, -
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \				
] :	· .			
• • •				
1 :			• • •	



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

### APPLICATION FOR SURFACE PIT

Submit in Duplicate

			License Number: 5004	
Operator Name: Vincent Oil Corporation				
Operator Address: 155 N. Market,	Suite 700 Wi	chita, Kan	sas 67202	
Contact Person: Rick Hiebsch			Phone Number: ( 316 ) 262 - 3573	
Lease Name & Well No.: Webb #1-30			Pit Location (QQQQ):	
	Pit is:		SE _ SE _ NE	
Type of Pit:	Pit is:  Proposed Existing  If Existing, date constructed:		Sec. 30 Twp. 7 R. 22 ☐ East ✓ West	
Emergency Pit Burn Pit			2240 Feet from North / South Line of Section	
Settling Pit  Drilling Pit			200	
Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from _ East / _ West Line of Section	
(a VP Supply A. PAS. St. 182. 2 lines)	6000	(bbls)	Graham County	
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes ✓	No	Chloride concentration: mg/l	
		·	(For Emergency Pits and Settling Pits only)  How is the pit lined if a plastic liner is not used?	
Is the bottom below ground level?	Artificial Liner? Yes ✓ N	lo.	native and chemical muds	
✓ Yes  No				
Pit dimensions (all but working pits):	BO Length (fee	et)80	Width (feet) N/A: Steel Plts	
Depth fr	rom ground level to de	epest point:	3 ft. (feet)	
If the pit is lined give a brief description of the material, thickness and installation procedure	B.	liner integrity, i	edures for periodic maintenance and determining ncluding any special monitoring.	
Source of info				
none feet Depth of water well	feet	meas	measuredwell ownerelectric logKDWR  Drilling, Workover and Haul-Off Pits ONLY:  Type of material utilized in drilling/workover:water & bentonite  Number of working pits to be utilized: _2 working, 1 reserve	
Emergency, Settling and Burn Pits ONLY	:	Drilling, Workover and Haul-Off Pits ONLY:		
Producing Formation:		Type of materi	of material utilized in drilling/workover: water & bentonite	
Number of producing wells on lease: Number of w		Number of wo		
Barrels of fluid produced daily: Abando		Abandonment	procedure: remove free fluids, allow to dry be closed within 365 days of spud date.	
Dans the stone from the tank battery allow all spilled fluids to		Drill pits must be closed within 365 days of spud date.		
December 7, 2006  December 7, 2006  Signature of Applicant or Agent				
Date			RECEIVED	
KCC OFFICE USE ONLY DEC 0 8 2006				
Date Received: 12/8/06 Permit Nur	mber:	Pern	nit Date: 12 8 0 6 Lease Inspection: W 45 14 10	
<u>-</u>				