For KCC Use:

### Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

## NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Expected Spud Date December 12, 2006	Spot Fast
month day year	<b>NE</b> - SE Sec. 24 Twp. 31 S. R. 18 West
22244	2310 feet from N / S Line of Section
OPERATOR: License# 33344	990 feet from VE / W Line of Section
Name: Quest Cherokee LLC Addrson, 9520 North May Avenue, Suite 300	Is SECTION
Address: 9520 North May Avenue, Suite 500	is decitionnegularintegular:
City/State/Zip: Oklahoma City, Oklahoma 73120	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Richard Marlin	County: Labette
Phone: (405) 286-9316	Lease Name: Baker, Raymond Well #: 24-3
Will be licensed by the KCC	Field Name: Cherokee Basin CBM
CONTRACTOR: License# Will be licensed by the KCC	Is this a Prorated / Spaced Field? Yes ✓ No
Name: Will advise on the ACO-1	Target Formation(s): Cherokee Coals
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 990
	Ground Surface Elevation: 970 feet MSL
Oil Enh Rec V Infield Mud Rotary	Water well within one-quarter mile: Yes ✓ No
Gas Corage Pool Ext.	Public water supply well within one mile:
OWWODisposalWildcatCable	Depth to bottom of fresh water: 100
Seismic;# of Holes Other	Depth to bottom of usable water: 200
✓ Other Coalbed Methane	Surface Pipe by Alternate: 1 2
W 011110 11 11 11 1 1 1 1 1 1 1 1 1 1 1	Length of Surface Pipe Planned to be set: 25
If OWWO: old well information as follows:	Length of Conductor Pipe required:
Operator:	Projected Total Depth: 1500
Well Name:	Formation at Total Depth: Cherokee Coals
Original Completion Date:Original Total Depth:	
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Water Source for Drilling Operations:  Well Farm Pond Other Air
If Yes, true vertical depth:	
	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR   )
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
AFF	If Yes, proposed zone:
	If Yes, proposed zone:  RECEIVED  IDAVIT  KANSAS CORPORATION COMMISSION  Lugging of this well will comply with K.S.A. 55 et. seg
The undersigned hereby affirms that the drilling, completion and eventual p	If Yes, proposed zone:  RECEIVED  IDAVIT  KANSAS CORPORATION COMMISSION  Lugging of this well will comply with K.S.A. 55 et. seg
The undersigned hereby affirms that the drilling, completion and eventual parties agreed that the following minimum requirements will be met:	If Yes, proposed zone:  RECEIVED  IDAVIT  KANSAS CORPORATION COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the drill the well is dry hole, an agreement between the operator and the drilling that the second content is dry hole, an agreement between the operator and the drilling that the second content is dry hole, an agreement between the operator and the drilling that the second content is dry hole.	If Yes, proposed zone:  RECEIVED  WANSAS CORPORATION COMMISSION  Rugging of this well will comply with K.S.A. 55 et. seg.  DEC 1 1 2006  CONSERVATION DIVISION  Re by circulating cement to the top; in all cases surface by be set the underlying formation.  istrict office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the intention of the second of the specified below <i>shall be second</i> . The minimum amount of surface pipe as specified below <i>shall be second</i> . If the well is dry hole, an agreement between the operator and the defect of the specified district office will be notified before well is either plug	If Yes, proposed zone:  RECEIVED  WANSAS CORPORATION COMMISSION  Reging of this well will comply with K.S.A. 55 et. seg.  DEC 1 1 2006  Conservation division  The by circulating cement to the top; in all cases surface be set the underlying formation.  The instrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the formula of the spropriate district office will be notified before well is either plug formula of the strength of the spropriate district office will be notified before shall be cement.	If Yes, proposed zone:  RECEIVED  WANSAS CORPORATION COMMISSION  Regging of this well will comply with K.S.A. 55 et. seg.  DEC 1 1 2006  Conservation division  The by circulating cement to the top; in all cases surface the underlying formation.  In istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date.
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the first the appropriate district office will be notified before well is either plug first an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order	If Yes, proposed zone:  RECEIVED  WANSAS CORPORATION COMMISSION  Rugging of this well will comply with K.S.A. 55 et. seg.  DEC 1 1 2006  Conservation division  The ty circulating cement to the top; in all cases surface to plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drill shall be posted on each and the drill shall unconsolidated materials plus a minimum of 20 feet into the drill the well is dry hole, an agreement between the operator and the drilling to the district office will be notified before well is either plug than ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	If Yes, proposed zone:  RECEIVED  WANSAS CORPORATION COMMISSION  Reging of this well will comply with K.S.A. 55 et. seg.  CONSERVATION DIVISION  The by circulating cement to the top; in all cases surface to plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the first the appropriate district office will be notified before well is either plug first an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order	If Yes, proposed zone:  RECEIVED  WANSAS CORPORATION COMMISSION  Reging of this well will comply with K.S.A. 55 et. seg.  CONSERVATION DIVISION  The by circulating cement to the top; in all cases surface to plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drill shall be posted on each and the drill shall unconsolidated materials plus a minimum of 20 feet into the drill the well is dry hole, an agreement between the operator and the drilling to the district office will be notified before well is either plug than ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	If Yes, proposed zone:  RECEIVED  WANSAS CORPORATION COMMISSION  Reging of this well will comply with K.S.A. 55 et. seg.  CONSERVATION DIVISION  The by circulating cement to the top; in all cases surface of the set of the underlying formation.  In instrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the specified before well is either plug for the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of the specific plug for the specific plug is the specific plug in the statements made herein are true and to the best of the specific plug is a specific plug in the specific plug in the specific plug is a specific plug in the specific plug in the specific plug is a specific plug in the specific plug in the specific plug is a specific plug in the specific plug in the specific plug is a specific plug in the specific plug in the specific plug is a specific plug in the specific plug in the specific plug is a specific plug in the specific plug in the specific plug is a specific plug in the specific plug in the specific plug is a specific plug in the specific plug in the specific plug in the specific plug is a specific plug in the specific plug in the specific plug in the specific plug in the specific plug is a specific plug in the specific plu	If Yes, proposed zone:  RECEIVED  WANSAS CORPORATION COMMISSION  Rugging of this well will comply with K.S.A. 55 et. seg.  DEC 1 1 2006  Conservation division  The by circulating cement to the top; in all cases surface of the underlying formation.  In istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the specified before well is either plug for the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of the specific plug for the specific plug is the specific plug in the statements made herein are true and to the best of the specific plug is a specific plug in the specific plug in the specific plug is a specific plug in the specific plug in the specific plug is a specific plug in the specific plug in the specific plug is a specific plug in the specific plug in the specific plug is a specific plug in the specific plug in the specific plug is a specific plug in the specific plug in the specific plug is a specific plug in the specific plug in the specific plug is a specific plug in the specific plug in the specific plug is a specific plug in the specific plug in the specific plug in the specific plug is a specific plug in the specific plug in the specific plug in the specific plug in the specific plug is a specific plug in the specific plu	If Yes, proposed zone:  RECEIVED  WANSAS CORPORATION COMMISSION  Rugging of this well will comply with K.S.A. 55 et. seg.  DEC 1 1 2006  Conservation division  The by circulating cement to the top; in all cases surface the underlying formation.  In all cases surface to plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Title: VP
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the first the well is dry hole, an agreement between the operator and the first the specified before well is either plug first an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date:  December 8, 2006  Signature of Operator or Agent:	If Yes, proposed zone:  RECEIVED  WANSAS CORPORATION COMMISSION  Reging of this well will comply with K.S.A. 55 et. seg.  CONSERVATION DIVISION  The by circulating cement to the top; in all cases surface to plugging; the underlying formation.  In istrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  Title: VP  Remember to:
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead.  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the well is either plug for a pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of Date:  December 8, 2006  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 -	If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  (ugging of this well will comply with K.S.A. 55 et. seg.  DEC 1 2006  Ch drilling rig;  CONSERVATION DIVISION  In the by circulating cement to the top; in all cases surface the underlying formation.  In istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the description	If Yes, proposed zone:  RECEIVED  WANSAS CORPORATION COMMISSION  Rugging of this well will comply with K.S.A. 55 et. seg.  DEC 1 1 2006  Conservation division  The by circulating cement to the top; in all cases surface the underlying formation.  In istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the description	If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  lugging of this well will comply with K.S.A. 55 et. seg.  DEC 1 1 2006  CONSERVATION DIVISION  It by circulating cement to the top; in all cases surface the underlying formation.  In istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the description	If Yes, proposed zone:  RECEIVED  WANSAS CORPORATION COMMISSION  Rugging of this well will comply with K.S.A. 55 et. seg.  DEC 1 1 2006  Conservation division  The by circulating cement to the top; in all cases surface the underlying formation.  In istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the descripti	IDAVIT  KANSAS CORPORATION COMMISSION  ugging of this well will comply with K.S.A. 55 et. seg.  DEC 1 2006  Ch drilling rig;  CONSERVATION DIVISION  In the production casing is comented in;  ged or production casing is cemented in;  ged from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ear 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the set of the well is dry hole, an agreement between the operator and the log first an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date:  December 8, 2006  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - O99-24/168-DDDD  Conductor pipe required feet  Minimum surface pipe required feet  Minimum surface pipe required feet per Alt. (2)  Approved by: Put 13-11-06	IDAVIT  KANSAS CORPORATION COMMISSION  ugging of this well will comply with K.S.A. 55 et. seg.  DEC 1 1 2006  Ch drilling rig;  CONSERVATION DIVISION  In the proposed community of the set of the underlying formation.  istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the set.  5. The appropriate district office will be notified before well is either plug of the surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to shall hereby certify that the statements made herein are true and to shall hereby certify that the statements made herein are true and to shall be completed.  For KCC Use ONLY  API # 15 - O99-24/108-DDDD  Conductor pipe required	IDAVIT  KANSAS CORPORATION COMMISSION  ugging of this well will comply with K.S.A. 55 et. seg.  DEC 1 1 2006  Ch drilling rig;  CONSERVATION DIVISION  In the price of the pri
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the set.  5. The appropriate district office will be notified before well is either plug of the surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to shall hereby certify that the statements made herein are true and to shall hereby certify that the statements made herein are true and to shall be completed.  For KCC Use ONLY  API # 15 - O99-24/108-DDDD  Conductor pipe required	IDAVIT  KANSAS CORPORATION COMMISSION  ugging of this well will comply with K.S.A. 55 et. seg.  DEC 1 2006  Conservation division  to by circulating cement to the top; in all cases surface prior to plugging; the underlying formation.  istrict office on plug length and placement is necessary prior to plugging; the ged or production casing is cemented in; the from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC district 3 area, alternate il cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the set of the well is district office will be notified before well is either plug to pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of Date: December 8, 2006  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - O99-24/108-0000  Feet Minimum surface pipe required	IDAVIT  KANSAS CORPORATION COMMISSION  Transport of this well will comply with K.S.A. 55 et. seg.  CONSERVATION DIVISION  To by circulating cement to the top; in all cases surface the underlying formation.  Instrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;  ed from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 099-24/68000	Location of Well: County: Labette
Operator: Quest Cherokee LLC	2310 feet from N / ✓ S Line of Section
Lease: Baker, Raymond	990 feet from VE / W Line of Section
Well Number: 24-3	Sec. 24 Twp. 31 S. R. 18
Field: Cherokee Basin CBM	
Number of Acres attributable to well:	Is Section:
QTR / QTR / QTR of acreage: NE SE	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)



### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Quest Cherokee LLC		License Number: 33344	
Operator Address: 9520 North May Avenue, Suite 300 Oklahoma City, Oklahoma 73120			
Contact Person: Richard Marlin		Phone Number: ( 405 ) 286 - 9316	
Lease Name & Well No.: Baker, Raymond #24-3		Pit Location (QQQQ):	
	Pit is:		<u>NE</u> SE
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 24 <sub>Twp.</sub> 31 <sub>R.</sub> 18
Settling Pit	If Existing, date constructed:		Feet from North / 🗸 South Line of Section
Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Feet from
Is the pit located in a Sensitive Ground Water Area? Yes No		· · · · · ·	Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)
Is the bottom below ground level?  Yes No	Artificial Liner?  ☐ Yes ✓ 1	No	How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits):30			
		Air Drilling	Operation lasting approx 3 days
Source of info		west fresh waterfeet. mation:	
		over and Haul-Off Pits ONLY:	
		well owner electric log KDWR  over and Haul-Off Pits ONLY:  al utilized in drilling/workover: Air Drilled  king pits to be utilized: One	
		king pits to be utilized: One	
Barrels of fluid produced daily: Abandonment		procedure: Air Dry, Back Fill and Cover	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		pe closed within 365 days of spud date.	
I hereby certify that the above statem	ents are true and o	correct to the bes	t of my knowledge and belief. KANSAS CORPORATION COMMISSION
December 8, 2006 Date  December 8, 2006  Date  DEC 1 1 2006  Signature of Applicant or Agent  Conservation Division  WICHITA, KS			
KCC OFFICE USE ONLY			
Date Received: 12/11/06 Permit Number	ər:	Perm	it Date: 12 11 04 Lease Inspection: Yes ( No