#### For KCC Use: 12-16-00 Effective Date: District #\_ SGA? Yes No

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

### **NOTICE OF INTENT TO DRILL**

Must be approved by KCC five (5) days prior to commencing well

Expected Soud Date 12-10-00	Spot	√ East
Expected Spud Date 12-18-06 month day year	2 NW - SW Sec. 26 Twp. 33 S. I	
_	•	Line of Section
OPERATOR: License# 32887 Name: Endeavor Energy Resources, LP	330 feet from E / ✓ W	
Address: PO Box 40	Is SECTION ✓ RegularIrregular?	
Address: Delaware OK 74027  City/State/Zip: Delaware OK 74027	(Note: Locate well on the Section Plat on rever	na aidal
Contact Person: Joe Driskill	County: Labette	30 3/40/
Phone: 918-467-3111	Lease Name: Harshaw Trust	Well #: 26-2
	Field Name: Coffeyville	
CONTRACTOR: License# 33072 V Name: Well Refined Drilling	Is this a Prorated / Spaced Field?  Target Formation(s): Weit Pitt, ROwe, Riverton	Yes Vo
	Nearest Lease or unit boundary: 330	
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 776.3	feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:	Yes √ No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	∏Yes ✓ No
O/WO Disposal Wildcat Cable	Depth to bottom of fresh water: 20	
Seismic;# of Holes Other	Depth to bottom of usable water: 150	
Other	Surface Pipe by Alternate: ☐ 1 🗸 2	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20	
Operator: NA	Length of Conductor Pipe required: nahe	
Well Name: NA	Projected Total Depth: 1000'	
Original Completion Date: NA Original Total Depth: NA	Formation at Total Depth: Mississippi Lime	
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well ✓ Farm Pond Other	
If Yes, true vertical depth: NA	DWR Permit #:	
Bottom Hole Location: NA	( <b>Note:</b> Apply for Permit with DWR	
KCC DKT #: NA	Will Cores be taken?	Yes ✓ No
	If Yes, proposed zone:	<u> </u>
AFFI		RECEIVED
	DAVIT	
The undersigned hereby affirms that the drilling, completion and eventual pl	DAVIT	RECEIVED DEC 1 1 2006
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:	DAVIT	
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the search of	DAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig;  th by circulating cement to the top; in all cases surface pigue underlying formation.  istrict office on plug length and placement is necessary to ged or production casing is cemented in; ed from below any usable water to surface within 120 da #133,891-C, which applies to the KCC District 3 area, all the plugged. In all cases, NOTIFY district office prior to	C WICHITA  Prior to plugging;  ys of spud date.  ternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hote, an agreement between the operator and the d 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order	DAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig;  th by circulating cement to the top; in all cases surface pigue underlying formation.  istrict office on plug length and placement is necessary to ged or production casing is cemented in; ed from below any usable water to surface within 120 da #133,891-C, which applies to the KCC District 3 area, all the plugged. In all cases, NOTIFY district office prior to	C WICHITA  Prior to plugging;  ys of spud date.  ternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the search of	DAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig;  th by circulating cement to the top; in all cases surface pigue underlying formation.  istrict office on plug length and placement is necessary to ged or production casing is cemented in; ed from below any usable water to surface within 120 da #133,891-C, which applies to the KCC District 3 area, all the plugged. In all cases, NOTIFY district office prior to	C WICHITA  Prior to plugging;  ys of spud date.  ternate II cementing any cementing.
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to the post of the spud to the best of the spud to the spud to the best of the spud to the spud to the best of the spud to the spud to the spud to the spud to the best of the spud to the spud t	payor bugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; If by circulating cement to the top; in all cases surface pigue underlying formation.  In instrict office on plug length and placement is necessary and ged or production casing is cemented in; and in the plug and usable water to surface within 120 da #133,891-C, which applies to the KCC District 3 area, all the plugged. In all cases, NOTIFY district office prior to the my knowledge and belief.	C WICHITA  Prior to plugging;  ys of spud date.  ternate II cementing any cementing.
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each of the approved notice of intent to drill shall be posted on each of the approved notice of intent to drill shall be posted on each of the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the hereby certify that the statements made herein are true and to the best of the plug for the plug for the plug feet within 30 days of the spud feet per Alt.  For KCC Use ONLY  API # 15 - O99 - 24/169 - ODD  Conductor pipe required feet per Alt.	ch drilling rig; the drilling rig; the drilling rig; the polycine underlying formation. istrict office on plug length and placement is necessary reged or production casing is cemented in; ed from below any usable water to surface within 120 da; #133,891-C, which applies to the KCC District 3 area, at the plugged. In all cases, NOTIFY district office prior to rimy knowledge and belief.    Title: Operations Semember to:	C WICHITA  Corior to plugging;  ye of spud date.  ternate II cementing any cementing.  Superintendent  I; date; n orders; over or re-entry; eted;
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the well is either plug for the appropriate district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the hereby certify that the statements made herein are true and to the best of the place of the p	ch drilling rig; the by circulating cement to the top; in all cases surface pigue underlying formation. In this istrict office on plug length and placement is necessary and ged or production casing is cemented in; and is to the KCC District 3 area, all the plugged. In all cases, NOTIFY district office prior to the prior to the plugged. In all cases, NOTIFY district office prior to the plugged. In all cases, NOTIFY district office prior to the plugged. In all cases, NOTIFY district office prior to the plugged in all cases, NOTIFY district office prior to the plugged. In all cases, NOTIFY district office prior to the plugged in all cases, NOTIFY district office prior to the plugged in all cases, NOTIFY district office prior to the plugged in all cases, NOTIFY district office prior to the plugged in the plugged in the plugged in the plugging is completed.  Notify appropriate district office 48 hours prior to worked in the plugging report (CP-4) after plugging is completed in the plugging is completed in the plugging is completed in the plugging or injecting significant plugging or injecting significant plugging is completed in the plugging in the plugging is completed in the plugging in the plugging is completed in the plugging	CWICHITA  Corior to plugging;  ye of spud date.  ternate II cementing any cementing.  Superintendent  I; date; n orders; over or re-entry; eted; alt water.
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each and a specified below shall be seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all the well is district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the hereby certify that the statements made herein are true and to the best of the prior of the statements made herein are true and to the best of the seen of the statements of the prior of the seen through	ch drilling rig; the production casing is cemented in; ed from below any usable water to surface within 120 da; #133,891-C, which applies to the KCC District 3 area, all the plugged. In all cases, NOTIFY district office prior to imply knowledge and belief.  File Drill Pit Application (form CDP-1) with Intent to Drill File Completion Form ACO-1 within 120 days of spud File acreage attribution plat according to field proration Notify appropriate district office 48 hours prior to works Submit plugging report (CP-4) after plugging is comple Obtain written approval before disposing or injecting s If this permit has expired (See: authorized expiration dis	C WICHITA  Corior to plugging;  Type of spud date.  Iternate II cementing  Type any cementing.  Couperintendent  Iteration is a continuous cont
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each as the minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the first the well is dry hole, an agreement between the operator and the description of the surface will be notified before well is either plug for the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the hereby certify that the statements made herein are true and to the best of the plus of the spud shall be completed.  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - O99 - 24/169 - OOOO feet pipe required feet per Alt.  Approved by: **244-164-164-164-164-164-164-164-164-164-1	ch drilling rig;  th by circulating cement to the top; in all cases surface pigue underlying formation. istrict office on plug length and placement is necessary riged or production casing is cemented in; ed from below any usable water to surface within 120 da #133,891-C, which applies to the KCC District 3 area, allow plugged. In all cases, NOTIFY district office prior to my knowledge and belief.  File Drill Pit Application (form CDP-1) with Intent to Drill File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to worke. Submit plugging report (CP-4) after plugging is complet. Obtain written approval before disposing or injecting s  If this permit has expired (See: authorized expiration discheck the box below and return to the address below.	C WICHITA  Corior to plugging;  Type of spud date.  Iternate II cementing  Type any cementing.  Couperintendent  Iteration is a continuous cont
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each and a sufficient to drill shall be posted on each and a sufficient to drill shall be posted on each and the search and th	ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; If by circulating cement to the top; in all cases surface pigue underlying formation. In istrict office on plug length and placement is necessary in ged or production casing is cemented in; and it is in the form below any usable water to surface within 120 day #133,891-C, which applies to the KCC District 3 area, all the plugged. In all cases, NOTIFY district office prior to imply knowledge and belief.  Title: Operations Significant of the Completion Form ACO-1 within 120 days of spud.  File Completion Form ACO-1 within 120 days of spud.  Notify appropriate district office 48 hours prior to worke. Submit plugging report (CP-4) after plugging is completed. Obtain written approval before disposing or injecting some of the completion of the	C WICHITA  Corior to plugging;  Type of spud date.  Iternate II cementing  Type any cementing.  Couperintendent  Iteration is a continuous cont
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each and a specified below shall be seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all the well is district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the hereby certify that the statements made herein are true and to the best of the prior of the statements made herein are true and to the best of the seen of the statements of the prior of the seen through	ch drilling rig;  th by circulating cement to the top; in all cases surface pigue underlying formation. istrict office on plug length and placement is necessary riged or production casing is cemented in; ed from below any usable water to surface within 120 da #133,891-C, which applies to the KCC District 3 area, allow plugged. In all cases, NOTIFY district office prior to my knowledge and belief.  File Drill Pit Application (form CDP-1) with Intent to Drill File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to worke. Submit plugging report (CP-4) after plugging is complet. Obtain written approval before disposing or injecting s  If this permit has expired (See: authorized expiration discheck the box below and return to the address below.	C WICHITA  Corior to plugging;  Type of spud date.  Iternate II cementing  Type any cementing.  Couperintendent  Iteration is a continuous cont


#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 099-24/69-0000	Location of Well: County: Labette
Operator: Endeavor Energy Resources, LP	825 feet from N / ✓ S Line of Section
Lease: Harshaw Trust	330 teet from E / W Line of Section
Well Number: 26-2 Field: Coffeyville	Sec. 26 Twp. 33 S. R. 17 ✓ East Wes
Number of Acres attributable to well: 480  QTR / QTR / QTR of acreage: SW _ SW	Is Section: Regular or Irregular  If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)



### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Endeavor Energy Resources, LP		License Number: 32887			
Operator Address: PO Box 40 D	elaware Ok	< 74027			
Contact Person: Joe Driskill		Phone Number: ( 918 ) 467 - 3111			
Lease Name & Well No.: Harshaw	rust 26-2		Pit Location (QQQQ):		
Type of Pit:	Pit is:	·			
Emergency Pit Burn Pit	✓ Proposed Existing		Sec. 26 Twp. 33 R. 17 ✓ East West		
Settling Pit 📝 Drilling Pit	If Existing, date constructed:		825 Feet from North / V South Line of Section		
Workover Pit Haul-Off Pit		330 Feet from East / 🗸 West Line of Section			
(If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Labette		
Is the pit located in a Sensitive Ground Water	Area? Ves V		Chloride concentration: mg/l		
is the pit located in a Sensitive Ground Water	Alea: 165 V		(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?		
✓ Yes No	Yes ✓	No	natural clay / earth		
Pit dimensions (all but working pits): 30 Length (feet) 10 Width (feet)					
Depth from ground level to deepest point: 6 (feet)					
in the parte in the green and a second a second and a second a second and a second a second and a second and a second and		edures for periodic maintenance and determining			
The state of the s			ncluding any special monitoring.		
NA 		NA	DEC 1 1 2006		
		Donth to shalls	West fresh water unknown feet.		
Distance to nearest water well within one-mile	э от ри		Depth to shallowest fresh water unknown feet.  Source of information:		
unknown feet Depth of water well unknown feet		measuredwell owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY: Dril		Drilling, Work	Drilling, Workover and Haul-Off Pits ONLY:		
Producing Formation:		Type of material utilized in drilling/workover: air			
			Number of working pits to be utilized: 1		
Barrels of fluid produced daily:		Abandonment procedure: dewater and backfill			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
12-8-06 <u>De Dushil</u>					
Date  ### Signature of Applicant or Agent					
KCC OFFICE USE ONLY					
	KUU	OFFICE USE U			
Date Received:			it Date: 12/11/06 Lease Inspection: Yes K No		