For KCC Use: Effective Date: District #_ SGA? Yes X No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

December 2002 Form must be Typed Form must be Signed All blanks must be Filled

December 12, 2006	Spot ✓ East
Expected Spud Date	NE NW Sec. 1 Twp. 31 S. R. 18 West
20044	660 feet from N / S Line of Section
DPERATOR: License# 33344	1830 feet from E / V W Line of Section
lame: Quest Cherokee LLC	Is SECTION ✓ RegularIrregular?
ddress: 9520 North May Avenue, Suite 300	is SECTIONnegularinegular?
City/State/Zip: Oklahoma City, Oklahoma 73120	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Richard Marlin	County: Labette
hone: (405) 286-9316	Lease Name: Pearce, Raymond L. Well #: 1-2
	Field Name: Cherokee Basin CBM
ONTRACTOR: License# Will be licensed by the KCC	Is this a Prorated / Spaced Field?
ame: Will advise on the ACO-1	Target Formation(s): Cherokee Coals
Well Classes Time Environments	Nearest Lease or unit boundary: 660
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 935 feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile: Yes ✓ No
Gas Storage Pool Ext. ✓ Air Rotary	Public water supply well within one mile:
OWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100
Seismic; # of Holes Other	Depth to bottom of usable water: 200
✓ Other Coalbed Methane	Surface Pipe by Alternate: 1 / 2
OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 25
Operator:	Length of Conductor Pipe required:
Well Name:	Projected Total Depth: 1500 Cherokee Coals
Original Completion Date:Original Total Depth:	Tomation at Total Boptin.
	Water Source for Drilling Operations:
orectional, Deviated or Horizontal wellbore?	Well Farm Pond Other Air
Yes, true vertical depth:	DWR Permit #:
ottom Hole Location:	(Note: Apply for Permit with DWR)
CC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
AFFI	If Yes, proposed zone:
AFFI he undersigned hereby affirms that the drilling, completion and eventual plu	If Yes, proposed zone:
he undersigned hereby affirms that the drilling, completion and eventual plo	If Yes, proposed zone:
he undersigned hereby affirms that the drilling, completion and eventual plais agreed that the following minimum requirements will be met:	DAVIT ugging of this well will comply with K.S.A. 55 et. CORPORATION COMMIS
the undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A serve of the appropriate district of intent to drill about the prosted on each	DAVIT ugging of this well will comply with K.S.A. 55 et. SANSAS CORPORATION COMMIS DEC 1 1 2006
the undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A serve of the appropriate district of intent to drill about the prosted on each	DAVIT ugging of this well will comply with K.S.A. 55 et. SANSAS CORPORATION COMMIS DEC 1 1 2006
he undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i>	DAVIT ugging of this well will comply with K.S.A. 55 et. DEC 1 1 2006 th drilling rig; t by circulating cement to the top; in all cases surface conservation for the surface conservation of the s
the undersigned hereby affirms that the drilling, completion and eventual platic is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the discount of the surface plus and the surface plus and the discount of the surface plus and the surface plus	DAVIT ugging of this well will comply with K.S.A. 55 et. DEC 1 1 2006 th drilling rig; t by circulating cement to the top; in all cases surface constitution bivision underlying formation. istrict office on plug length and placement is necessary prior to plugsing;
the undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as the company of the time of the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugical.	DAVIT ugging of this well will comply with K.S.A. 55 et. DEC 1 1 2006 th drilling rig; t by circulating cement to the top; in all cases surface construction is prior to plug length and placement is necessary prior to plug length, ged or production casing is cemented in;
he undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pluging 6. If an ALTERNATE II COMPLETION, production pipe shall be cementer.	DAVIT ugging of this well will comply with K.S.A. 55 et. DEC 1 1 2006 th drilling rig; t by circulating cement to the top; in all cases surface conservation by its production casing is cemented in; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date.
the undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluging the state of the complete of the com	DAVIT ugging of this well will comply with K.S.A. 55 et. DEC 1 1 2006 th drilling rig; t by circulating cement to the top; in all cases surface construction by low interesting formation. istrict office on plug length and placement is necessary prior in the pri
he undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the approved notice of intent to drill <i>shall be</i> posted on each and the second of th	DAVIT ugging of this well will comply with K.S.A. 55 et. DEC 1 1 2006 th drilling rig; t by circulating cement to the top; in all cases surface construction bivision the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugication. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is a surface casing order.	DAVIT ugging of this well will comply with K.S.A. 55 et. DEC 1 1 2006 th drilling rig; t by circulating cement to the top; in all cases surface construction bivision the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the approved notice of intent to drill <i>shall be</i> posted on each and the second of	DAVIT ugging of this well will comply with K.S.A. 55 et. DEC 1 1 2006 th drilling rig; t by circulating cement to the top; in all cases surface construction by considering formation. istrict office on plug length and placement is necessary prior to plug ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
the undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior is specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be the post of the spud to the best of the statements made herein are true and to the best of	DAVIT ugging of this well will comply with K.S.A. 55 et. DEC 1 1 2006 th drilling rig; t by circulating cement to the top; in all cases surface construction bivision the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
the undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the minimum amount of surface pipe as specified below <i>shall be second</i> all unconsolidated materials plus a minimum of 20 feet into the second of the seco	DAVIT ugging of this well will comply with K.S.A. 55 et. DEC 1 1 2006 th drilling rig; t by circulating cement to the top; in all cases surface construction istrict office on plug length and placement is necessary prior to blogging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP
the undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the complete of the post of the post of the post of the unimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the complete of the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluging. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the post of the post of Operator or Agent: December 8, 2006	DAVIT ugging of this well will comply with K.S.A. 55 et. DEC 1 1 2006 th drilling rig; t by circulating cement to the top; in all cases surface conservation commission is trict office on plug length and placement is necessary prior to plug ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to:
he undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of t	DAVIT ugging of this well will comply with K.S.A. 55 et. DEC 1 1 2006 th drilling rig; t by circulating cement to the top; in all cases surface conservation commission of the underlying formation. istrict office on plug length and placement is necessary prior to plug ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;
he undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE il COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the process of the spud shall be set of the process of the spud shall be completed. Signature of Operator or Agent: December 8, 2006	DAVIT ugging of this well will comply with K.S.A. 55 et. DEC 1 1 2006 th drilling rig; t by circulating cement to the top; in all cases surface conservation commission of the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
he undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the specified below shall be set into the specified below shall be set into the specified below shall be set into the specified below shall be completed. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug. If an ALTERNATE if COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the specified below. For KCC Use ONLY API # 15 - O99 - 24100 - ODD Conductor pipe required Nove feet	DAVIT ugging of this well will comply with K.S.A. 55 et. DEC 1 1 2006 th drilling rig; t by circulating cement to the top; in all cases surface conservation commission of the underlying formation. istrict office on plug length and placement is necessary prior to plug ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;
he undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of that: December 8, 2006	DAVIT ugging of this well will comply with K.S.A. 55 et. DEC 1 1 2006 th drilling rig; t by circulating cement to the top; in all cases surface conservation commissions of the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and a specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the state well is dry hole, an agreement between the operator and the displayment of the appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be the plug that the statements made herein are true and to the best of state: December 8, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - O99 - 24/100 - DOW Conductor pipe required Nove feet Minimum surface pipe required feet	DAVIT ugging of this well will comply with K.S.A. 55 et. DEC 1 1 2006 th drilling rig; t by circulating cement to the top; in all cases surface conservation commission of the underlying formation. Its istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
the undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plugic 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the page of the spud shall be set of the statements of the production of the page of the spud feet of the statements and the production pipe required to the best of the page of the spud feet per Alt. For KCC Use ONLY API # 15 - OPP 24/166-DDDD Conductor pipe required None feet per Alt. (2) Approved by: 44 - 11-06	DAVIT ugging of this well will comply with K.S.A. 55 et. DEC 1 1 2006 th drilling rig; t by circulating cement to the top; in all cases surface conservation commission of the underlying formation. istrict office on plug length and placement is necessary prior to plugsing; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Pit Application (form CDP-1) with intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
he undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug. 6. If an ALTERNATE il COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of the prior of the pr	DAVIT ugging of this well will comply with K.S.A. 55 et. DEC 1 1 2006 th drilling rig; t by circulating cement to the top; in all cases surface constitution by the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
the undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and a specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is either plug of the appropriate district COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of the state of the statements of the spud date or the well shall be cemented. For KCC Use ONLY API # 15 - O99 - 24/100-0000 Conductor pipe required Nove feet Minimum surface pipe required feet per Alt. (2) Approved by: Fur 18-11-00	DAVIT ugging of this well will comply with K.S.A. 55 et. SECEIVED DEC 1 1 2006 th drilling rig; t by circulating cement to the top; in all cases surface conservation commission eunderlying formation. istrict office on plug length and placement is necessary prior to plugged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugication. The appropriate district office will be notified before well is either plugication or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the provided provided within 30 days of the spud date or the well shall be the provided within 30 days of the spud date or the well shall be the provided within 30 days of the spud date or the well shall be the provided within 30 days of the spud date or the well shall be the provided within 30 days of the spud date or the well shall be the provided within 30 days of the spud date or the well shall be completed. The provided within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed. The provided within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed. The provided within 30 days of the spud date or the well shall be completed. The provided within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed. The provided within 30 days of the spud date or the well shall be completed within 40 days of the spud date or the well shall be completed within 40 days of the spud date or the well shall be completed with	DAVIT ugging of this well will comply with K.S.A. 55 et. SECEIVED DEC 1 1 2006 th drilling rig; the point by circulating cement to the top; in all cases surface conservation by since underlying formation. istrict office on plug length and placement is necessary prior of plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired
he undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug. 6. If an ALTERNATE il COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of the prior of the pr	DAVIT ugging of this well will comply with K.S.A. 55 et. DEC 1 1 2006 th drilling rig; the point by circulating cement to the top; in all cases surface conservation by since underlying formation. istrict office on plug length and placement is necessary prior of plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field


If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 099-24166-0000	Location of Well: County: Labette
Operator: Quest Cherokee LLC	660 feet from VN / S Line of Section
Lease: Pearce, Raymond L.	1830 feet from E / V W Line of Section
Well Number: 1-2	Sec1 Twp31 S. R18
Field: Cherokee Basin CBM	
Number of Acres attributable to well: QTR / QTR / QTR of acreage:	Is Section: Regular or Irregular If Section is irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

			7	
Operator Name: Quest Cherokee LLC		License Number: 33344		
Operator Address: 9520 North May	y Avenue, Su	ıite 300 Ok	lahoma City, Oklahoma 73120	
Contact Person: Richard Marlin		Phone Number: (405) 286 - 9316		
Lease Name & Well No.: Pearce, Raymond L. #1-2		Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>. NE . NW</u>	
i Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 1 Twp. 31 R. 18 ✓ East ☐ West	
Settling Pit	If Existing, date constructed:		660 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit			1830 Feet from East / ✓ West Line of Section	
(If WP Supply API No. or Year Drilled) Pit capacity: 300 (bbls)		(hhla)	L abette	
		Coun		
Is the pit located in a Sensitive Ground Water Area? Yes V No		Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level? Yes V No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	30 Length (f	eet)10	Width (feet) N/A: Steel Pits	
	rom ground level to d			
Source of info		Kara (-)		
1802 feet Depth of water well		 	uredwell owner electric log KDWR	
		1	over and Haul-Off Pits ONLY:	
			ype of material utilized in drilling/workover: Air Drilled lumber of working pits to be utilized: One	
		procedure: Air Dry, Back Fill and Cover		
•	Il anillad fluida to	Abanoonnent	procedure.	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		be closed within 365 days of spud date.		
I hereby certify that the above stat	ements are true and	correct to the bes	t of my knowledge and belief. KANSAS CORPORATION (
December 8, 2006	K	u Rose	Warlin DEC 1 1 20	
Date		S	Signature of Applicant or Agent CONSERVATION DIV	
	ксс	OFFICE USE O	WOMIN, KS	
(2)				
Date Received: 12/11/05 Permit Nur	nber:	Perm	it Date: 12/11/06 Lease Inspection: Yes 🖪 No	