# For KCC Use: Effective Date: 12-17-010 District # 2 SGA? [Xi yes ] No

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

### NOTICE OF INTENT TO DRILL

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Expected Spud Date12	1 06	Cnet	<u>'</u> ∇
month	day year	Spot <u>NW - NW - SW</u> Sec. 23 Twp. 30	X East
OPERATOR: License# 33649	•		S. R West
Transfer of Copil I	TD		W Line of Section
Name: KENNETH W. CORY, L. Address: 6565 West Loop Sou		Is SECTION X Regular Irregular?	
City/State/Zip: Bellaire, Texas	77401	•	4
Contact Person: Mark Cory		(Note: Locate well on the Section Plat on re County: Sumner	everse side)
Phone: 713-661-5911	FAX 661-2679	Lease Name: Ast	Well #: 1
220/2	/	Field Name:Markley	vvon #
CONTRACTOR: License# 33843	·	Is this a Prorated / Spaced Field?	Yes X No
Name: Terra Drilling Co	ompany	Target Formation(s): Simpson	
Well Drilled For: Well Class:	Type Equipment:	Nearest Lease or unit boundary:330 '	<u> </u>
X Oil Enh Rec X Infield	X Mud Rotary	Ground Surface Elevation: 1220	feet MSL
Gas Storage Pool Ext.	=	Water well within one-quarter mile:	Yes X No
OWO Disposal Wildcat	Cable	Public water supply well within one mile:	Yes X No
Seismic; # of Holes Other		Depth to bottom of fresh water: 230'	)
Other		Deptil to bottom of daable water.	
		Surface Pipe by Alternate: x 1 2	o' •
If OWWO: old well information as follows:		Length of Surface Pipe Planned to be set: 25  Length of Conductor Pipe required: 50	U
Operator			
Well Name:		Projected Total Depth: 3900' Formation at Total Depth: Simpson	
Original Completion Date:Or	riginal lotal Depth:	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Yes X No	X Well Farm Pond Other	
If Yes, true vertical depth:		DWR Permit#: Drilling Contractor	will apply
Bottom Hole Location:			
DOMONI HOIS LOCATION.		(Note: Apply for Permit with DWR	<b>-</b> √()
		(Note: Apply for Permit with DWR Will Cores be taken?	
KCC DKT #:	AFF	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT	Yes X No
The undersigned hereby affirms that the drilling it is agreed that the following minimum requirms. Notify the appropriate district office prints. A copy of the approved notice of intents. The minimum amount of surface pipe a through all unconsolidated materials plus. If the well is dry hole, an agreement be the appropriate district office will be not find an ALTERNATE II COMPLETION, proor pursuant to Appendix "B" - Eastern	AFF  ng, completion and eventual perments will be met:  for to spudding of well;  to drill shall be posted on eases specified below shall be sure a minimum of 20 feet into the etween the operator and the obtified before well is either plusted before well be cerment.  Kansas surface casing order	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  blugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  of by circulating cement to the top; in all cases surface the underlying formation.  district office on plug length and placement is necessar gged or production casing is cemented in; ted from below any usable water to surface within 120; #133,891-C, which applies to the KCC District 3 area.	Pipe shall be set  y prior to plugging;  days of spud date. alternate il cementing
The undersigned hereby affirms that the drilling it is agreed that the following minimum requirms. Notify the appropriate district office prints. A copy of the approved notice of intents. The minimum amount of surface pipe a through all unconsolidated materials plints. If the well is dry hole, an agreement be the appropriate district office will be not first an ALTERNATE II COMPLETION, prints or pursuant to Appendix "B" - Eastern must be completed within 30 days of the	AFF ng, completion and eventual prements will be met: for to spudding of well; to drill shall be posted on ease specified below shall be sus a minimum of 20 feet into the etween the operator and the obtified before well is either pluroduction pipe shall be cement.  Kansas surface casing order ne spud date or the well shall	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  Dlugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  et by circulating cement to the top; in all cases surface the underlying formation.  district office on plug length and placement is necessar gged or production casing is cemented in;  ted from below any usable water to surface within 120  #133,891-C, which applies to the KCC District 3 area be plugged. In all cases, NOTIFY district office prior	Pipe shall be set  y prior to plugging;  days of spud date. alternate il cementing
The undersigned hereby affirms that the drilling it is agreed that the following minimum requirms.  1. Notify the appropriate district office prints.  2. A copy of the approved notice of intents.  3. The minimum amount of surface pipe at through all unconsolidated materials plints.  4. If the well is dry hole, an agreement be sufface prints.  5. The appropriate district office will be not sufface in the properties of the properties.  6. If an ALTERNATE II COMPLETION, proor pursuant to Appendix "B" - Eastern must be completed within 30 days of the properties of the properties.	ng, completion and eventual prements will be met: for to spudding of well; to drill shall be posted on ease specified below shall be so us a minimum of 20 feet into the tween the operator and the obtified before well is either pluroduction pipe shall be cement. Kansas surface casing order he spud date or the well shall rein are true and to the best of	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  Dlugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  et by circulating cement to the top; in all cases surface the underlying formation.  district office on plug length and placement is necessar gged or production casing is cemented in;  ted from below any usable water to surface within 120  #133,891-C, which applies to the KCC District 3 area be plugged. In all cases, NOTIFY district office prior	Pipe shall be set  y prior to plugging;  days of spud date. alternate il cementing
The undersigned hereby affirms that the drilling it is agreed that the following minimum requirms.  1. Notify the appropriate district office prints.  2. A copy of the approved notice of intents.  3. The minimum amount of surface pipe at through all unconsolidated materials plints.  4. If the well is dry hole, an agreement be sufface prints.  5. The appropriate district office will be not sufface in the properties of the properties.  6. If an ALTERNATE II COMPLETION, proor pursuant to Appendix "B" - Eastern must be completed within 30 days of the properties of the properties.	AFF ng, completion and eventual prements will be met: for to spudding of well; to drill shall be posted on ease specified below shall be sus a minimum of 20 feet into the etween the operator and the obtified before well is either pluroduction pipe shall be cement.  Kansas surface casing order ne spud date or the well shall	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  Dlugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  et by circulating cement to the top; in all cases surface the underlying formation.  district office on plug length and placement is necessar gged or production casing is cemented in;  ted from below any usable water to surface within 120  #133,891-C, which applies to the KCC District 3 area be plugged. In all cases, NOTIFY district office prior	Pipe shall be set  y prior to plugging;  days of spud date. alternate il cementing
The undersigned hereby affirms that the drilling it is agreed that the following minimum requirms. Notify the appropriate district office prints. A copy of the approved notice of intents. The minimum amount of surface pipe a through all unconsolidated materials plints. If the well is dry hole, an agreement be the appropriate district office will be not first an ALTERNATE II COMPLETION, proor pursuant to Appendix "B" - Eastern must be completed within 30 days of the interest of the statements made here.	ng, completion and eventual prements will be met: for to spudding of well; to drill shall be posted on ease specified below shall be so us a minimum of 20 feet into the tween the operator and the obtified before well is either pluroduction pipe shall be cement. Kansas surface casing order he spud date or the well shall rein are true and to the best of	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  Dlugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  et by circulating cement to the top; in all cases surface the underlying formation.  district office on plug length and placement is necessar gged or production casing is cemented in;  ted from below any usable water to surface within 120  #133,891-C, which applies to the KCC District 3 area be plugged. In all cases, NOTIFY district office prior my knowledge and belief.	Pipe shall be set  y prior to plugging;  days of spud date. alternate il cementing
The undersigned hereby affirms that the drilling it is agreed that the following minimum requirms.  1. Notify the appropriate district office prings.  2. A copy of the approved notice of intents.  3. The minimum amount of surface pipe a through all unconsolidated materials plud.  4. If the well is dry hole, an agreement by the surface will be not on the propriate district office will be not office in an ALTERNATE II COMPLETION, proof pursuant to Appendix "B" - Eastern must be completed within 30 days of the hereby certify that the statements made here the property of the property of the statements of the property of the property of the statements of the property of the property of the property of the statements of the property of the proper	ng, completion and eventual prements will be met:  for to spudding of well; to drill shall be posted on ease specified below shall be sus a minimum of 20 feet into the etween the operator and the obtified before well is either pluroduction pipe shall be cement. Kansas surface casing order he spud date or the well shall rein are true and to the best of perator or Agent:	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  Dlugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  Let by circulating cement to the top; in all cases surface the underlying formation.  Idistrict office on plug length and placement is necessar gged or production casing is cemented in;  Ited from below any usable water to surface within 120  Let #133,891-C, which applies to the KCC District 3 area be plugged. In all cases, NOTIFY district office prior my knewledge and belief.  File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of sp. File acreage attribution plat according to field prore Notify appropriate district office 48 hours prior to we Submit plugging report (CP-4) after plugging is cor	Prior to plugging;  days of spud date.  alternate if cementing,  r to any cementing.  Drill;  ud date; ation orders; brkover or re-entry; inpleted;
It is agreed that the following minimum requir  1. Notify the appropriate district office pri 2. A copy of the approved notice of intent 3. The minimum amount of surface pipe a through all unconsolidated materials pli 4. If the well is dry hole, an agreement be 5. The appropriate district office will be no 6. If an ALTERNATE II COMPLETION, pri Or pursuant to Appendix "B" - Eastern must be completed within 30 days of the properties of the pr	ng, completion and eventual prements will be met:  for to spudding of well; to drill shall be posted on ease specified below shall be so us a minimum of 20 feet into the etween the operator and the obtified before well is either pluroduction pipe shall be cement. Kansas surface casing order he spud date or the well shall rein are true and to the best of cerator or Agent:  Decrease of the period of the per	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  Dlugging of this well will comply with K.S.A. 55 et. seq.  Inch drilling rig;  If the by circulating cement to the top; in all cases surface the underlying formation.  Idistrict office on plug length and placement is necessaring the grown of the grown of the surface within 120 the form below any usable water to surface within 120 the form below any usable water to surface within 120 the plugged. In all cases, NOTIFY district office prior of the plugged and belief.  File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of sponding to file proving the plugging appropriate district office 48 hours prior to within 120 days of sponding to plugging report (CP-4) after plugging is corrected.	pipe shall be set  y prior to plugging;  days of spud date, alternate II cementing r to any cementing.  Drill; ud date; ation orders; orkover or re-entry; npleted; g salt water.
The undersigned hereby affirms that the drilling it is agreed that the following minimum requirms. Notify the appropriate district office prings. A copy of the approved notice of intents. The minimum amount of surface pipe a through all unconsolidated materials plus. If the well is dry hole, an agreement be sufface office will be not an ALTERNATE II COMPLETION, pring or pursuant to Appendix "B" - Eastern must be completed within 30 days of the intensity of the properties of the statements made here.  The appropriate district office will be not a pursuant to Appendix "B" - Eastern must be completed within 30 days of the intensity of the statements made here.  The appropriate of the statements made here.  This authorization expires: 6-12-07.	ng, completion and eventual prements will be met:  for to spudding of well; to drill shall be posted on ease specified below shall be so us a minimum of 20 feet into the etween the operator and the obtified before well is either plusoduction pipe shall be cement. Kansas surface casing order he spud date or the well shall be rein are true and to the best of the premental order.  Department of the period of	If Yes, proposed zone:  FIDAVIT  Dlugging of this well will comply with K.S.A. 55 et. seq.  Inch drilling rig;  If by circulating cement to the top; in all cases surface the underlying formation.  Idistrict office on plug length and placement is necessary goed or production casing is cemented in; ted from below any usable water to surface within 120 #133,891-C, which applies to the KCC District 3 area be plugged. In all cases, NOTIFY district office prior of the property of the plugged.  File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of sponding appropriate district office 48 hours prior to with the plugging report (CP-4) after plugging is cordinated approval before disposing or injection.  If this permit has expired (See: authorized expiration)	pipe shall be set  y prior to plugging;  days of spud date. , alternate II cementing.  prior to any cementing.  Drill; ud date; ation orders; prkover or re-entry; npleted; g salt water. in date) please
The undersigned hereby affirms that the drilling it is agreed that the following minimum requirms. Notify the appropriate district office prings. A copy of the approved notice of intents. The minimum amount of surface pipe a through all unconsolidated materials plus. If the well is dry hole, an agreement be sufface to fice will be not five appropriate district office will be not five appropriate district office will be not five an ALTERNATE II COMPLETION, pring or pursuant to Appendix "B" - Eastern must be completed within 30 days of the intensity of the properties of the properties. It is a superior of the properties of the properties of the properties of the properties. It is a superior of the properties of the properties of the properties of the properties. The properties of the properties	ng, completion and eventual prements will be met:  for to spudding of well; to drill shall be posted on ease specified below shall be so us a minimum of 20 feet into the etween the operator and the obtified before well is either plusoduction pipe shall be cement. Kansas surface casing order he spud date or the well shall be rein are true and to the best of the premental order.  Department of the period of	If Yes, proposed zone:  IDAVIT  Dlugging of this well will comply with K.S.A. 55 et. seq.  Inch drilling rig;  Let by circulating cement to the top; in all cases surface the underlying formation.  Inch drilling rig;  Let by circulating cement to the top; in all cases surface the underlying formation.  In all cases are good or production casing is cemented in;  Let d from below any usable water to surface within 120 and be plugged. In all cases, NOTIFY district office priority in the surface and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of sponsory.  Notify appropriate district office 48 hours prior to we submit plugging report (CP-4) after plugging is cordinated.  If this permit has expired (See: authorized expiration check the box below and return to the address below.	pipe shall be set  y prior to plugging;  days of spud date. , alternate II cementing.  prior to any cementing.  Drill; ud date; ation orders; prkover or re-entry; npleted; g salt water. In date) please
The undersigned hereby affirms that the drilling it is agreed that the following minimum requirms. Notify the appropriate district office prings. A copy of the approved notice of intents. The minimum amount of surface pipe a through all unconsolidated materials plus. If the well is dry hole, an agreement be sufface office will be not sufface of the appropriate district office will be not sufface of the appropriate district office will be not sufface of the appropriate district office will be not sufface of the appropriate district office will be not sufface of the appropriate	ng, completion and eventual prements will be met:  for to spudding of well; to drill shall be posted on ease specified below shall be so us a minimum of 20 feet into the etween the operator and the obtified before well is either plusoduction pipe shall be cement. Kansas surface casing order he spud date or the well shall be rein are true and to the best of the premental order.  Department of the period of	If Yes, proposed zone:  FIDAVIT  Dlugging of this well will comply with K.S.A. 55 et. seq.  Inch drilling rig;  If by circulating cement to the top; in all cases surface the underlying formation.  Idistrict office on plug length and placement is necessary goed or production casing is cemented in; ted from below any usable water to surface within 120 #133,891-C, which applies to the KCC District 3 area be plugged. In all cases, NOTIFY district office prior of the property of the plugged.  File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of sponding appropriate district office 48 hours prior to with the plugging report (CP-4) after plugging is cordinated approval before disposing or injection.  If this permit has expired (See: authorized expiration)	pipe shall be set  y prior to plugging;  days of spud date. , alternate II cementing.  prill; ud date; ation orders; prikover or re-entry; npleted; g salt water. in date) please ow.

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


APINO. 15 - 191-22499-0000	Location of Well: County: Sumner		
Operator: KENNETH W. CORY, LTD.	2065 feet from N/XS Line of Section		
Lease: Ast	330 feet from E / X W Line of Section		
Well Number: #1	Sec. 23 Twp. 30 S. R. 1 X East Wes		
Field: Markley	·		
Number of Acres attributable to well: NA	ls Section: X Regular or Irregular		
QTR / QTR / QTR of acreage:	If Section is Irregular, locate well from nearest corner boundary.  Section comer used: NE NW SE SW		

#### PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton. SUMNER CO.

#### In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.

4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KCC WICHITA

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: KENNETH W. CORY, LTD.			License Number: 33649			
Operator Address: 6565 West Loop South, Suite 780, Bellaire, Texas 77401						
Contact Person: Mark Cory			Phone Number: ( 713 ) 661 - 5911			
Lease Name & Well No.: Ast #1			Pit Location (QQQQ):			
Type of Pit:	Pit is:					
Emergency Pit Burn Pit	☒ Proposed		Sec. 23 Twp. 30 R. 1 🔀 East 🗌 West			
Settling Pit X Drilling Pit	If Existing, date constructed:		2065_ Feet from North / 🔀 South Line of Section			
Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit capacity:		330 Feet from East / X West Line of Section			
		(bbls)	Summer County			
Is the pit located in a Sensitive Ground Water	Area? X Yes	] No	Chloride concentration:mg/l			
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only)  How is the pit lined if a plastic liner is not used?			
X Yes No	Yes X	No	now is the pit lined if a plastic	c liner is not used?		
Pit dimensions (all but working pits): $1$	25 Length (fe	eet) 125	Width (feet)	N/A: Steel Pits		
Depth fo	om ground level to de	eepest point:	6 (feet)			
If the pit is lined give a brief description of the liner  Describe procedures for periodic maintenance and determining						
material, thickness and installation procedure.			ncluding any special monitoring.			
Distance to nearest water well within one-mile of pit Depth to shallo		west fresh water14	feet.			
417 3/4		Source of infor		X vous		
teet Depth of water wellteetmea			redwell ownerover and Haul-Off Pits ONLY:			
		al utilized in drilling/workover:				
		king pits to be utilized:	1			
Barrels of fluid produced daily: Abandonment			procedure: Evaporation	& back fill		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits m		Drill pits must t	ust be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.						
11-16-06						
Date Signature of Applicant or Agent						
RECEIVED RECEIVED						
Date Received: 11 20 06 Permit Number: Permit Date: 12 12 06 Leason specifion No						



CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR BRIAN J. MOLINE, CHAIR ROBERT E. KREHBIEL, COMMISSIONER MICHAEL C. MOFFET, COMMISSIONER

December 12, 2006

Mr. Mark Cory Kenneth W. Cory, Ltd. 6565 West Loop South Ste 780 Bellaire, TX 77401

RE: Drilling Pit Application

Ast Lease Well No. 1 SW/4 Sec. 23-30S-01E Sumner County, Kansas

Dear Mr. Cory:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit within 72 hours of drilling completion.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (316) 630-4000 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: <a href="https://www.kcc.state.ks.us/conservation/forms">www.kcc.state.ks.us/conservation/forms</a>.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.

If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely.

Kathy Haynes

**Environmental Protection and Remediation Department** 

cc: File