For KCC Use: 12-17-06 Effective Date: 12-17-06

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

January 15, 2007	Snot
Expected Spud Date	Spot C SW SE Sec. 8 Twp. 23 S. R. 32 V West
	660 Sec. IWP. S.H. West
OPERATOR: License# 31652	1980 feet from V E / W Line of Section
Nome: Norstar Petroleum Inc.	
6855 S. Havana St., Ste. 250	-
Address: Centennial, CO 80112 RECEIVED	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Per Burchardt	County: Finney
Phone: 303-925-0696 DEC 1 2006	Lease Name; Bergkamp Well #: 1-8
4	Field Name: Wildcat
CONTRACTOR: License# 33793 KCC WICHITA	Is this a Prorated / Spaced Field? Yes V No
Name: H2 Drilling, L.L.C.	Target Formation(s): Lansing, Marmaton, Pawnee, Ft. Scott, St. Louis
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 660 ft.
✓ Oil ← Enh Rec ☐ Infield ✓ Mud Rotary	Ground Surface Elevation: 2848 feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
OWO Disposal Wildcat Cable	Public water supply well within one mile: Yes VNo
Seismic;# of Holes Other	Depth to bottom of fresh water: 280 200
Other	Depth to bottom of usable water:
Valor	Surface Pipe by Alternate: 2 2 350 ft.
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 350 ft. None
Operator:	Length of Conductor Pipe required: None Projected Total Depth: 4950 ft.
Well Name:	
Original Completion Date:Original Total Depth:	Formation at Total Depth: St. Louis Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations. ✓ Well Farm Pond Other
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken? Yes ✓ No
KCC DK1 #:	If Yes, proposed zone:
	ii les, proposed cono.
	DAVIT
The undersigned hereby affirms that the drilling, completion and eventual plu	ugging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be met:	
Notify the appropriate district office <i>prior</i> to spudding of well;	
2. A copy of the approved notice of intent to drill shall be posted on each	th drilling rig;
3. The minimum amount of surface pipe as specified below shall be se	t by circulating cement to the top; in all cases surface pipe snall be set
through all unconsolidated materials plus a minimum of 20 feet into the	is underlying formation. istrict office on plug length and placement is necessary <i>prior to plugging</i> ;
5. The convenient district office will be notified before well is either aluq	aed or production casing is comented in;
6 If an ALTERNATE II COMPLETION, production pipe shall be cemented	ed from below any usable water to surface within 120 days of spud date.
Or pursuant to Appendix "R" - Fastern Kansas surface casing order	#133,891-C, which applies to the KCC District 3 area, alternate it cemerating
	be plugged. In all cases, NOTIFY district office prior to any cementing.
I hereby certify that the statements made herein are true and to the best of	my knowledge and belief.
40/00/2006	Myn II Title: Engineer
Date: 12/06/2006 Signature of Operator or Agent:	1100.
	Remember to:
For KCC Use ONLY	V - File Drill Pit Application (form CDP-1) with Intent to Drill;
API # 15. 055-21932,-0000	File Completion Form ACO-1 within 120 days of spud date;
Conductor pine required None feet	 File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
Conductor pipe required	- Submit plugging report (CP-4) after plugging is completed;
Minditiani dandas pips indament	Obtain written approval before disposing or injecting salt water.
Approved by: fut 12-12-06	If this permit has expired (See authorized expiration date) please
This authorization expires: 6-12-07	check the box below and return to the address below.
(This authorization void if drilling not started within 6 months of approval date.)	Well Not Drilled - Permit Expired
Spud date:Agent:	Signature of Operator or Agent:
Open date.	Signature of Operator or Agent:
	5700

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 055-21932-0000	Location of Well: County: Finney
Operator: Norstar Petroleum Inc.	660 feet from N / ✓ S Line of Section
Lease: Bergkamp	1980 feet from 🗸 E / W Line of Section
Well Number: 1-8	Sec. 8 Twp. 23 S. R. 32 ☐ East West
Field: Wildcat	
Number of Acres attributable to well: QTR / QTR / QTR of acreage: C - SW - SE	Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

	:		· •					
RECEIVE	·							
DEC 1 1 2			•				• •	•
KCC MIO	-				· · · ·			
KCC WICH			· · · · ·		· ·		·	
					• •	•		
EXAMPLE	· ·				• •	<u> </u>		
			• . • .	1			•	:
							· · · ·	
3390,				,				
			· .					
80 FEL	980 FEL	19	}	(•	· · · · ·	
SEWARD CO.		FSL	660 F		• •		· · · · · · · · · · · · · · · · · · ·	

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Norstar Petroleu	ım Inc.		License Number: 31652
Operator Address: 6855 S. Hava	ana St., Ste. 2	250, Cen	tennial, CO 80112
Contact Person: Per Burchardt			Phone Number: (303) 925 - 0696
Lease Name & Well No.: Bergkamp #1-8			Pit Location (QQQQ):
Type of Pit:	Pit is:	 	
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 8 Twp. 23 R. 32 ☐ East 🗸 West
Settling Pit	If Existing, date cons	structed:	660 Feet from North / 🗸 South Line of Section
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:	(bble)	Feet from ✓ East / West Line of Sectio
Is the pit located in a Sensitive Ground Water	er Area? Yes N	(bbls)	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)
Is the bottom below ground level? Yes No	Artificial Liner? ☐ Yes ✓ No)	How is the pit lined if a plastic liner is not used? Natural clays and drilling mud
Pit dimensions (all but working pits):	80 Length (feet	80	Width (feet) N/A: Steel Pits
Depth	from ground level to deep	pest point: 5	(feet)
material, thickness and installation procedu		liner integrity, i	edures for periodic maintenance and determining necluding any special monitoring. RECEIVED
material, trickness and installation procedu			id level DEC 1 1 2006
Distance to nearest water well within one-m	ile of pit	Monitor flu	id level DEC 1 1 2006 KCC WICHITA West fresh water 31 feet.
	ile of pit	Monitor flus Depth to shallo Source of infor	id level DEC 1 1 2006 KCC WICHITA West fresh water 31 feet.
Distance to nearest water well within one-m	ile of pit unknown feet	Depth to shallo Source of informeast	RECEIVED id level DEC 1 1 2006 KCC WICHITA west fresh water 31 feet. mation: uredwell owner electric logKDWR over and Haul-Off Pits ONLY:
Distance to nearest water well within one-m 1476 feet Depth of water well	ile of pit unknown feet	Depth to shalld Source of informeasu Drilling, Work Type of materia	The including any special monitoring. RECEIVED DEC 1 1 2006 KCC WICHITA December 1 2006 KCC WICHITA December 1 2006 Dec 1
Distance to nearest water well within one-m 1476 feet Depth of water well Emergency, Settling and Burn Pits ONLY	ile of pit unknown feet Y:	Depth to shalld Source of informeast Drilling, Work Type of material Number of work	DEC 1 1 2006 KCC WICHITA Twest fresh water 31 feet. Transion: Uredwell owner electric logKDWR Over and Haul-Off Pits ONLY: al utilized in drilling/workover: Native mud king pits to be utilized: 3
Distance to nearest water well within one-m 1476 feet Depth of water well. Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily:	ile of pit unknown feet Y:	Depth to shalld Source of informeast Drilling, Work Type of material Number of work	The including any special monitoring. RECEIVED DEC 1 1 2006 KCC WICHITA December 1 2006 KCC WICHITA December 1 2006 Dec 1
Distance to nearest water well within one-m 1476 feet Depth of water well Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease:	ile of pit unknown feet Y:	Depth to shalld Source of informeast Drilling, Work Type of materia Number of work Abandonment	DEC 1 1 2006 KCC WICHITA Twest fresh water 31 feet. Transion: Uredwell owner electric logKDWR Over and Haul-Off Pits ONLY: al utilized in drilling/workover: Native mud king pits to be utilized: 3
Distance to nearest water well within one-m 1476 feet Depth of water well. Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow a	ile of pit unknown feet Y:	Depth to shalled Source of informeast Drilling, Work Type of materia Number of work Abandonment Drill pits must	DEC 1 1 2006 KCC WICHITA West fresh water 31 feet. Tradion: Well owner electric log KDWR Over and Haul-Off Pits ONLY: al utilized in drilling/workover: Native mud Reking pits to be utilized: 3 Procedure: Air dry and backfill be closed within 365 days of spud date.
Distance to nearest water well within one-m 1476	ile of pit unknown feet Y:	Depth to shalled Source of informeast Drilling, Work Type of material Number of work Abandonment Drill pits must breed to the best work of the	DEC 1 1 2006 KCC WICHITA West fresh water 31 feet. Tradion: Well owner electric log KDWR Over and Haul-Off Pits ONLY: al utilized in drilling/workover: Native mud Reking pits to be utilized: 3 Procedure: Air dry and backfill be closed within 365 days of spud date.
Distance to nearest water well within one-m 1476 feet Depth of water well Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow a flow into the pit? Yes No I hereby certify that the above sta	ille of pit unknown feet Y: all spilled fluids to	Depth to shalled Source of informeast Drilling, Work Type of material Number of work Abandonment Drill pits must breed to the best work of the	RECEIVED Id level DEC 1 1 2006 KCC WICHITA Invest fresh water 31 feet. Invest fresh water well owner electric log KDWR Over and Haul-Off Pits ONLY: Inal utilized in drilling/workover: Native mud Inking pits to be utilized: 3 procedure: Air dry and backfill In the closed within 365 days of spud date. It of my knowledge and belief. In the closed within 365 days of Applicant or Agent