For KCC Use:
Effective Date:
District #
SGA? Yes X No

Kansas Corporation Commission Oil & Gas Conservation Division

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Expected Spud Date	
month day year	Spot ApNE - SWSE - SW Sec. 27 Twp. 10 S. R. 22 ✓ West
4058	Sec. Iwp. S. H. West 340 feet from N / √ S Line of Section
OPERATOR: License#	1790 feet from E / V W Line of Section
Name: American Warrior, Inc. P.O. Box 399	Is SECTION ✓ RegularIrregular?
Garden City KS 67846	
City/State/Zip: Gecil O'Brate	(Note: Locate well on the Section Plat on reverse side) County: Graham
Phone: (620) 275-9231	Lease Name: Faulkner Well #: 1-27
	Field Name: Wildcat
CONTRACTOR: License# 31548 /	Is this a Prorated / Spaced Field?
Name: Discovery Drilling Company, Inc.	Target Formation(s): Lansing Kansas City
	Nearest Lease or unit boundary: 340'
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 2,294 feet MSL
Oil Finh Rec Infield Mud Rotary	Water well within one-quarter mile: Yes ✓ No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
OWWO Disposal V Wildcat Cable	Depth to bottom of fresh water: 180'
Seismic;# of Holes Other	Depth to bottom of usable water:
Other	Surface Pipe by Alternate: 1 2
If OVARAGO, and well before the angle of the same	Length of Surface Pipe Planned to be set: 200'+
If OWWO: old well information as follows:	Length of Conductor Pipe required: none
Operator:	Projected Total Depth: 4,150'
Well Name:	Formation at Total Depth: Arbuckle
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well ▼ Farm Pond Other
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
	RECEIVED
	DAVIT KANSAS CORPORATION COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual pl	ugging of this well will comply with K.S.A. 55 et. seg.
It is agreed that the following minimum requirements will be met:	DEC 1 2 2006
 Notify the appropriate district office prior to spudding of well; 	ch drilling rig: CONSERVATION DIVISION
A copy of the approved notice of intent to drill shall be posted on ear	
3. The minimum amount of surface pipe as specified below shall be se	t by circulating cement to the top; in all cases surface Child be set
The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the	of by circulating cement to the top; in all cases surface compared to the set the underlying formation.
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the discount. 	It by circulating cement to the top; in all cases surface compared to the set ne underlying formation. istrict office on plug length and placement is necessary prior to plugging;
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description. The appropriate district office will be notified before well is either plug 	It by circulating cement to the top; in all cases surface compared to the set ne underlying formation. istrict office on plug length and placement is necessary prior to plugging;
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the construction of the set. The appropriate district office will be notified before well is either pluge. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order 	It by circulating cement to the top; in all cases surface content to the top; in all cases surface content to the set ne underlying formation. In the instruction of the set of
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the construction of the set. The appropriate district office will be notified before well is either pluge. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order 	It by circulating cement to the top; in all cases surface content to the top; in all cases surface content to the set ne underlying formation. Istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date.
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the construction of the set. The appropriate district office will be notified before well is either pluge. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order 	It by circulating cement to the top; in all cases surface the set ne underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of 20. The appropriate district office will be notified before well is either pluge. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the best of the statements. 	It by circulating cement to the top; in all cases surface content to the top; in all cases surface content to the top; in all cases surface content to the set the underlying formation. In this is the set to surface with the set to plugging; it is increased in the set to surface within 120 days of spud date. In this is the set to surface within 120 days of spud date. In this is the set to surface within 120 days of spud date. In this is the set to surface within 120 days of spud date. In this is the set to surface within 120 days of spud date. In this is the set to surface within 120 days of spud date. In this is the set to surface within 120 days of spud date. In this is the set to surface within 120 days of spud date. In this is the set to surface within 120 days of spud date. In this is the set to surface within 120 days of spud date. In this is the set to surface within 120 days of spud date. In this is the set to surface within 120 days of spud date. In this is the set to surface within 120 days of spud date. In this is the set to surface within 120 days of spud date. In this is the set to surface within 120 days of spud date. In this is the set to surface within 120 days of spud date.
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of 20. The appropriate district office will be notified before well is either pluge. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the best of the set of the set	It by circulating cement to the top; in all cases surface the set ne underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of 20. The appropriate district office will be notified before well is either pluge. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the best of the statements. 	It by circulating cement to the top; in all cases surface content to the top; in all cases surface content to the top; in all cases surface content to the set the underlying formation. In this is the set to surface with the set to plugging; it is increased in the set to surface within 120 days of spud date. In this is the set to surface within 120 days of spud date. In this is the set to surface within 120 days of spud date. In this is the set to surface within 120 days of spud date. In this is the set to surface within 120 days of spud date. In this is the set to surface within 120 days of spud date. In this is the set to surface within 120 days of spud date. In this is the set to surface within 120 days of spud date. In this is the set to surface within 120 days of spud date. In this is the set to surface within 120 days of spud date. In this is the set to surface within 120 days of spud date. In this is the set to surface within 120 days of spud date. In this is the set to surface within 120 days of spud date. In this is the set to surface within 120 days of spud date. In this is the set to surface within 120 days of spud date. In this is the set to surface within 120 days of spud date.
3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the second of the	It by circulating cement to the top; in all cases surface content to the set the underlying formation. In istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the second of the	It by circulating cement to the top; in all cases surface content to the set the underlying formation. In istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall in the hereby certify that the statements made herein are true and to the best of Date: December 12, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - DUS - 23 26 4-DDDD	It by circulating cement to the top; in all cases surface contents to be set the underlying formation. In istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into t	the by circulating cement to the top; in all cases surface states be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. I my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into t	the by circulating cement to the top; in all cases surface contents to be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate if cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Agent
3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into t	the by circulating cement to the top; in all cases surface place be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. In which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the constitution of 20 feet into the second of the well is either plugically appropriate district office will be notified before well is either plugically appropriate district office will be notified before well is either plugically appropriate district office will be notified before well is either plugically appropriate district office will be notified before well is either plugically appropriate district office will be notified before well is either plugically appropriate to Appropriate district office will be notified before well is either plugically appropriate to Appropriate the well shall be completed within 30 days of the spud date or the well shall be received and to the best of the pest of the plugically appropriate to the pest of the plugically appropriate to the plugically appropriate to the pest of the well shall be received appropriate to the pest of the plugically appropriate to the plugically appropriate to the pest of the well shall be seen to the plugically appropriate to the plugically appropriate to the pest of the well shall be seen to the plugically appropriate to the pest of the well shall be seen to the well shall be seen to the well shall be seen to the pest of the pe	the by circulating cement to the top; in all cases surface place be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Implementation of the Completion form ACO-1 within 120 days of spud date; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into t	the by circulating cement to the top; in all cases surface contents by circulating cement to the top; in all cases surface contents by circulating formation. In instrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate if cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If the Drill Pit Application (form CDP-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into t	the by circulating cement to the top; in all cases surface the set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate if cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Wetl Not Drilled - Permit Expired
3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into t	the by circulating cement to the top; in all cases surface contents to be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If the Drill Pit Application (form CDP-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 065-23264-0000	Location of Well: County: Graham
Operator: American Warrior, Inc.	340 feet from N / S Line of Section
Lease: Faulkner	1790 feet from E / ✓ W Line of Section
Well Number: 1-27	Sec. 27 Twp. 10 S. R. 22 East ✓ West
Field: wildcat	
Number of Acres attributable to well: QTR / QTR / QTR of acreage: ApNE - SWSE - SW	Is Section:

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

			•	•
		l	•	
 · · · · · ·				•
	-		•	•
		:	:	
· · · · · · · · · · · · · · · · · · ·	•	•		•
· .				
 		•		•
· · · · · · · · · · · · · · · · · · ·	•		•	•
 · · · · · · · · · · · · · · · · · · ·	2			
, , , ,				



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: American Warrior, Inc.		License Number: 4058			
Operator Address: P.O. Box 399, 0	Sarden City,	KS 67846			
Contact Person: Cecil O-Brate		Phone Number: (620) 275 - 9231			
Lease Name & Well No.: Faulkner 1-27		Pit Location (QQQQ):			
Type of Pit:	Pit is:		ApNE _ SW _ SE _ SW		
Emergency Pit Burn Pit	Proposed Existing		Sec. 27 Twp. 10 R. 22 ☐ East ✓ West		
Settling Pit	If Existing, date constructed:		340 Feet from North / 🗸 South Line of Sec	tion	
Workover Pit Haul-Off Pit	Pit capacity:		1790Feet from East / 🗸 West Line of Sec	tion	
(If WP Supply API No. or Year Drilled)	3,000 (bbls)		Graham Cou	unty	
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes 🗸	/ No	Chloride concentration:m	g/l	
		****	(For Emergency Pits and Settling Pits only)	_	
Is the bottom below ground level?	Artificial Liner? ☐ Yes ✓	No	How is the pit lined if a plastic liner is not used?		
v 165 140	∐ Yes 🗸	NO	clay soil, native and fresh mud		
Pit dimensions (all but working pits):7	O Length (fe	eet) 70	Width (feet) N/A: Steel Pits		
Depth fr	om ground level to de	eepest point: 5	(feet)		
If the pit is lined give a brief description of the	liner	Describe proce	dures for periodic maintenance and determining	\neg	
material, thickness and installation procedure) .	liner integrity, i	ncluding any special monitoring.	İ	
				1	
				(
Distance to nearest water well within one-mike	of pit	Depth to shallo	west fresh water 26 feet.	\exists	
	32 _{feet}	Source of infor	mation:	5	
Emergency, Settling and Burn Pits ONLY:	1001	 	over and Haul-Off Pits ONLY:		
Producing Formation:			ial utilized in drilling/workover: fresh mud		
			vorking pits to be utilized: ³		
		procedure: allow liquid contents to evaporate, let cuttings			
Does the slope from the tank battery allow all spilled fluids to dry and bac		dry and backf	II	_ [
		Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above state	ments are true and o	correct to the besi	of my knowledge and belief KANSAS CORPORATION COMM	ISSIO	
	\cap		DEC 1 2 2006		
December 12, 2006	<u>(C)</u>	una	Thanda		
Date		S	gnature of Applicant or Agent CONSERVATION DIVISION WICHITA, KS	!	
	KCC	OFFICE USE O			
_1 _				i	
Date Received: 12 12 00 Permit Num			t Date: 12 12 CL Lease Inspection: Yes K No		