### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

# NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Expected Spud DateDece	mber	5	2006	Spot N/2-5W-HW	✓ East
	month	day	year	NW - 9W - NE Sec. 29 Twp. 26 S. R. 20	West
4485	5 /			1650 feet from VN / S Line of	
DPERATOR: License# 4485	<u> </u>			660 feet from E / V W Line of	
Name: <u>Verde Oil Company</u> Address: 1020 NE Loop 410 Si	uito 555			Is SECTION Regular Irregular?	Occilon
	uite 555	<u>.                                    </u>		is SECTIONnegularnegular:	
ـــــــــــــــــــــــــــــــــــــ				(Note: Locate well on the Section Plat on reverse side)	
Contact Person: Jeffrey L. Dal	le			County: Allen	
Phone: 620-754-3800				Lease Name: Becker Well #: W-	1
5	675			Field Name: Humboldt/Chanute	
CONTRACTOR: License#_5	0.0			Is this a Prorated / Spaced Field?	res ☑No
lame: McPherson Drilling				Target Formation(s): Bartlesville/Tucker	
Well Drilled For:	Well Class	· Tuna	Equipment:	Nearest Lease or unit boundary: 5' (EC)	
/	<b>^</b> —		•	Ground Surface Elevation: 980' est.	_feet MSL
UOil ✓ Enh Red	<u></u>	<u></u>	Mud Rotary		res √No
Gas Storage	Pool E	Ext. ☑	Air Rotary		res 🔽 No
OWWO Disposal	I Wildea	at 🔲 (	Cable	Depth to bottom of fresh water: 120'	
Seismic;# of H	oles 🔲 Other			Depth to bottom of iresh water: 175'	
Other					
f OWWO: old well information	on as follows:			Length of Surface Pipe Planned to be set: 20'	
Operator:				Length of Conductor Pipe required: None	
Well Name:				Projected Total Depth: 900'  Formation at Total Depth: Bartlesville/Tucker	
Original Completion Date	ə:	_Original Tota	al Depth:	Formation at total Deptil	
Nivertianal Deviated and Unit	mandal sealth are	•		Water Source for Drilling Operations:	
Directional, Deviated or Horiz			Yes ✓ No	Well Farm Pond Other Air Drilled	
f Yes, true vertical depth:				DWR Permit #:	
f Yes, true vertical depth: Bottom Hole Location:				DWR Permit #:(Note: Apply for Permit with DWR)	
Bottom Hole Location:				(Note: Apply for Permit with DWR 🔲 )	Yes √ No
Bottom Hole Location: CCC DKT #:		•	AFI	(Note: Apply for Permit with DWR ) Will Cores be taken? If Yes, proposed zone:	IVED
Bottom Hole Location: CCC DKT #: The undersigned hereby aff t is agreed that the followin	firms that the c	Irilling, compl	<b>AFI</b> letion and eventual <sub>l</sub> vill be met:	(Note: Apply for Permit with DWR )  Will Cores be taken?   If Yes, proposed zone:	IVED
The undersigned hereby aff t is agreed that the followin  1. Notify the appropriate 2. A copy of the approve 3. The minimum amoun through all unconsolic 4. If the well is dry hole. 5. The appropriate distri 6. If an ALTERNATE II C	firms that the or a minimum rece district office ed notice of into the first of surface piled agreement office will be COMPLETION adix "B" - East	Irilling, compl quirements w prior to spu- lent to drill si be as specific s plus a mini- nt between the e notified before, production ern Kansas	AFI letion and eventual pill be met: dding of well; hall be posted on execution of 20 feet into the operator and the ore well is either plupipe shall be cemer surface casing orde	(Note: Apply for Permit with DWR)  Will Cores be taken?  If Yes, proposed zone:  FIDAVIT RECE  plugging of this well will comply with K.S.A. 55 et SASS CORPORA  DEC 1	IVED FION COMM 3 2006 N DIVISION KS lugging; d date. cementing
The undersigned hereby aff t is agreed that the followin  1. Notify the appropriate 2. A copy of the approve 3. The minimum amounthrough all unconsolid 4. If the well is dry hole 5. The appropriate distri 6. If an ALTERNATE II Or pursuant to Appermust be completed w	firms that the orig minimum receded instrict office ed notice of interest to firm and the surface piped attention and agreement office will be COMPLETION andix "B" - East within 30 days of the surface	drilling, compliquirements we prior to spurient to drill side as specifies plus a minimat between the notified before, production ern Kansas of the spud d	AFI letion and eventual pill be met: dding of well; hall be posted on ead below shall be some of 20 feet into the operator and the ore well is either plupipe shall be cemer surface casing ordedate or the well shall	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  Plugging of this well will comply with K.S.A. 55 et. SAS CORPORA  DEC 1  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe with the underlying formation.  district office on plug length and placement is necessary prior to pugged or production casing is cemented in;  nted from below any usable water to surface within 120 days of spur #133,891-C, which applies to the KCC District 3 area, alternate II	IVED FION COMM 3 2006 N DIVISION KS lugging; d date. cementing
The undersigned hereby aff t is agreed that the followin  1. Notify the appropriate 2. A copy of the approve 3. The minimum amounthrough all unconsolid 4. If the well is dry hole 5. The appropriate distri 6. If an ALTERNATE II Or pursuant to Appermust be completed w	firms that the orig minimum receded instrict office ed notice of interest to firm and the surface piped attention and agreement office will be COMPLETION andix "B" - East within 30 days of the surface	drilling, compliquirements we prior to spurient to drill side as specifies plus a minimat between the notified before, production ern Kansas sof the spud deferein are treated as the spud deferein as	AFI letion and eventual prill be met: dding of well; hall be posted on each below shall be some of 20 feet into the operator and the ore well is either plupipe shall be cemer surface casing ordedate or the well shall rue and to the best	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  Plugging of this well will comply with K.S.A. 55 et. Sec. SCORPORA  DEC 1  ach drilling rig;  ach drilling rig;  ach underlying tormation.  district office on plug length and placement is necessary prior to pugged or production casing is cemented in;  nted from below any usable water to surface within 120 days of spur #133,891-C, which applies to the KCC District 3 area, alternate II be plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief.  Title: Geologist	IVED FION COMM 3 2006 N DIVISION KS lugging; d date. cementing
The undersigned hereby aff t is agreed that the followin  1. Notify the appropriate 2. A copy of the approve 3. The minimum amoun through all unconsolid 4. If the well is dry hole. 5. The appropriate distri 6. If an ALTERNATE II Or pursuant to Apper must be completed whereby certify that the state.	firms that the or or minimum rece district office ed notice of int t of surface pip dated materials , an agreemer ict office will be COMPLETION notix "B" - East vithin 30 days of ternents made	drilling, compliquirements we prior to spurient to drill side as specifies plus a minimat between the notified before, production ern Kansas sof the spud deferein are treated as the spud deferein as	AFI letion and eventual prill be met: dding of well; hall be posted on each below shall be some of 20 feet into the operator and the ore well is either plupipe shall be cemer surface casing ordedate or the well shall rue and to the best	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  Plugging of this well will comply with K.S.A. 55 et. Sec. CORPORA  DEC 1  ach drilling rig;  ach drilling rig;  bet by circulating cement to the top; in all cases surface pipe within the underlying formation.  district office on plug length and placement is necessary prior to pugged or production casing is cemented in; need from below any usable water to surface within 120 days of spur #133,891-C, which applies to the KCC District 3 area, alternate II be plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief.  Title: Geologist  Remember to:  A. A  Title: Geologist	IVED FION COMM 3 2006 N DIVISION KS lugging; d date. cementing
The undersigned hereby aff t is agreed that the followin  1. Notify the appropriate 2. A copy of the approve 3. The minimum amoun through all unconsolic 4. If the well is dry hole. 5. The appropriate distri 6. If an ALTERNATE II Or pursuant to Apper must be completed whereby certify that the state.  December 5, 2006  For KCC Use ONLY	firms that the or or minimum rece district office ed notice of int t of surface pip dated materials , an agreemer ict office will be COMPLETION notix "B" - East vithin 30 days of ternents made	drilling, compliquirements we prior to spucient to drill side as specific splus a minimat between the notified before a consultation of the spud dispersion are treated as the spud dispersion	AFI letion and eventual prill be met: dding of well; hall be posted on each below shall be some of 20 feet into the operator and the ore well is either plupipe shall be cemer surface casing ordedate or the well shall rue and to the best	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  Plugging of this well will comply with K.S.A. 55 et. Sec. CORPORA  DEC 1  ach drilling rig;  ach drilling rig;  cet by circulating cement to the top; in all cases surface pipe within the underlying formation.  district office on plug length and placement is necessary prior to pugged or production casing is cemented in; need from below any usable water to surface within 120 days of spur #133,891-C, which applies to the KCC District 3 area, alternate II be plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief.  Title: Geologist  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;	IVED FION COMM 3 2006 N DIVISION KS lugging; d date. cementing
The undersigned hereby aff t is agreed that the followin  1. Notify the appropriate 2. A copy of the approve 3. The minimum amounthrough all unconsolid 4. If the well is dry hole. 5. The appropriate distri 6. If an ALTERNATE II COr pursuant to Appermust be completed whereby certify that the state Date:  December 5, 2006  For KCC Use ONLY  API # 15 - OOI - O	firms that the congress of the	drilling, compliquirements we prior to sputent to drill side as specific sides plus a minimat between the notified before production ern Kansas sof the spud dispersion are transferometers.	AFI letion and eventual poils be met: dding of well; hall be posted on ead below shall be some operator and the ore well is either plupipe shall be cemer surface casing ordedate or the well shall rue and to the best of Agent:	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  Plugging of this well will comply with K.S.A. 55 et. Sec. SCORPORA  DEC 1  ach drilling rig;  ach drilling rig;  ach drilling rig;  cet by circulating cement to the top; in all cases surface pipe within the underlying formation.  district office on plug length and placement is necessary prior to pugged or production casing is cemented in; anted from below any usable water to surface within 120 days of spunt #133,891-C, which applies to the KCC District 3 area, alternate II be plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief.  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;	IVED FION COMM 3 2006 N DIVISION KS lugging; d date. cementing enting.
The undersigned hereby aff t is agreed that the followin  1. Notify the appropriate 2. A copy of the approve 3. The minimum amounthrough all unconsolid 4. If the well is dry hole. 5. The appropriate distri 6. If an ALTERNATE II or prusuant to Appermust be completed whereby certify that the state of the complete of th	firms that the original minimum recept district office ed notice of interest to surface pipedated materials, an agreement cotoffice will be COMPLETION and the "B" - East within 30 days of the cotoffice made.  Signature of the cotoffice will be COMPLETION and the "B" - East within 30 days of the cotoffice will be completely be completely be cotofficed within 30 days of the cotofficed within 30	Irilling, completion of the spud of the sp	AFI letion and eventual pill be met: dding of well; hall be posted on exit ed below shall be some of 20 feet into one well is either plupipe shall be cemer surface casing ordedate or the well shall rue and to the best Agent:	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  Plugging of this well will comply with K.S.A. 55 et. Sec. SCORPORA  DEC 1  ach drilling rig;  ach drilling rig;  ach drilling rig;  cet by circulating cement to the top; in all cases surface pipe with the underlying formation.  district office on plug length and placement is necessary prior to pugged or production casing is cemented in; anted from below any usable water to surface within 120 days of spur #133,891-C, which applies to the KCC District 3 area, alternate II be plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief.  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-	IVED FION COMM 3 2006 N DAISION KS lugging; d date. cementing enting.
The undersigned hereby aff t is agreed that the followin  1. Notify the appropriate 2. A copy of the approve 3. The minimum amounthrough all unconsolid 4. If the well is dry hole. 5. The appropriate distri 6. If an ALTERNATE II COr pursuant to Appermust be completed whereby certify that the state Date:  December 5, 2006  For KCC Use ONLY  API # 15 - QOI - Quired Minimum surface pipe required Minimum surface pipe required	firms that the original minimum received in the first of surface pipers of the first of surface pipers of the first of surface pipers of the first of surface will be COMPLETION and the first of surface of	Irilling, completion of the spud of the sp	AFI letion and eventual poils be met: dding of well; hall be posted on ead below shall be some operator and the ore well is either plupipe shall be cemer surface casing ordedate or the well shall rue and to the best of Agent:	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  Plugging of this well will comply with K.S.A. 55 et. Sec. SCORPORA  DEC 1  ach drilling rig;  ach drilling rig;  conservation  ach drilling rig;  ach drilling rig;  conservation  ach drilling rig;  ach drilling rig;  conservation  ach drilling rig;  ach drilling rig;  ach drilling rig;  conservation  conservation  district office on plug length and placement is necessary prior to plaged or production casing is cemented in;  anted from below any usable water to surface within 120 days of spu  r #133,891-C, which applies to the KCC District 3 area, alternate II  be plugged. In all cases, NOTIFY district office prior to any ceme  of my knowledge and belief.  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-  Submit plugging report (CP-4) after plugging is completed;	IVED FION COMM 3 2006 N DAISION KS lugging; d date. cementing enting.
The undersigned hereby aff t is agreed that the followin  1. Notify the appropriate 2. A copy of the approve 3. The minimum amounthrough all unconsolid 4. If the well is dry hole. 5. The appropriate distri 6. If an ALTERNATE II or prusuant to Appermust be completed whereby certify that the state of the complete of th	firms that the original minimum recept district office ed notice of interest of the first office will be completely on the completely of the ments made a signature of the completely of the com	Irilling, completion of the spud of the spud of the spud of the rein are transported to the control of the spud of	AFI letion and eventual pill be met: dding of well; hall be posted on exit ed below shall be some of 20 feet into one well is either plupipe shall be cemer surface casing ordedate or the well shall rue and to the best Agent:	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  Plugging of this well will comply with K.S.A. 55 et. Sec. SCORPORA  DEC 1  ach drilling rig;  ach drilling rig;  ach drilling rig;  cet by circulating cement to the top; in all cases surface pipe with the underlying formation.  district office on plug length and placement is necessary prior to pugged or production casing is cemented in; anted from below any usable water to surface within 120 days of spur #133,891-C, which applies to the KCC District 3 area, alternate II be plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief.  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-	IVED FION COMM 3 2006 N DAISION KS lugging; d date. cementing enting.
The undersigned hereby aff t is agreed that the followin  1. Notify the appropriate 2. A copy of the approve 3. The minimum amounthrough all unconsolic 4. If the well is dry hole 5. The appropriate distri 6. If an ALTERNATE II COr pursuant to Appermust be completed whereby certify that the state  Date: December 5, 2006  For KCC Use ONLY  API # 15 - OOI - OCITION API # 15 - OOI	firms that the original minimum received in the first of surface pipers of the first of surface pipers of the first of surface pipers of the first of surface will be COMPLETION and the first of surface of	Irilling, completion of the spud of the spud of the spud of the rein are transported to the control of the spud of	AFI letion and eventual pill be met: dding of well; hall be posted on exit ed below shall be some of 20 feet into one well is either plupipe shall be cemer surface casing ordedate or the well shall rue and to the best Agent:	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  Plugging of this well will comply with K.S.A. 55 et. Sec. CORPORA  DEC 1  ach drilling rig;  ach drilling rig;	IVED FION COMM 3 2006  N DIVISION KS Iugging; d date. cementing enting.
The undersigned hereby aff t is agreed that the followin  1. Notify the appropriate 2. A copy of the approve 3. The minimum amounthrough all unconsolid 4. If the well is dry hole. 5. The appropriate distri 6. If an ALTERNATE II COr pursuant to Appermust be completed whereby certify that the state Date:  December 5, 2006  For KCC Use ONLY  API # 15 - QOI - Quired Minimum surface pipe required Minimum surface pipe required	firms that the original minimum released in the edistrict office ed notice of interest to fish	drilling, complete quirements we prior to spute to drill side as specific splus a minimate between the notified before production ern Kansas sof the spud defended are to t	AFI letion and eventual will be met: dding of well; hall be posted on ead below shall be some operator and the core well is either plupipe shall be cemer surface casing ordedate or the well shall rue and to the best wall and to the best well shall rue and to the best wall wall and to the best wall wall and to the best wall	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  Plugging of this well will comply with K.S.A. 55 et. Sec. CORPORA  DEC 1  ach drilling rig;  ach drilling rig;	IVED FION COMM 3 2006  N DIVISION KS Iugging; d date. cementing enting.
The undersigned hereby aff t is agreed that the followin  1. Notify the appropriate 2. A copy of the approve 3. The minimum amounthrough all unconsolic 4. If the well is dry hole 5. The appropriate distri 6. If an ALTERNATE II COr pursuant to Appermust be completed whereby certify that the state  Date: December 5, 2006  For KCC Use ONLY  API # 15 - OOI - OCITIES  Conductor pipe required  Minimum surface pipe required  Approved by: PLB POTE  This authorization expires:	firms that the original minimum released in the edistrict office ed notice of interest to fish	drilling, complete quirements we prior to spute to drill side as specific splus a minimate between the notified before production ern Kansas sof the spud defended are to t	AFI letion and eventual will be met: dding of well; hall be posted on ead below shall be some operator and the core well is either plupipe shall be cemer surface casing ordedate or the well shall rue and to the best wall and to the best well shall rue and to the best wall wall and to the best wall wall and to the best wall	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  Plugging of this well will comply with K.S.A. 55 et. Sec. CORPORA  DEC 1  ach drilling rig;  ach drilling rig;	IVED FION COMM 3 2006  N DIVISION KS Iugging; d date. cementing enting.
The undersigned hereby aff t is agreed that the followin  1. Notify the appropriate 2. A copy of the approve 3. The minimum amounthrough all unconsolic 4. If the well is dry hole 5. The appropriate distri 6. If an ALTERNATE II COr pursuant to Appermust be completed whereby certify that the state  Date: December 5, 2006  For KCC Use ONLY  API # 15 - OOI - OCITIES  Conductor pipe required  Minimum surface pipe required  Approved by: PLB POTE  This authorization expires:	firms that the original minimum released in the edistrict office ed notice of interest to fish	drilling, complete quirements we prior to spute to drill side as specific splus a minimate between the notified before production ern Kansas sof the spud defended are to t	AFI letion and eventual will be met: dding of well; hall be posted on ead below shall be some operator and the core well is either plupipe shall be cemer surface casing ordedate or the well shall rue and to the best wall and to the best well shall rue and to the best wall wall and to the best wall wall and to the best wall	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  Plugging of this well will comply with K.S.A. 55 et. Sec. CORPORA  DEC 1  ach drilling rig;  ach drilling rig;  ach drilling rig;  conservation  ach drilling rig;  ach drilling rig;  ach drilling rig;  conservation  conservat	IVED FION COMM 3 2006  N DIVISION KS Iugging; d date. cementing enting.

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 001-2955 7-0000	Location of Well: County: Allen
Operator: Verde Oil Company	
Lease: Becker	660 feet from E / 📝 W Line of Section
Well Number: W-1	Sec. 29 Twp. 26 S. R. 20 ✓ East West
Field: Humboldt/Chanute	
Number of Acres attributable to well:	Is Section: 📝 Regular or 🗌 Irregular
QTR / QTR / QTR of acreage: NW - SW - NE	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

		•					
650	:		· · · · ·		· · · ·	• • • •	· · · · · .
``					· · · · ·		
660			· • • •		· · · · · · · · · · · · · · · · · · ·	·	- 
			7	9-	•	•	· ·
					·		·
		· · · ·					•
		•			- - -		

RECEIVED KANSAS CORPORATION COMMISSION DEC 1 3 2006

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections,
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

### Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Verde Oil Company	/	License Number: 4485		
Operator Address: 1020 NE Loop4	10, Suite 555	, San Anto	onio, TX 78209	
Contact Person: Jeffrey L. Dale		Phone Number: ( 620 ) 754 - 3800		
Lease Name & Well No.: Becker W-1		Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>₩</u> SW NE	
Emergency Pit Burn Pit	Proposed	Existing	Sec. 29 Twp. 26 R. 20	t
Settling Pit 🕡 Drilling Pit	If Existing, date co	enstructed:	1650 Feet from ✓ North / South Line of S	ection
☐ Workover Pit ☐ Haul-Off Pit	Pit capacity:		Feet from East / 🗸 West Line of S	ection
(If WP Supply API No. or Year Drilled)		(bbls)	Allen	ounty
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes ✓	No	(For Emergency Pits and Settling Pits only)	mg/l
Is the bottom below ground level?  ✓ Yes   No	Artificial Liner? ☐ Yes ✓ N	No	How is the pit lined if a plastic liner is not used?  Clay/Silt Lined	
Pit dimensions (all but working pits):4	0 Length (fee	et) 6	Width (feet) N/A: Steel Pits	
Depth fr	om ground level to de	epest point:	(feet)	
If the pit is lined give a brief description of the material, thickness and installation procedure		•	edures for periodic maintenance and determining notluding any special monitoring.	
			DEC 1 3	2006
Distance to nearest water well within one-mile	of pit		DEC 1 3  CONSERVATION West fresh waterfeet.	2006 DIVISION
Distance to nearest water well within one-mile  NA feet Depth of water well	·	Source of infor	DEC 1 3  CONSERVATION West fresh waterfeet.	2006   <u>DIVISI</u> ON   KS
NA.	feet	Source of infor	DEC 1 3  CONSERVATION  west fresh waterfeet. mation:	2006   <u>DIVISI</u> ON   KS
NAfeet Depth of water well	feet	Source of informeasu	DEC 1 3  CONSERVATION  WEST fresh waterfeet.  mation:  Ired well owner electric log KDW	2006   <u>DIVISI</u> ON   KS
NA feet Depth of water well  Emergency, Settling and Burn Pits ONLY:	feet	Source of informeasuments  Drilling, Work  Type of material  Number of work	CONSERVATION  west fresh waterfeet. mation:  ired well owner electric log KDW.  over and Haul-Off Pits ONLY:  al utilized in drilling/workover: Fresh water  king pits to be utilized: One	2006   <u>DIVISI</u> ON   KS
NA feet Depth of water well  Emergency, Settling and Burn Pits ONLY:  Producing Formation:	feet	Source of informeasuments  Drilling, Work  Type of material  Number of work	CONSERVATION  west fresh waterfeet. mation:  iredwell owner electric logKDW  over and Haul-Off Pits ONLY:  al utilized in drilling/workover:	2006   <u>DIVISI</u> ON   KS
NA feet Depth of water well  Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:	feet	Source of informeasure measure Drilling, Work Type of materia Number of work Abandonment	CONSERVATION  west fresh waterfeet. mation:  ired well owner electric log KDW.  over and Haul-Off Pits ONLY:  al utilized in drilling/workover: Fresh water  king pits to be utilized: One	2006   <u>DIVISI</u> ON   KS
NA feet Depth of water well	feet spilled fluids to	Source of informeast  Drilling, Work  Type of materia  Number of wor  Abandonment  Drill pits must	CONSERVATION  west fresh waterfeet. mation:  tredwell ownerelectric logKDW.  over and Haul-Off Pits ONLY:  al utilized in drilling/workover:  Fresh water  king pits to be utilized: One  procedure: Allow to evaporate & backfill  oe closed within 365 days of spud date.	2006   <u>DIVISI</u> ON   KS
NA feet Depth of water well	feet spilled fluids to	Source of informeast  Drilling, Work  Type of materia  Number of wor  Abandonment  Drill pits must	CONSERVATION  west fresh waterfeet. mation:  tredwell ownerelectric logKDW.  over and Haul-Off Pits ONLY:  al utilized in drilling/workover:  Fresh water  king pits to be utilized: One  procedure: Allow to evaporate & backfill  oe closed within 365 days of spud date.	2006   <u>DIVISI</u> ON   KS
NA feet Depth of water well	spilled fluids to	Source of informeast  Drilling, Work  Type of materia  Number of wor  Abandonment  Drill pits must	CONSERVATION  west fresh waterfeet. mation:  iredwell owner electric logKDW.  over and Haul-Off Pits ONLY:  al utilized in drilling/workover:     Fresh water  king pits to be utilized: One procedure: Allow to evaporate & backfill  be closed within 365 days of spud date.  It of my knowledge and belief.  A L Dau My D Bauland  gnature of Applicant or Agent	2006   <u>DIVISI</u> ON   KS

# **KANSAS**

CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR BRIAN J. MOLINE, CHAIR ROBERT E. KREHBIEL, COMMISSIONER MICHAEL C. MOFFET, COMMISSIONER

## NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.