For KCC Use:	12-18-06
Effective Date: _	10-10-00
District #	_3
SGA? Yes	<b>X</b> No

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

### NOTICE OF INTENT TO DRILL

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date December 19, 2006	
•	Spot ✓ East
month day year	<u>NE</u> - <u>SE</u> <u>Sec. 22</u> Twp. 30 S. R. 19 West
OPERATOR: License# 33344	1980
Name: Quest Cherokee LLC	feet from F / W Line of Section
9520 North May Avenue, Suite 300	Is SECTION Regular Irregular?
City/State/Zip: Oklahoma City, Oklahoma 73120	(Note: Locate well on the Section Plat on reverse side)
Contact Person Richard Marlin	County: Neosho
Phone: (405) 286-9316	Lease Name: Kimrey, Richard L. Well #: 22-1
	Field Name: Cherokee Basin CBM
CONTRACTOR: License# Will be licensed by the KCC	Is this a Prorated / Spaced Field?
Name: Will advise on the ACO-1	Target Formation(s): Cherokee Coals
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 660
	Ground Surface Elevation: 922 feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile: Yes ✓ No
✓ Gas Storage Pool Ext. ✓ Air Rotary	Public water supply well within one mile:
OWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100
Seismic; # of Holes  Other Other  Ot	Depth to bottom of usable water:
✓ Other obtained Metallane	Surface Pipe by Alternate: 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 25
Operator:	Length of Conductor Pipe required:
Well Name:	Projected Total Depth: 1500
Original Completion Date:Original Total Depth:	Formation at Total Depth: Cherokee Coals
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well Farm Pond Other Air
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR )
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
AFFIC	
The undersigned basely offices that the diffice a constation and	raging of this well will comply with K.S.A. EE at look
The undersigned hereby affirms that the drilling, completion and eventual plu	igging of this went will comply with N.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met:	gging of this wen win comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dis  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #	n drilling rig; by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation. strict office on plug length and placement is necessary <b>prior to plugging</b> ; ged or production casing is cemented in;
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dis  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #	In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set by circulating formation.  Strict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; deform below any usable water to surface within 120 days of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing by plugged. In all cases, NOTIFY district office prior to any cementing.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and to the best of the set of the	In drilling rig; In by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating formation.  Strict office on plug length and placement is necessary prior to plugging; led or production casing is cemented in; defrom below any usable water to surface within 120 days of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing by plugged. In all cases, NOTIFY district office prior to any cementing.  The production of the set of th
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dis  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and to the best of the spud control of the set of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the set of the statements made herein are true and to the set of the statements made herein are true and to the set of the statements made herein are true and to the set of the statements made herein are true and to the set of the statements made herein are true and to the set of the statements made herein are true and to the set of the statements made herein are true and to the set of the statements made herein are true and to the set of the statements made herein are true and the set of the statements made herein are true and to the set of the statements made herein are true and to the set of the statements made herein are true and the set of the statements made herein are true and to the set of the statements made herein are true and the set of the statements made herein are true and the set of the set of the statements made herein are true and the set of t	In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set by circulating formation.  Strict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in;  If the follow any usable water to surface within 120 days of spud date.  If 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and to the best of the set of the	In drilling rig; In by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating formation.  Strict office on plug length and placement is necessary prior to plugging; led or production casing is cemented in; defrom below any usable water to surface within 120 days of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  The production of the set of th
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dis  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and to the best of the district of the production of the post of the spud date.  Signature of Operator or Agent:  For KCC Use ONLY	th drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set to underlying formation.  strict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; the form below any usable water to surface within 120 days of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Title:  WP  Remember to:
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dis  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and to the best of the district of the production of the post of the spud date.  Signature of Operator or Agent:  For KCC Use ONLY	th drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 days of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing.  my knowledge and belief.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date:
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the drill the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg for an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and to the best of the Date:  December 12, 2006  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 133 - 26 747 - 2000	th drilling rig; by circulating cement to the top; in all cases surface pipe shall be set be underlying formation.  Strict office on plug length and placement is necessary prior to plugging; led or production casing is cemented in; d from below any usable water to surface within 120 days of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dis  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemente.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be  I hereby certify that the statements made herein are true and to the best of the production pipe shall be statements.  For KCC Use ONLY  API # 15 - 133 - 26 747 - 0000  Conductor pipe required	In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating formation.  It is is included a surface of the set
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dis  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemente.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be  I hereby certify that the statements made herein are true and to the best of the production pipe shall be set of the spud date or the well shall be set of the spud date or the well shall be set of the spud date or the well shall be set of the spud date or the well shall be set of the spud date or the well shall be set of the spud date or the well shall be set of the spud date or the well shall be set of the spud date or the well shall be set of the spud date or the well shall be set of the spud date or the well shall be set of the spud date or the well shall be set or the spud date or the well shall be set or the spud date or the well shall be set or production pipe shall be cemented by the spud date or the well shall be set or production pipe shall be set or prod	In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating formation.  It is necessary prior to plugging; bed or production casing is cemented in; defrom below any usable water to surface within 120 days of spud date.  It is 33,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  It is:  VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dis  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be a likely be certify that the statements made herein are true and to the best of the production pipe required	In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation.  It is strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; deform below any usable water to surface within 120 days of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of 10 Date:  December 12, 2006  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 133 - 26 747 - 0000  Conductor pipe required feet  Minimum surface pipe required feet per Alt. X 2	In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation.  It is is the underlying formation.  It is on plug length and placement is necessary prior to plugging; led or production casing is cemented in; defrom below any usable water to surface within 120 days of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of Date:  December 12, 2006  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 133 - 26 747 - 0000  Conductor pipe required 100 feet per Alt. 100 feet per Alt	In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating formation.  It is is in all cases surface pipe shall be set by circulating formation.  It is in all cases prior to plugging; pled or production casing is cemented in; defrom below any usable water to surface within 120 days of spud date.  It is a spling to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  Title:  VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of 10 Date: December 12, 2006 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 133 - 26 747 - 0000  Conductor pipe required	In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating formation.  It is is in all cases surface pipe shall be set by circulating formation.  It is in all cases prior to plugging; pied or production casing is cemented in; defrom below any usable water to surface within 120 days of spud date.  It is a spling to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  It is in all cases, NOTIFY district office prior to any cementing.  Title:  VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of Date:  December 12, 2006  Signature of Operator or Agent:  For KCC Use ONLY  API # 15	In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating formation.  In all cases surface pipe shall be set by circulating is cemented in; in the strict office on plug length and placement is necessary prior to plugging; it is defined by complete to surface within 120 days of spud date.  It is a sale and belief and cases, NOTIFY district office prior to any cementing.  It is a subject to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

DEC 1 3 2006

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - /33-26747-0000	Location of Well: County: Neosho
Operator: Quest Cherokee LLC	
Lease: Kimrey, Richard L.	
Well Number: 22-1	Sec. 22 Twp. 30 S. R. 19 VEast West
Field: Cherokee Basin CBM	
Number of Acres attributable to well:	Is Section:    Regular or    Irregular
QTR / QTR / QTR of acreage: NE SE	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

 · · · · · · · · · · · · · · · · · · ·	7 — i — i — i — i — i — i — i — i — i —	EXAMPLE : :
		1980
		SEWARD CO.

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Quest Cherokee LLC			License Number: 33344	
Operator Address: 9520 North Mag	y Avenue, Su	ite 300 Ok	lahoma City, Oklahoma 73120	
Contact Person: Richard Marlin			Phone Number: ( 405 ) 286 - 9316	
Lease Name & Well No.: Kimrey, Richard L. #22-1			Pit Location (QQQQ):	
Type of Pit:	Pit is:		NESE	
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 22 Twp. 30 R. 19 📝 East 🗌 West	
Settling Pit	If Existing, date constructed:		1980 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:		660 Feet from 🗸 East / West Line of Section	
(If WP Supply API No. or Year Drilled)			Neosho	
		(bbls)	Count	
Is the pit located in a Sensitive Ground Water	r Area? Yes _ <b>√</b>	No	Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?	A.L.	How is the pit lined if a plastic liner is not used?	
Yes ✓ No	Yes ✓	No		
Pit dimensions (all but working pits):	30 Length (fe	eet)10	Width (feet) N/A: Steel Pits	
Depth f	rom ground level to de	eepest point:	(feet)	
If the pit is lined give a brief description of the	e liner		dures for periodic maintenance and determining	
material, thickness and installation procedure.		liner integrity, including any special monitoring.		
		Air Drilling Operation lasting approx 3 days		
Distance to nearest water well within one-mile of pit Depth to sha		Depth to shallo	west fresh waterfeet.	
,	. J. P.	Source of infor	Source of information:	
NA feet Depth of water well	feet	Depth to shallowest fresh waterfeet. Source of information: measured well owner electric log KDWR  Drilling, Workover and Haul-Off Pits ONLY:		
Emergency, Settling and Burn Pits ONLY	:	Drilling, Workover and Haul-Off Pits ONLY:		
Producing Formation:		Type of materia	Type of material utilized in drilling/workover: Air Drilled	
Number of producing wells on lease:			umber of working pits to be utilized: One	
Barrels of fluid produced daily:		Abandonment procedure: Air Dry, Back Fill and Cover		
Does the slope from the tank battery allow al	Il spilled fluids to			
flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.		
I hereby certify that the above stat	ements are true and o	correct to the bes	of my knowledge and belief.	
	$\bigcirc$	~ 10	↑ ↑ KANSAS CORPORATION COMM	
December 12, 2006	Kid	Zun) YV	DEC 1 3 2006	
Date	4	S	ignature of Applicant or Agent CONSERVATION DIVISION	
	KCC	OFFICE USE O	WICHITA, KS	
	RCC (	OI FICE USE U	NLI	
Date Received: 12/13/05 Permit Num	nber:	Perm	it Date: 12/13/06 Lease Inspection: Yes 🗷 No	
•			<u> </u>	