For KCC Use:	12-20-06		
District #	4		
SGA? Yes	<b>∏</b> No		

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

### **NOTICE OF INTENT TO DRILL**

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

xpected Spud Date	December 18, 2006	<u> </u>	Spot	East
•	month da	ay year	W2NW - NE - SE Sec. 35 Twp. 15 S. R. 14	West
PERATOR: License	" 32325 V		2310 feet from N / VS Line of Section	n
ame: POPP OPERATE	ING, INC.		1170 feet from F E / W Line of Section	
P.O. Box 187			is SECTION Regular Irregular?	
ty/State/Zip: Hoisingto	on, KS 67544		(Note: Locate well on the Section Plat on reverse side)	
ntect Person. Rickey	y Popp		County: Russell	
none: (620) 786-5514			Lease Name: Batt Well #: 1	
		·	Field Name: Trapp	
ONTRACTOR: Licen	ıse#		Is this a Prorated / Spaced Field?	/ No
ame: Discovery Drillin	ng Company, Inc.		Target Formation(s): Arbuckle	
Wall Prilled For	n Mail Class	Time Eminment	Nearest Lease or unit boundary: 330'	
Well Drilled For		Type Equipment:		MSL
	nh Rec / Infield	✓ Mud Rotary		No
	orage Pool Ext.	Air Rotary		/ No
	sposal Wildcat	Cable	Depth to bottom of fresh water: 230'	
Seismic;	# of Holes Other		Depth to bottom of usable water: 410'	
Other			Surface Pipe by Alternate: 1 2	
OWWO: old well info	ormation as follows:		Length of Surface Pipe Planned to be set:	
	onnauon as ionows.		Length of Conductor Pipe required: none	
•			Projected Total Depth: 3,400'	
	n Date:Origin		Formation at Total Depth: Arbuckle	
Original Completion	ir bateOngin	iai iotai beptii	Water Source for Drilling Operations:	
rectional, Deviated or	r Horizontal wellbore?	Yes 🗸 No	Well Farm Pond Other hauf water	
Yes, true vertical dep	oth:			
	Juli,		DWR Permit #:	
			DWR Permit #:(Note: Apply for Permit with DWR)	
ttom Hole Location:			(Note: Apply for Permit with DWR )	 - No
ttom Hole Location:			(Note: Apply for Permit with DWR )  Will Cores be taken?	
ottom Hole Location:			(Note: Apply for Permit with DWR )  Will Cores be taken?  If Yes, proposed zone:	No
ottom Hole Location:_ CC DKT #:		AFFI	(Note: Apply for Permit with DWR )  Will Cores be taken?  If Yes, proposed zone:  IDAVIT	No
ottom Hole Location:_ CC DKT #: ne undersigned here	by affirms that the drilling,	AFFI completion and eventual pl	(Note: Apply for Permit with DWR )  Will Cores be taken?  If Yes, proposed zone:	No
ottom Hole Location: CC DKT #: ne undersigned herel is agreed that the fol	by affirms that the drilling,	AFFI completion and eventual plents will be met:	(Note: Apply for Permit with DWR )  Will Cores be taken?  If Yes, proposed zone:  IDAVIT	No
ne undersigned herel is agreed that the fol 1. Notify the appro 2. A copy of the ap 3. The minimum ar through all unco 4. If the well is dry 5. The appropriate 6. If an ALTERNAT Or pursuant to A must be comple	by affirms that the drilling, ollowing minimum requirement of the provided in	AFFI completion and eventual plents will be met: to spudding of well; drill shall be posted on each specified below shall be sea minimum of 20 feet into the enthe operator and the ded before well is either pluguiction pipe shall be cement insas surface casing order spud date or the well shall the	(Note: Apply for Permit with DWR )  Will Cores be taken?	n <b>g;</b>
ne undersigned herel is agreed that the fol 1. Notify the appro 2. A copy of the ap 3. The minimum ar through all unco 4. If the well is dry 5. The appropriate 6. If an ALTERNAT Or pursuant to A must be comple	by affirms that the drilling, ollowing minimum requirement of the provided in	AFFI completion and eventual pl ents will be met: to spudding of well; drill shall be posted on each specified below shall be se a minimum of 20 feet into the een the operator and the d ed before well is either plug iction pipe shall be cement nsas surface casing order	(Note: Apply for Permit with DWR )  Will Cores be taken?	n <b>g;</b>
ne undersigned herel is agreed that the fol 1. Notify the appro 2. A copy of the ap 3. The minimum ar through all unco 4. If the well is dry 5. The appropriate 6. If an ALTERNAT Or pursuant to A must be comple	by affirms that the drilling, objective prior to operate district office prior to proved notice of intent to emount of surface pipe as so possolidated materials plus at hole, an agreement between district office will be notified to the company of the state within 30 days of the sta	AFFI completion and eventual pl ents will be met: to spudding of well; drill shall be posted on each pecified below shall be se a minimum of 20 feet into the een the operator and the de ed before well is either plug action pipe shall be cement mass surface casing order spud date or the well shall the are true and to the best of	(Note: Apply for Permit with DWR )  Will Cores be taken?	n <b>g;</b>
ne undersigned herel is agreed that the fol 1. Notify the appro 2. A copy of the ap 3. The minimum an through all unco 4. If the well is dry 5. The appropriate 6. If an ALTERNAT Or pursuant to A must be completed	bby affirms that the drilling, ollowing minimum requirement opriate district office <b>prior</b> to proved notice of intent to a mount of surface pipe as sonsolidated materials plus at hole, an agreement between district office will be notified to the complete of the second within 30 days of the second materials made herein	AFFI completion and eventual pl ents will be met: to spudding of well; drill shall be posted on each pecified below shall be se a minimum of 20 feet into the een the operator and the de ed before well is either plug action pipe shall be cement mass surface casing order spud date or the well shall the are true and to the best of	(Note: Apply for Permit with DWR )  Will Cores be taken? Yes  If Yes, proposed zone:   IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  In the underlying formation.  Identification of the properties of plug length and placement is necessary prior to plugging good or production casing is cemented in;  Interest of the plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief.	n <b>g;</b>
ne undersigned herel is agreed that the fol 1. Notify the appro 2. A copy of the ap 3. The minimum an through all unco 4. If the well is dry 5. The appropriate 6. If an ALTERNAT Or pursuant to A must be completed	by affirms that the drilling, sollowing minimum requirement opriate district office <i>prior</i> to approved notice of intent to a mount of surface pipe as so an advantage of the surface pipe as soldated materials plus at hole, an agreement between district office will be notified ITE II COMPLETION, produce Appendix "B" - Eastern Kareted within 30 days of the safet statements made herein a Signature of Opera	AFFI completion and eventual pl ents will be met: to spudding of well; drill shall be posted on each a minimum of 20 feet into the een the operator and the de ed before well is either plug action pipe shall be cement mass surface casing order spud date or the well shall the are true and to the best of attor or Agent:	(Note: Apply for Permit with DWR )  Will Cores be taken?	ng;  nting
ne undersigned herel is agreed that the fol 1. Notify the appro 2. A copy of the ap 3. The minimum ar through all unco 4. If the well is dry 5. The appropriate 6. If an ALTERNAT Or pursuant to A must be completed thereby certify that the	by affirms that the drilling, sillowing minimum requirement operate district office <b>prior</b> to proved notice of intent to emount of surface pipe as so possolidated materials plus at hole, an agreement between district office will be notified IE II COMPLETION, product Appendix "B" - Eastern Kareted within 30 days of the state statements made herein Signature of Operation of Signat	AFFI completion and eventual pl ents will be met: to spudding of well; drill shall be posted on each a minimum of 20 feet into the een the operator and the de ed before well is either plug action pipe shall be cement mass surface casing order spud date or the well shall the are true and to the best of attor or Agent:	(Note: Apply for Permit with DWR )  Will Cores be taken?	n <b>g;</b>
ne undersigned herel is agreed that the fol 1. Notify the appro 2. A copy of the ap 3. The minimum ar through all unco 4. If the well is dry 5. The appropriate 6. If an ALTERNAT Or pursuant to A must be completed thereby certify that the ate: December 15, 2006  For KCC Use ONLY API # 15 - / 6 7	by affirms that the drilling, sollowing minimum requirement opriate district office <i>prior</i> to a proved notice of intent to a mount of surface pipe as sonsolidated materials plus a phole, an agreement between the district office will be notified in the compact of the sollowing that the district office will be notified. Appendix "B" - Eastern Karated within 30 days of the sollowing that the sollowing that the sollowing that the compact of th	AFFI completion and eventual pl ents will be met: to spudding of well; drill shall be posted on each specified below shall be se a minimum of 20 feet into the een the operator and the d ed before well is either plug action pipe shall be cement insas surface casing order spud date or the well shall the are true and to the best of attor or Agent:	(Note: Apply for Permit with DWR )  Will Cores be taken?	ng;  nting
ne undersigned herel is agreed that the fol 1. Notify the appro 2. A copy of the ap 3. The minimum ar through all unco 4. If the well is dry 5. The appropriate 6. If an ALTERNAT Or pursuant to A must be completereby certify that the hereby certification is a complete to the complete that the hereby certification is a complete that the hereby certificat	by affirms that the drilling, sillowing minimum requirement opriate district office <i>prior</i> to a proved notice of intent to a mount of surface pipe as so an advantage of the surface pipe as so a hole, an agreement between district office will be notified a district office will be notified Appendix "B" - Eastern Kareted within 30 days of the surface statements made herein a Signature of Operation of the surface of the surfa	AFFI completion and eventual pl ents will be met: to spudding of well; drill shall be posted on each specified below shall be se a minimum of 20 feet into the een the operator and the de ed before well is either plug totion pipe shall be cement nsas surface casing order spud date or the well shall the are true and to the best of attor or Agent:	(Note: Apply for Permit with DWR )  Will Cores be taken?	ng;  nting
ne undersigned herel is agreed that the fol 1. Notify the appro 2. A copy of the ap 3. The minimum ar through all unco 4. If the well is dry 5. The appropriate 6. If an ALTERNAT Or pursuant to A must be completereby certify that the hereby certification that	by affirms that the drilling, sillowing minimum requirement opriate district office <i>prior</i> to a proved notice of intent to a mount of surface pipe as someolidated materials plus a phole, an agreement between the district office will be notified to the provided to the surface of the surface	AFFI completion and eventual pl ents will be met: to spudding of well; drill shall be posted on each specified below shall be se a minimum of 20 feet into the een the operator and the d ed before well is either plug action pipe shall be cement insas surface casing order spud date or the well shall the are true and to the best of attor or Agent:	(Note: Apply for Permit with DWR )  Will Cores be taken?	ng;  nting
ne undersigned herel is agreed that the fol 1. Notify the appro 2. A copy of the ap 3. The minimum an through all unco 4. If the well is dry 5. The appropriate 6. If an ALTERNAT Or pursuant to A must be completed hereby certify that the ate: December 15, 2006  For KCC Use ONLY API # 15 - / 6 7 Conductor pipe required Minimum surface pipe Approved by: Put / 1	aby affirms that the drilling, sillowing minimum requirement operate district office <b>prior</b> to approve the notice of intent to a mount of surface pipe as so an additional pipe as a proper of the notific office will be notifice. If COMPLETION, produce the notifice of th	AFFI completion and eventual pl ents will be met: to spudding of well; drill shall be posted on each specified below shall be se a minimum of 20 feet into the een the operator and the de ed before well is either plug totion pipe shall be cement nsas surface casing order spud date or the well shall the are true and to the best of attor or Agent:	(Note: Apply for Permit with DWR )  Will Cores be taken?	ng;  nting
ne undersigned herel is agreed that the fol 1. Notify the appro 2. A copy of the ap 3. The minimum at through all unco 4. If the well is dry 5. The appropriate 6. If an ALTERNAT Or pursuant to A must be completed thereby certify that the ate: December 15, 2006  For KCC Use ONLY API # 15 - / / / Conductor pipe requir Minimum surface pipe Approved by: Put / This authorization exp	aby affirms that the drilling, sillowing minimum requirement operate district office prior to proved notice of intent to a proved notice of intent to a proved notice of intent to a provent of surface pipe as sonsolidated materials plus any hole, an agreement between district office will be notified II COMPLETION, product Appendix "B" - Eastern Karated within 30 days of the same statements made herein and signature of Operation of Companies and the same statements made herein and the same statements and the same statements and the same statements are same statements.	AFFI completion and eventual pl ents will be met: to spudding of well; drill shall be posted on ead pecified below shall be se a minimum of 20 feet into the een the operator and the d ed before well is either plug action pipe shall be cement mass surface casing order spud date or the well shall be are true and to the best of ator or Agent:  feet feet per Alt	(Note: Apply for Permit with DWR )  Will Cores be taken?	ng;  nting
ne undersigned herel is agreed that the fol 1. Notify the appro 2. A copy of the ap 3. The minimum at through all unco 4. If the well is dry 5. The appropriate 6. If an ALTERNAT Or pursuant to A must be completed thereby certify that the ate: December 15, 2006  For KCC Use ONLY API # 15 - / / / / Conductor pipe required Approved by: Put / This authorization exp	aby affirms that the drilling, sillowing minimum requirement operate district office <b>prior</b> to approve the notice of intent to a mount of surface pipe as so an additional pipe as a proper of the notific office will be notifice. If COMPLETION, produce the notifice of th	AFFI completion and eventual pl ents will be met: to spudding of well; drill shall be posted on ead pecified below shall be se a minimum of 20 feet into the een the operator and the d ed before well is either plug action pipe shall be cement mass surface casing order spud date or the well shall be are true and to the best of ator or Agent:  feet feet per Alt	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  Iugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  In the underlying formation.  Ilistrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in;  Ited from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II ceme be plugged. In all cases, NOTIFY district office prior to any cementing if my knowledge and belief.  In the Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this pemit has expired (See: authorized expiration date) please check the box below and return to the address below.	ng;  nting
the undersigned herel is agreed that the fol 1. Notify the appro 2. A copy of the ap 3. The minimum ai through all unco 4. If the well is dry 5. The appropriate 6. If an ALTERNAT Or pursuant to A must be completed by certify that the tereby certified that the tereby cer	aby affirms that the drilling, sillowing minimum requirement operate district office prior to proved notice of intent to a proved notice of intent to a proved notice of intent to a provent of surface pipe as sonsolidated materials plus any hole, an agreement between district office will be notified II COMPLETION, product Appendix "B" - Eastern Karated within 30 days of the same statements made herein and signature of Operation of Companies and the same statements made herein and the same statements and the same statements and the same statements are same statements.	AFFI completion and eventual pl ents will be met: to spudding of well; drill shall be posted on ead pecified below shall be se a minimum of 20 feet into the een the operator and the d ed before well is either plug action pipe shall be cement mass surface casing order spud date or the well shall be are true and to the best of ator or Agent:  feet feet per Alt	(Note: Apply for Permit with DWR )  Will Cores be taken?	ng;  nting

DEC 1 5 2006

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15-167-23402-0000	Location of Well: County: Russell
Operator: POPP OPERATING, INC.	2310 feet from N / V S Line of Section
Lease: Batt	1170 feet from 🗸 E / 🗌 W Line of Section
Well Number: 1 Field: Trapp	Sec. 35 Twp. 15 S. R. 14 East  West  Is Section: Regular or Irregular
Number of Acres attributable to well:  QTR / QTR / QTR of acreage: W2NW - NE - SE	If Section is irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

				:		
					•	
						•
					•	
						•
				• • •		
				•	•	•
						•
			1	:	•	
						•
			<del></del> -		• [	•
l l		•		•		-
		-		•	. •	•
						· · · · · ·
				-	-	
1						
		•		•	•	•
		•				· · · · · · · · · · · · · · · · · · ·
	·				-	•
	 					•
	·				-	•
	 				-	
	·					



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: POPP OPERATING, INC.			License Number: 32325		
Operator Address: P.O. Box 187, Hoisington, KS 67544					
Contact Person: Rickey Popp			Phone Number: ( 620 ) 786 - 5514		
Lease Name & Well No.: Batt #1			Pit Location (QQQQ):		
Type of Pit:	Pit is:		W2 NW NE SE		
Emergency Pit Burn Pit	Proposed	Existing	Sec. 35 Twp. 15 R. 14 ☐ East ✓ West		
Settling Pit	If Existing, date constructed:		2310 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		Feet from		
(if WP Supply API No. or Year Drilled)	3,000	(bbls)	Russell		
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes ✓	No	Chloride concentration:mg/l		
		J	(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?		
Yes No	Yes 🗸	No 	clay soil, native and fresh mud		
Pit dimensions (all but working pits):7	O Length (fe	eet)70	Width (feet) N/A: Steel Pits		
Depth fr	om ground level to de	epest point: 5	(feet)		
If the pit is lined give a brief description of the			dures for periodic maintenance and determining		
material, thickness and installation procedure		liner integrity, i	ncluding any special monitoring.		
Distance to nearest water well within one-mile	of pit	Depth to shallo Source of infor	west fresh waterfeet.		
N/A feet Depth of water well feet			red well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Driffing, Work	over and Haul-Off Pits ONLY:		
Producing Formation:		Type of materia	al utilized in drilling/workover: fresh mud		
Number of producing wells on lease:		Number of wor	king pits to be utilized: 3		
Barrels of fluid produced daily:		Abandonment procedure: Allow liquid contents to evaporate,			
Does the slope from the tank battery allow all	spilled fluids to	let cuttings dry and backfill.			
flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
December 15, 2006	$\omega$	anna	Thanda		
Date		Si	gnature of Applicant or Agent		
KCC OFFICE USE ONLY					
Date Received: 12 15 06 Permit Numl	ber:	Permi	t Date: 12 5 oc Lease Inspection: Yes 12 No		

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

OZ RECEIVED KANSAS CORPORATION COMMISSION

DEC 1 5 2006