

For KCC Use:	15 00-04
Effective Date: _	12-23-00
District #4	
SGA? Yes	s [X]No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1007400

Form C-1 November 2005 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five	
Expected Spud Date: 01/16/2007	Spot Description:
month day year	SW - NW - SE - NE Sec. 30 Twp. 14 S. R. 16 EXW
30606 🗸	(alacació) 1,900 feet from N / S Line of Section
DPERAIOR: License#	1,160 feet from E E / W Line of Section
Name: Murfin Drilling Co., Inc.	Is SECTION: Regular Irregular?
Address 1: 250 N. Water, Ste 300	is Section, Minegular integular:
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: Wichita State: KS Zip: 67202 +	County: Ellis
Contact Person: Shauna Gunzelman Phone: 316-267-3241	Lease Name: Brungardt Well #: 1-30
	Field Name: Wildcat
CONTRACTOR: License# 30606	Is this a Prorated / Spaced Field?
Name: Murfin Drilling Co., Inc.	Target Formation(s): LKC, Arbuckle
	Nearest Lease or unit boundary line (in footage): 1160
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 1929 feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
Disposal Wildcat Cable	11.7
Seismic : # of Holes Other	Depth to bottom of fresh water: 180
Other:	Depth to bottom of usable water: 450
THE CHARACT and wall information on follows:	Surface Pipe by Alternate: XI III
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 1075
Operator:	Length of Conductor Pipe (if any): 0
Well Name:	Projected Total Depth: 3500
Original Completion Date: Original Total Depth:	Formation at Total Depth: Arbuckle
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond XOther:
f Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	
	(Note: Apply for Permit with DWR)
KCC DKT #:AFF	Will Cores be taken? Yes No If Yes, proposed zone:
AFF The undersigned hereby affirms that the drilling, completion and eventual plust is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE if COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of materials.	Will Cores be taken? If Yes, proposed zone: FIDAVIT agging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. In this office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. In whowledge and belief.
AFF The undersigned hereby affirms that the drilling, completion and eventual plust is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE if COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of materials.	Will Cores be taken? If Yes, proposed zone: FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Unict office on plug length and placement is necessary prior to plugging; upded or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.
AFF The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of motion of the certification. Signature of Operator or Agent:	Will Cores be taken? If Yes, proposed zone: FIDAVIT Ingging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. In definition of the set of
AFF The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of motified the complete of the complete of the complete of the complete of the spud date or the well shall be the complete of the statements made herein are true and to the best of motified the complete of the complete of the complete of the complete of the spud date or the well shall be the complete of the spud date or the well shall be complete. Signature of Operator or Agent:	Will Cores be taken? If Yes, proposed zone: FIDAVIT Ingging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set to e underlying formation. In this office on plug tength and placement is necessary prior to pluggling; and or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. It is a surface within 120 DAYS of spud date. It is a surface prior to any cementing. If the surface is a surface prior to any cementing. If the surface is a surface prior to any cementing. If the surface is a surface prior to any cementing. If the surface is a surface prior to any cementing. If the surface is a surface prior to any cementing. If the surface is a surface prior to any cementing. If the surface is a surface prior to any cementing. If the surface is a surface prior to any cementing. If the surface is a surface prior to any cementing. If the surface is a surface prior to any cementing. If the surface is a surface prior to any cementing. If the surface is a surface prior to any cementing. If the surface is a surface prior to any cementing. If the surface prior to any cementing. If the surface prior to any cementing prior to any cementing. If the surface prior to any cement is a surface prior to any cementing. If the surface prior to any cement is a surface prior to pluggling; If the surface prior to any cement is a surface prior to pluggling; If the surface prior to any cement is a surface prior to pluggling; If the surface prior to any cement is a surface prior to pluggling; If the surface prior to pluggling; If the surface prior to any cement is a surface prior to pluggling; If the surface prior to any cement is a surface prior to pluggling; If the surface prior to any cement is a surface prior to pluggling; If the surface prior to any cement is a surface prior to pluggling; If the surface prior to any cement is a surface prior to pluggling; If the surfa
AFF The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of motion of the complete of the	Will Cores be taken? If Yes, proposed zone: FIDAVIT Igging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Intrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; dd from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate !! cementing e plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
AFF The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be a thereby certify that the statements made herein are true and to the best of materials and the post of the spud date of the spanning of the spud that the statements made herein are true and to the best of materials and the statements of the spud date of the well shall be completed. Signature of Operator or Agent: **DATE:** DESTINATION DESTINATION DESTINATION **DATE:** DESTINATION DESTINATION DEST	Will Cores be taken? If Yes, proposed zone: FIDAVIT Ingging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. In this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. In this will be set e underlying formation. In this will be set e underlying formation. In this will be set e underlying formation casing is cemented in; If I Days of spud date. It is a plugged. In all cases, NOTIFY district office prior to any cementing. In this will be set e underlying to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If I Days of spud date. If I Be Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry:
AFF The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of motion of the complete of the	Will Cores be taken? If Yes, proposed zone: FIDAVIT Igging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. In this office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; of from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. In the Completion Form ACO-1 within 120 days of spud date; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
AFF The undersigned hereby affirms that the drilling, completion and eventual plust is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and to the best of materials and the provided of the spud date of the pluggent of the spud date or the well shall be a hereby certify that the statements made herein are true and to the best of materials and the provided of the spud date or the well shall be a hereby certify that the statements made herein are true and to the best of materials and the provided of the provided of the spud date or the well shall be a hereby certify that the statements made herein are true and to the best of materials plus and the provided of the	If Yes, proposed zone: FIDAVIT Ingging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. In this office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate 11 cementing plugged. In all cases, NOTIFY district office prior to any cementing. In the Completion Form ACO-1 within 120 days of spud date; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
AFF The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of notice in the statements of the complete of the statements of the complete of the statement of the complete of the statement of the determinant of the destroy of the spud date or the well shall be completed. Signature of Operator or Agent: Signature of Operator or Agent: White the statement of the determinant of	If Yes, proposed zone: FIDAVIT Ingging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. In this of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. In this of this well will comply with K.S.A. 55 et. seq. In all cases surface pipe shall be set to underlying formation. In this permit has expired (See: authorized expiration date) please In all cases, Notify appropriate district office to days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
AFF The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and to the best of materials and the provided of the spud date or the well shall be completed. Signature of Operator or Agent: For KCC Use ONLY API # 15 - OSI - 25 bo3 - DOOD Conductor pipe required 0 feet Minimum surface pipe required 470 feet per ALT. I limit approved by: Put 12 - 18 - 000	Will Cores be taken? If Yes, proposed zone: FIDAVIT Ingging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Intrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; of from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate 11 cementing e plugged. In all cases, NOTIFY district office prior to any cementing. In when we want to surface within 120 DAYS of spud date. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
AFF The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of motion and the statements of the operator of Agent: Signature of Operator or Agent: Signature of Operator or Agent: Signature of Operator	If Yes, proposed zone: FIDAVIT Ingging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. In this permit has expired (See: authorized expiration date) please If Yes No

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202 RECEIVED



IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 051-25603-0000	
Operator: Murfin Drilling Co., Inc.	Location of Well: County: Ellis
Lease: Brungardt	
Well Number: 1-30	1,160 feet from X E / W Line of Section
Field: Wildcat	Sec. 30 Twp. 14 S. R. 16 E 🔀 W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: SW - NW - SE - NE	Is Section: Regular or Irregular
	If Section Is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

DEC 18 2005

KCC WICHITA



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1007400

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Murfin Drilling Co., Inc.			License Number: 30606		
Operator Address: 250 N. Water, Ste 300			Wichita KS 67202		
Contact Person: Shauna Gunzelman			Phone Number: 316-267-3241		
Lease Name & Well No.: Brungardt 1-30		Pit Location (QQQQ):			
Type of Pit:	Pit is:		SW NW SE NE		
Emergency Pit Burn Pit	Proposed Existing		Sec. 30 Twp. 14 R. 16 East West		
Settling Pit Drilling Pit	If Existing, date constructed:		1,900 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		1,160 Feet from East / West Line of Section		
(If WP Supply API No. or Year Drilled)	600	(bbis)	Ellis County		
Is the pit located in a Sensitive Ground Water	r Area? Yes No		Chloride concentration:mg/l		
	,	B	(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level? Yes No	Artificial Liner?		How is the pit lined if a plastic liner is not used? Bentonite & solids from drilling operations self seal pits		
Pit dimensions (all but working pits):	00 Length (fe	et) 100	Width (feet) N/A: Steel Pits		
	rom ground level to de		(feet) No Pit		
in the pit to alloca give a since asserting to the			edures for periodic maintenance and determining including any special monitoring.		
Distance to nearest water well within one-mile of pit Depth to shallo		west fresh water 40feet.			
N/A		Source of information: measured well owner electric log KDWR			
leet Depth of water well leet			over and Haul-Off Pits ONLY:		
		-	Type of material utilized in drilling/workover: Bentonite		
			Number of working pits to be utilized: 4		
Barrels of fluid produced daily:		Abandonment procedure: Allow pits to evaporate until dry then backfill when conditions allow			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
12/15/06 Bhuunh Amylman, agent for Operator Date Signature of Applicant or Agent					
	KCC (OFFICE USE O	NLY RFAC RFAS		
Date Received: 12/18/04 Permit Num	nber:	Perm	it Date: 12/18/06 Lease Inspection: Yes No		
Date Accounce.					

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67203 ECEIVED

DEC 18 2006

KCC WICHITA