For KCC Use:

Effective Date: 12 -23-010

District # 3

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

### **NOTICE OF INTENT TO DRILL**

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

| xpected Spud Date December 28 2006 month day year   | Spot ✓ Eas  C SE SW Sec. 29 Twp. 26 S. R. 20 Wes   |
|---|--|
| /   | Sec. Sw Sec. S |
| PERATOR: License# 4485  | 3300 feet from $\checkmark$ E / $\bigcirc$ W Line of Section   |
| ame: Verde Oil Company  | Is SECTION A RegularIrregular?   |
| dress: 1020 NE Loop 410, Suite 555  |  |
| ty/State/Zip: San Antonio, TX 78209   | (Note: Locate well on the Section Plat on reverse side)  |
| ontact Person, Jeffrey L. Dale  | County: Allen Lease Name: Manson Well #: 95 - 45   |
| none: (620) 754-3800  | Lease Name: Manson Well #: 95 - 45 Field Name: Humboldt/Chanute  |
| ONTRACTOR: License# 5675  |  |
| me: McPherson Drilling  | Is this a Prorated / Spaced Field?  Target Formation(s):  Bartlesville Tucker  |
|   | Nearest Lease or unit boundary: 660'   |
| Well Drilled For: Well Class: Type Equipment:   | Ground Surface Elevation: 987 feet MS  |
| ✓ Oil ✓ Enh Rec ✓ Infield ✓ Mud Rotary  | Water well within one-quarter mile: Yes ✓ N  |
| Gas Storage Pool Ext. Air Rotary  | Public water supply well within one mile:  |
| OWWD Disposal Wildcat Cable   | Depth to bottom of fresh water: 120'   |
| Seismic; # of Holes Other   | Depth to bottom of usable water: 175'  |
| Other   | Surface Pipe by Alternate: 1 2   |
| OWWO: old well information as follows:  | Length of Surface Pipe Planned to be set: 20'  |
| Operator: Operator:   | Length of Conductor Pipe required: none  |
| Well Name:  | Projected Total Depth: 900'  |
| Original Completion Date:Original Total Depth:  | Formation at Total Depth: Mississippian  |
|   | Water Source for Drilling Operations:  |
| rectional, Deviated or Horizontal wellbore?   | Well Farm Pond Other Air drilled   |
| Yes, true vertical depth:   | DWR Permit #:  |
| ottom Hole Location:  | (Note: Apply for Permit with DWR 🔲 )   |
| VIIVII I IVID EVVIIIVIII  |  |
|   | Will Cores be taken?   Yes ✓ N   |
| CC DKT #:   | Will Cores be taken?   |
| AF  the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on e.  3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into e.  4. If the well is dry hole, an agreement between the operator and the foundation of the statement in the complete well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. | Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; inted from below any usable water to surface within 120 days of spud date.  or #133,891-C, which applies to the KCC District 3 area, alternate II cemential to my knowledge and belief.  |
| AF  the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on e.  3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either ple 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best  | Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cemential be plugged. In all cases, NOTIFY district office prior to any cementing.   |
| he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on e  3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the  5. The appropriate district office will be notified before well is either plus.  6. If an ALTERNATE II COMPLETION, production pipe shall be came or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best late: December 15, 2006  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - OOI - 29562-DOOO  Conductor pipe required Noice feet per Alt. X (2)  Approved by: Pur 12-18-010  | Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  First drilling rig;  Set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging, ugged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date.  File 133,891-C, which applies to the KCC District 3 area, alternate II cemential be plugged. In all cases, NOTIFY district office prior to any cementing.  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;   |
| the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shell be posted on e  3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the form the superpropriate district office will be notified before well is either plus.  6. If an ALTERNATE II COMPLETION, production pipe shall be came or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best plate:  December 15, 2006 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - OOI - 29562-DOOO  Conductor pipe required Nore feet per Alt. X (2)   | Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  Fact drilling rig;  Set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging;  ugged or production casing is cemented in;  Inted from below any usable water to surface within 120 days of spud date.  Fill the plugged. In all cases, NOTIFY district office prior to any cementing.  Title:  Geologist  Femember to:  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  |

## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


| API No. 15 - 001-29562-0000  | Location of Well: County: Allen   |
|--|---|
| Operator: Verde Oil Company  | 660 feet from N / V S Line of Section   |
| Lease: Manson  | feet from N / S Line of Section  3300 feet from E / W Line of Section   |
| Well Number: 95 - 45   | Sec. 29 Twp. 26 S. R. 20  ✓ East Wes  |
| Field: Humboldt/Chanute  |   |
| Number of Acres attributable to well:  QTR / QTR of acreage: C - SE - SW | Is Section:  Regular or Irregular  If Section is irregular, locate well from nearest corner boundary.  Section corner used:  NE  NW  SE  SW |

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

|       |                                       | :    | -               | -       |
|-------|---------------------------------------|------|-----------------|---------|
| <br>  |                                       |      |                 |         |
| • .   | · ·                                   |      | •               |         |
| <br>· | · · · · · · · · · · · · · · · · · · · |      |                 |         |
|       |                                       |      |                 |         |
|       |                                       |      |                 | ,       |
|       | •                                     | 29   |                 | •       |
|       | · · ·                                 | :    | •               | •       |
| <br>  |                                       |      |                 | •       |
| <br>  |                                       |      |                 | ·       |
| • .   | · · · · · · · · · · · · · · · · · · · |      | •               | •       |
| <br>  | · · · · <b>O</b> · <u>· · · ·</u>     | 3300 | i ' <del></del> | <u></u> |
|       | 660'                                  | :    |                 |         |



NOTE: In all cases locate the spot of the proposed drilling locaton.

### in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

DEC 18 2006

KCC WICHITA

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

| Operator Name: Verde Oil Company   |                                     |  | License Number: 4485  |  |  |
|--|-------------------------------------|--|---|--|--|
| Operator Address: 1020 NE Loop 410 Suite 555 San Antonio, TX 78209   |                                     |  |   |  |  |
| Contact Person: Jeffrey L. Dale  |                                     |  | Phone Number: ( 620 ) 754 - 3800  |  |  |
| Lease Name & Well No.: Manson 95-45  |                                     | Pit Location (QQQQ):                       |   |  |  |
| Type of Pit:   | Pit is:                             |  | C _ SE _ SW   |  |  |
| Emergency Pit Burn Pit   | Proposed Existing                   |  | Sec. 29 Twp. 26 R. 20   |  |  |
| Settling Pit   | If Existing, date constructed:      |  | 660 Feet from North / South Line of Section                               |  |  |
| Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)  | Pit capacity: (bbls)                |  | 3300 Feet from ✓ East / West Line of Section Allen County                 |  |  |
| Is the pit located in a Sensitive Ground Water   | Gensitive Ground Water Area? Yes No |  | Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only) |  |  |
| Is the bottom below ground level?  | Artificial Liner?                   |  | How is the pit lined if a plastic liner is not used?                      |  |  |
| ✓ Yes No   | ☐ Yes 🗸                             | No<br>———————————————————————————————————— | Clay/silt lined   |  |  |
| Pit dimensions (all but working pits): 40 Length (feet) 6 Width (feet) N/A: Steel Pits  Depth from ground level to deepest point: 4 (feet) |                                     |  |   |  |  |
| material, thickness and installation procedure. liner integrity, including any special monitoring.   |                                     |  |   |  |  |
| Distance to nearest water well within one-mile of pit  Depth to shallo Source of infor   |                                     | owest fresh waterfeet.<br>rmation:         |   |  |  |
| NA feet Depth of water well  |                                     |  | uredwell owner electric logKDWR   |  |  |
|  |                                     | Drilling, Work                             | Drilling, Workover and Haul-Off Pits ONLY:                                |  |  |
|  |                                     | Type of materia                            | aterial utilized in drilling/workover: Fresh water                        |  |  |
| Number of producing wells on lease: Number of wo   |                                     | rorking pits to be utilized: One           |   |  |  |
| Barrels of fluid produced daily: Abandonme   |                                     | Abandonment                                | procedure: Allow to evaporate & backfill                                  |  |  |
| Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must                                 |                                     | be closed within 365 days of spud date.    |   |  |  |
| I hereby certify that the above statements are true and correct to the best of my knowledge and belief.                                    |                                     |  |   |  |  |
| December 15, 2006  Date  Signature of Applicant or Agent   |                                     |  |   |  |  |
| KCC OFFICE USE ONLY  |                                     |  |   |  |  |
| Date Received: 12/18/06 Permit Num   | ıber:                               | Perm                                       | nit Date: 12/18/06 Lease Inspection: Yes No                               |  |  |

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

RECEIVED