For KCC Use: Effective Date: District #

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 mber 2002 Form must be Typed Form must be Signed

OPERATOR: License# 03581 Name: Red Oak Energy Inc. Address: 7701 E. Kellogg ste. 710 City/State/Zip: Wichita, Kansas 67207 Contact Person: Kevin Davis Phone: 316-652-7373 CONTRACTOR: License# 33610 CONTRACTOR: License# 33610 Well Drilled For: Well Class: Type Equipment: Voil	Section Plat on reverse side) Well #: 1-24 Yes No feet MSL
DPERATOR: Licenself 03581 Name: Red Oak Energy Inc. Address: 7701 E. Kellogg ste. 710 City/State/Zip: Wichita, Kansas 67207 Contact Person: Kevin Davis Phone: 316-652-7373 CONTRACTOR: Licenself 33610 Name: Fossil Drilling, Inc. Well Drilled For: Well Class: Type Equipment: Voil	rom V N / S Line of Section rom V E / W Line of Section Irregular? Section Plat on reverse side) Well #: 1-24 Yes V No feet MSL Yes V No
2094	rom
Is SECTION Regular	irregular? Section Plat on reverse side) Well #: 1-24 Yes V No feet MSL Yes V No
Address: 7701 E. Kellogg ste. 710 City/State/Zip: Wichita, Kansas 67207 Contact Person: Kevin Davis County: Kiowa Lease Name: Robbins Field Name: wildcat Is this a Prorated / Spaced Field? Target Formation(s): Viola Nearest Lease or unit boundary: 10 Ground Surface Elevation: 2059 Water well within one-quarter mile: Public water supply well within one in Depth to bottom of fresh water: 120 Depth to bottom of usable water: 186 Surface Pipe by Alternate: 1	Section Plat on reverse side) Well #: 1-24 Yes No feet MSL
County: Klowa Lease Name: Robbins Field Name: Wildcat Is this a Prorated / Spaced Field? Target Formation(s): Viola Well Drilled For: Well Class: Type Equipment: Oil	Well #: 1-24 Yes ✓ No feet MSL Yes ✓ No
County: Klowa Lease Name: Robbins Field Name: Wildcat Is this a Prorated / Spaced Field? Target Formation(s): Viola Well Drilled For: Well Class: Type Equipment: Oil	Yes VNo feet MSL Yes VNo
Lease Name: Robbins Field Name: wildcat Sontractor: License# 33610 Sontractor: License# 33610 Well Drilling, Inc. Well Drilled For: Well Class: Type Equipment: Oil	Yes VNo feet MSL Yes VNo
Field Name: Wildcat Some content Some content	40 feet MSL
Seismic; # of Holes Other Other Spaced Field? Spaced Field? Spaced Field? Spaced Field? Spaced Field? Target Formation(s): Viola Viola Nearest Lease or unit boundary: 10 Nearest Lease or unit boundary: 10 Spaced Field? Spaced Field? Target Formation(s): Viola Nearest Lease or unit boundary: 10 Ground Surface Elevation: 2059 Water well within one-quarter mile: Public water supply well within one in Depth to bottom of fresh water: 120 Depth to bottom of usable water: 180 Surface Pipe by Alternate: 110 Surface Pipe By Alternate:	40 feet MSL
Well Drilled For: Well Class: Type Equipment: Ground Surface Elevation: 2059 Water well within one-quarter mile: Public water supply well within one n Depth to bottom of fresh water: 180 Other Other Surface Pipe by Alternate:	feet MSL Yes VNo
Ground Surface Elevation: 2059 ✓ Oil	feet MSL Yes VNo
Ground Surface Elevation: 2059 ✓ Oil	feet MSL Yes VNo
Gas Storage Pool Ext. Air Rotary Public water supply well within one n OMWO Disposal ✓ Wildcat Cable Depth to bottom of fresh water: 120 Seismic; # of Holes Other Depth to bottom of usable water: 18th Surface Pipe by Alternate: ✓ 1	三. 三.
OWWO Disposal Wildcat Cable Depth to bottom of fresh water: 120 Seismic; # of Holes Other Depth to bottom of usable water: 186 Other Surface Pipe by Alternate: 1	nile: Yes 📝 No
Seismic;# of Holes Other Depth to bottom of tresh water:	
Seismic;# of Holes Other Depth to bottom of usable water: 184 Other Surface Pipe by Alternate:	
OtherSurface Pipe by Alternate: ✓ 1	
	□ ²
OWWO: old well information as follows: Length of Surface Pipe Planned to	be set: 220 /
Operator: Length of Conductor Pipe required:	NA .
Well Name: Projected Total Depth: 4900	<u> </u>
Original Completion Date: Original Total Depth: Formation at Total Depth: Viola	
Water Source for Drilling Operations	:
	ther
Yes, true vertical depth:DWR Permit #:	
ottom Hole Location: (Note: Apply for I	Permit with DWR 🔲)
CC DKT #: Will Cores be taken?	Yes ✓ No
If Yes, proposed zone:	
AFFIDAVIT The undersigned hereby affirms that the dritting, completion and eventual plugging of this well will comply with K.S it is agreed that the following minimum requirements will be met:	
 Notify the appropriate district office prior to spudding of well; A copy of the approved notice of intent to drill shall be posted on each drilling rig; 	DEC 1 9 2006
 The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in a through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. If the well is dry hole, an agreement between the operator and the district office on plug length and placen The appropriate district office will be notified before well is either plugged or production casing is cemented If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to sur Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY dis 	nent is necessary prior to playing; in; face within 120 days of spud date. C District 3 area, alternate II cementing
hereby certify that the statements made herein are true and to the best of my knowledge and belief.	~
17-19-06 C-U	Ma PRES
Date: 12-19-06 Signature of Operator or Agent:	Ille. F ·
Remember to:	
For KCC Use ONLY - File Drill Pit Application (form CDP-	•
API # 15 - 097 - 2 1606-0000 - File Completion Form ACO-1 within	
Conductor pipe required None feet - Notify appropriate district office 48	
200	hours prior to workover or re-entry;
Approved by:	<u> </u>
this authorization expires: V 434 or below and return to	
(This puthosization until it deliting not etarted within & months of anneaust data)	
(This authorization void if drilling not started within 6 months of approval date.) Well Not Drilled - Permit Exp	


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 097-21606-0000	Location of Well: County: Kiowa
Operator: Red Oak Energy Inc.	1044 feet from VN / S Line of Section
Lease: Robbins	2094 feet from F E / W Line of Section
Well Number: 1-24	Sec. 24 Twp. 29 S. R. 17 East ✓ West
Field: wildcat	
Number of Acres attributable to well:	Is Section: 📝 Regular or 🔲 Irregular
QTR / QTR / QTR of acreage: appx. NW NE	If Section is irregular, locate well from nearest corner boundary. Section comer used: NE NW SE SW

PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: RED OAK ENER	RGY		License Number: 03581
Operator Address: 7701 E. Kello	·		
Contact Person: Kevin Davis			Phone Number: (316) 652 - 7373
Lease Name & Well No.: Robbbins 1-24			Pit Location (QQQQ):
	1-24 Pit is:		appx. NW NE
Type of Pit:		Existing	Sec. 24 Twp. 29 R. 17 ☐ East ✓ West
☐ Ermergency Pit ☐ Burn Pit ☐ Settling Pit ☐ Drilling Pit	Proposed Existing If Existing, date constructed:		1040
Workover Pit Haul-Off Pit			Feet from North / South Line of Section
(If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section
	<u> </u>	(bbls)	Kiowa County
Is the pit located in a Sensitive Ground Water	Area? Yes -	No	Chloride concentration: na mg/l (For Emergency Pits and Settling Pits only)
is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?
✓ Yes □ No	Yes 🗸	No	Bentonite and native solids self seal
Pit dimensions (all but working pits):	30 Length (fe	et) 80	Width (feet) N/A: Steel Pits
Depth fo	rom ground level to de	epest point: 4	(feet)
If the pit is lined give a brief description of the material, thickness and installation procedure		Describe proce liner integrity, i	edures for periodic maintenance and determining ECEIVED nicluding any special monitoring. KANSAS CORPORATION COMMIDEE 1 9 2006 CONSERVATION DIVISION WICHITA, KS
	е.	liner integrity, i	CONSERVATION DIVISION West fresh water
material, thickness and installation procedure	e. e of pit	Depth to shallo Source of infoi	CONSERVATION DIVISION West fresh water
material, thickness and installation procedure Distance to nearest water well within one-mike	e of pit	Depth to shallo Source of informeasu	CONSERVATION COMMINATION COMMINATION COMMINATION COMMINATION DIVISION WICHITA, KS West fresh water feet. Interd well owner electric log KDWR Over and Haul-Off Pits ONLY:
Distance to nearest water well within one-mik	e of pit feet	Depth to shallo Source of infor measu Drilling, Work	CONSERVATION DIVISION WICHITIA, KS West fresh waterfeet. Imation: Iredwell ownerelectric logKDWR Over and Haul-Off Pits ONLY: al utilized in drilling/workover: Fresh-Chem
Distance to nearest water well within one-mik NONE feet Depth of water well Emergency, Settling and Burn Pits ONLY:	e of pit	Depth to shallo Source of infor measu Drilling, Work Type of materia	CONSERVATION DIVISION WICHITA, KS west fresh water feet. mation: uredwell owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Fresh-Chem king pits to be utilized: 3
Distance to nearest water well within one-mik NONE feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation:	e of pit	Depth to shallo Source of informeasu Drilling, Work Type of materia	CONSERVATION DIVISION WICHITA, KS west fresh water feet. mation: uredwell owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Fresh-Chem king pits to be utilized: 3
Distance to nearest water well within one-mikeness and installation procedure. Distance to nearest water well within one-mikeness. Depth of water well. Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease:	e of pit	Depth to shallo Source of informeasu Drilling, Work Type of materia Number of wor Abandonment when condit	CONSERVATION DIVISION WICHITA, KS west fresh water feet. mation: uredwell owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Fresh-Chem king pits to be utilized: 3
Distance to nearest water well within one-mile NONE feet Depth of water well Ernergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all	e of pitfeet	Depth to shallo Source of informeasu Drilling, Work Type of materia Number of work Abandonment when condit	CONSERVATION DIVISION WICHITA, KS West fresh water feet. Intered well owner electric log KDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: Fresh-Chem Itking pits to be utilized: 3 procedure: cut windows let evaporate, backfill and restore tions allow be closed within 365 days of spud date.
Distance to nearest water well within one-mile NONE feet Depth of water well Ernergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? Yes No	e of pitfeet	Depth to shallo Source of informeasu Drilling, Work Type of materia Number of work Abandonment when condit Drill pits must	CONSERVATION DIVISION WICHITA, KS West fresh water feet. Intered well owner electric log KDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: Fresh-Chem Itking pits to be utilized: 3 procedure: cut windows let evaporate, backfill and restore tions allow be closed within 365 days of spud date.
Distance to nearest water well within one-mike	e of pit feet spilled fluids to	Depth to shallo Source of informeasu Drilling, Work Type of materia Number of wor Abandonment when condit Drill pits must correct to the best	CONSERVATION DIVISION WICHITA, KS West fresh waterfeet. Innation: Intedwell ownerelectric logKDWR Over and Haul-Off Pits ONLY: In utilized in drilling/workover: Fresh-Chem Inking pits to be utilized: 3 In procedure: Cut windows let evaporate, backfill and restore tions allow be closed within 365 days of spud date.

KANSAS

CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR BRIAN J. MOLINE, CHAIR ROBERT E. KREHBIEL, COMMISSIONER MICHAEL C. MOFFET, COMMISSIONER

December 22, 2006

Kevin Davis Red Oak Energy 7701 E Kellogg, Ste 710 Wichita KS 67207

Re: Drilling Pit Application

Robbins Lease Well No. 1-24

NE/4 24-29S-17W Kiowa County, Kansas

Dear Mr. Davis:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed **without slots**, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms/

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Jonelle Rains, Supervisor

Joselle Rains

Department of Environmental Protection and Remediation

cc: Steve Durrant

File