For KCC Use: Effective Date: _	1-1-07
District #	
SGA? Yes	No ′

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

## NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Expected Spud Date January 1, 2007	Spot East
month day year	96SW NENW SE Sec. 10 Twp. 14 S. R. 16 ✓ Wes
OPERATOR: License# 30717	2300 feet from N / S Line of Section
Mama. Downing - Nelson Oli Company, Inc.	1900 feet from F / W Line of Section
P.O. box 372	Is SECTION RegularIrregular?
City/State/Zip: Hays, KS 67601	(Note: Locate well on the Section Plat on reverse side)
Contact Person. Kon Nelson	County: Ellis
Phone: (785) 621-2810	Lease Name: Glick Well #: 1-10
	Field Name: wildcat /
CONTRACTOR: License# 33237	Is this a Prorated / Spaced Field?
Name: Anderson Drilling	Target Formation(s): Kansas City
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 340'
	Ground Surface Elevation: 1916.8 / feet MSI
✓ Oil Enh Rec Infield ✓ Mud Rotary	Water well within one-quarter mile: Yes ✓ No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile: Yes V
OWNO Disposal ✓ Wildcat ✓ Cable	Depth to bottom of fresh water: 180'
Seismic;# of Holes Other	Depth to bottom of usable water: 800'
Other	Surface Pipe by Alternate: 1 2
f QWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 220+
Operator:	Length of Conductor Pipe required: none
Well Name:	Projected Total Depth: 4,000'
Original Completion Date:Original Total Depth:	Formation at Total Depth: Kansas City
-	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well 🗸 Farm Pond Other
f Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR 🔲 )
KCC DKT #:	Will Cores be taken? Yes ✓ No
	Will Coles be taken:
	If Yes, proposed zone:
AFF	If Yes, proposed zone:
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl	If Yes, proposed zone:
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl t is agreed that the following minimum requirements will be met:	If Yes, proposed zone:
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;	If Yes, proposed zone:  IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	If Yes, proposed zone:  IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the	If Yes, proposed zone:  IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  to by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th  4. If the well is dry hole, an agreement between the operator and the dry	If Yes, proposed zone:  IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  listrict office on plug length and placement is necessary prior to plugging;
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plug	If Yes, proposed zone:  IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  pt by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  listrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in;
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement	If Yes, proposed zone:  IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  by by circulating cement to the top; in all cases surface pipe shall be set he underlying formation.  listrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date.
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the d 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order	If Yes, proposed zone:  IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  pt by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  listrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in;
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the decention of the surface of the surface will be notified before well is either plug  6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall in	IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  by by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  listrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the de 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the best of	IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  by by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  listrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th  4. If the well is dry hole, an agreement between the operator and the d  5. The appropriate district office will be notified before well is either plug  6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order	IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  by by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  listrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the de 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the best of	IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  by by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  listrict office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; led from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: Agent
AFFI The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the posted on each and the posted of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the statement in the statement between the operator and the following of the spudding of the spudding or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the hereby certify that the statements made herein are true and to the best of Date:    December 27, 2006	IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  pt by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; aged from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.  Title: Agent
AFFI The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office of intent to drill <i>shall be</i> posted on each and the district office will be asset through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed.  Signature of Operator or Agent:  December 27, 2006  Signature of Operator or Agent:	IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  listrict office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.  **Title: Agent**  **Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date:
AFFI The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each and the drill shall be posted on each and the drill shall unconsolidated materials plus a minimum of 20 feet into the drill shall be seen through all unconsolidated materials plus a minimum of 20 feet into the drill shall be drill shall be seen that the well is dry hole, an agreement between the operator and the drill shall be drill shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be the drill be determined by the statements made herein are true and to the best of the drill be determined by the statements made herein are true and to the best of the drill be determined by the statements made herein are true and to the best of the completed within 30 days of the spud date or the well shall be determined by the drill be drill	IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  listrict office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.  **Title: Agent**  **Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date:
AFFI The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into the set in	IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  by by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  listrict office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; led from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;
AFFI The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each and the drill shall be posted on each and the drill shall unconsolidated materials plus a minimum of 20 feet into the drill shall be seen through all unconsolidated materials plus a minimum of 20 feet into the drill shall be drill shall be seen that the well is dry hole, an agreement between the operator and the drill shall be drill shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be the drill be determined by the statements made herein are true and to the best of the drill be determined by the statements made herein are true and to the best of the drill be determined by the statements made herein are true and to the best of the completed within 30 days of the spud date or the well shall be determined by the drill be drill	IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig; bit by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  listrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in;  led from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
AFFI The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each and a surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the s	IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  by by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  listrict office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; led from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;
AFFI The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ead.  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set.  4. If the well is dry hole, an agreement between the operator and the description of the set of	IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig; but by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  listrict office on plug length and placement is necessary prior to plugging;  gged or production casing is cemented in;  led from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please
AFFI The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ead  3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the description of the surface pipe and the description of the surface pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the post of the post of the post of the surface pipe required to the post of the surface pipe required feet per Alt.  For KCC Use ONLY  API # 15 - 25005 - 00 - 00  Conductor pipe required feet feet per Alt. (2)	IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig; bit by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; aged from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  **Title: Agent**  **Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water.  - If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ead.  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set.  4. If the well is dry hole, an agreement between the operator and the description of the set of	IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig; bit by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  listrict office on plug length and placement is necessary prior to plugging; god or production casing is cemented in;  led from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired
AFFI The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ead.  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set.  4. If the well is dry hole, an agreement between the operator and the description of the set of	IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig; bit by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; aged from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  **Title: Agent**  **Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water.  - If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

DEC 27 2006

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15- DQ5-25605-00-00	Location of Well: County: Ellis
Operator: Downing - Nelson Oil Company, Inc.	2300 feet from N / S Line of Section
Lease: Glick	1900 feet from 🗸 E / 🗌 W Line of Section
Well Number: 1-10	_ Sec. 10 Twp. 14 S. R. 16 ☐ East 🗸 Wes
Field: wildcat	_
Number of Acres attributable to well:	Is Section: 📝 Regular or 🔲 Irregular
QTR / QTR of acreage: ApSW - NENW - SE	If Section is irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

	· .		• •	
		II		•
	·	·		•
,			• .	•
-	•			-
		•		•
			•	•
	· .	. '	• •	•
				•
-	•		. ↓	-
	•	-	•	•
		`		·
		-		•
-	•	-	•	•
l <sup>'</sup>		·	· · · · · · · · · · · · · · · · · · ·	
	•		•	
] :	•	:	•	
1	•		•	



NOTE: In all cases locate the spot of the proposed drilling locaton.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

	·- ··· · · · · · · · · · · · · · · · ·				
Operator Name: Downing - Nelson Oil Company, Inc.			License Number: 30717		
Operator Address: P.O. Box 372, H	lays, KS 676	01			
Contact Person: Ron Nelson			Phone Number: ( 785 ) 621 - 2810		
Lease Name & Well No.: Glick 1-10			Pit Location (QQQQ):		
Type of Pit:	Pit is:		APSW NE NW SE		
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec10Twp14R16 East		
Settling Pit  Drilling Pit	If Existing, date constructed:		2300 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit			1000		
(If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from Fast / West Line of Section		
1,000	3600	(bbls)	County		
s the pit located in a Sensitive Ground Water	Area? ☐ Yes ✓	No	Chloride concentration: mg/l		
s the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only)  How is the pit lined if a plastic liner is not used?		
✓ Yes  No	☐ Yes 🗸 N	No	native clay		
Depth fr  If the pit is lined give a brief description of the material, thickness and installation procedure		Describe proce	(feet)  edures for periodic maintenance and determining and special monitoring.		
Distance to nearest water well within one-mile		Source of infor	- 1- 1 .0 -		
			uredwell owner electric logKDWR		
Emergency, Settling and Burn Pits ONLY:		<u>-</u> .	Drilling, Workover and Haul-Off Pits ONLY:		
			al utilized in drilling/workover: drilling mud		
i			lumber of working pits to be utilized: 1 bandonment procedure: let fluid evaporate, backfill with excavated dirt		
		Apandonment	Abandonment procedure: let had o appointe, bestill that oxocivated unit		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above state	ements are true and c	orrect to the bes	MICEIVED		
December 27, 2006  Date	(Da	nna s	KANSAS CORPORATION COMMISSIO  Manda DEC 27 2006  ignature of Applicant or Agent		
	KCC C	OFFICE USE O	CONSERVATION DIVISION WIONITA, KS		
Date Received: 12/27/de Permit Num	ber:	Perm	if Date: <u>ねんつんぐ</u> Lease Inspection: ロYes <del>N</del> o		