For KCC-Jse: Effective Date:

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 December 2002 Form must be Typed

SGA? ☑ Yes ☐ No	14.		INTENT TO DRILL	Form must be Signed All blanks must be Filled
	IVIOS	st be approved by the K.C.	.C. five (5) days prior to commencing well	
Expected Spud Date	JANUARY	25 2007	IRREGULAR SECTION	☐ East
	month	day year	SE SE NW_ Sec19_ Twp1	
			2310 feet from N/	
OPERATOR: License #	3882 <			W Line of Section
	L GARY JR. & ASS	·	is SECTIONRegularXirregu	ılar?
Address: 1670 B		3300	(Note: Locate well on the Section Plat of	on Reverse Side)
	R, CO 80202		<u></u>	on neverse older
Contact Person: TOM F	ERTAL		County: RICE /	
Phone: (303) 8	01 4670		Lease Name: BOLDT /	Maril #1. 0.40
(303) 6	31-40/3		Field Name: WILDCAT /	vveii #: 3-19 ·
CONTRACTOR: License	8273		Is this a Prorated / Spaced Field?	☐ Yes ☒ No
Name: EXCELL SERVICE			Target Formation(s): ARBUCKLE <	
		• 00-	Nearest Lease or unit boundary: 330'	
Well Drilled For:	Well Class	s: Type Equipment:		
🛛 Oil 🗸 🔲 Enh Re			Water well within one-quarter mile:	☐ Yes 🛛 No 🗇
☐ Gas ☐ Storage	Pool E	xt. Air Rotary	Public water supply well within one mile:	Yes 🔀 No 🔨
OWWO Disposa	ıl 🛛 Wildca	Cable	Depth to bottom of fresh water: 140	
Seismic;# o	f Holes 🔲 Other		Depth to bottom of usable water: 200	
Other			Surface Pipe by Alternate: 🛛 1 🔲 2	
			Length of Surface Pipe Planned to be set: 320'	
If OWWO: old well information	on as follows:		Length of Conductor pipe required: NONE	
Operator:			Projected Total Depth: 3400'	
Well Name:		··	Formation at Total Depth: ARBUCK	LE/
Original Completion D	ate: Orig	ginal Total Depth:	Water Source for Drilling Operations:	
Directional, Deviated or Horiz		🗌 Yes 🛛		
If yes, true vertical depth:				
Bottom Hole Location:			Will Cores Be Taken?	🗌 Yes 🛛 No 🗸
KCC DKT#:			If yes, proposed zone: N/A	
				<b>ECEIVED</b>
				PORATION COMMISSION
The condensation and becomes affine				
	_		gging of this well will comply with K.S.A. 55-101, et. seq.	C 2 0 2006
It is agreed that the following	minimum requireme	nts will be met:	DE.	C 2 0 2006
It is agreed that the following  1. Notify the appropriate  2. A copy of the approve:	minimum requirement district office <b>prior</b> to district of <b>intent</b> to l	nts will be met: spudding of well; Drill <b>shall be</b> posted on each	o drilling rig:	RVATION DIVISION
It is agreed that the following  1. Notify the appropriate  2. A copy of the approve:	minimum requirement district office <b>prior</b> to district of <b>intent</b> to l	nts will be met: spudding of well; Drill <b>shall be</b> posted on each	o drilling rig:	RVATION DIVISION
It is agreed that the following  1. Notify the appropriate 2. A copy of the approve 3. The minimum amount	minimum requireme district office <i>prior</i> to d Notice of Intent to I of surface pipe as sp	nts will be met: b spudding of well; Drill <b>shall be</b> posted on each pecified below <b>shall be set</b> to	CONSE or drilling rig; by circulating cement to the top; in all cases surface pipe <b>shall</b> be	RVATION DIVISION
It is agreed that the following  1. Notify the appropriate  2. A copy of the approve  3. The minimum amount through all unconsolidations.	minimum requireme district office <b>prior</b> to d Notice of Intent to I of surface pipe as sp ated materials plus a	nts will be met:  b spudding of well;  Drill <b>shall be</b> posted on each  pecified below <b>shall be set</b> to  minimum of 20 feet into the	o drilling rig:	RVATION DIVISION MONITA, KS
It is agreed that the following  1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is a dry hole	minimum requiremendistrict office <i>prior</i> to district office <i>prior</i> to district of Intent to I of surface pipe as spated materials plus at an agreement between	nts will be met:  b spudding of well;  Drill <b>shall be</b> posted on each  pecified below <b>shall be set</b> to  minimum of 20 feet into the  veen the operator and the dis	conse of drilling rig; by circulating cement to the top; in all cases surface pipe shall be underlying formation;	RVATION DIVISION MONITA, KS
It is agreed that the following  1. Notify the appropriate  2. A copy of the approve  3. The minimum amount through all unconsolid  4. If the well is a dry hole  5. The appropriate district  6. If an ALTERNATE II C	minimum requirement district office prior to district office prior to district of surface pipe as spated materials plus at a agreement betwit office will be notifie OMPLETION, produ	nts will be met:  a spudding of well;  Drill shall be posted on each becified below shall be set to a minimum of 20 feet into the reen the operator and the dis d before well is either plugge ction pipe shall be cemented	conse of drilling rig; by circulating cement to the top; in all cases surface pipe shall be underlying formation; strict office on plug length and placement is necessary prior to peed or production casing is cemented in; d from below any usable water to surface within 120 days of spurior.	RVATION DIVISION MONITA, KS lugging; d date.
It is agreed that the following  1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is a dry hole 5. The appropriate distric 6. If an ALTERNATE II C Or pursuant to Append	minimum requirement district office <i>prior</i> to district office <i>prior</i> to district of surface pipe as spated materials plus a part and agreement betward toffice will be notified ompletion, produtix "B" — Eastern Kan	nts will be met: a spudding of well; brill shall be posted on each becified below shall be set to a minimum of 20 feet into the seen the operator and the dis d before well is either plugge ction pipe shall be cemented sas surface casing order #1	conse of drilling rig; by circulating cement to the top; in all cases surface pipe shall be underlying formation; strict office on plug length and placement is necessary prior to ped or production casing is cemented in; d from below any usable water to surface within 120 days of spur 33,891-C, which applies to the KCC District 3 area, alternate II c	RVATION DIVISION  MCHITA, KS  Jugging;  d date.  ementing
It is agreed that the following  1. Notify the appropriate  2. A copy of the approve  3. The minimum amount through all unconsolid  4. If the well is a dry hole  5. The appropriate distric  6. If an ALTERNATE II O Or pursuant to Append must be completed with	minimum requirement district office <i>prior</i> to district office <i>prior</i> to district of line of surface pipe as specified materials plus as an agreement betweet office will be notified OMPLETION, production the materials of surface of the materials of surface of the materials of	nts will be met:  o spudding of well;  Drill <b>shall be</b> posted on each cedified below <b>shall be set</b> to minimum of 20 feet into the reen the operator and the dis d before well is either plugge ction pipe shall be cemented isas surface casing order #1 date or the well shall be plug	consendrilling rig; by circulating cement to the top; in all cases surface pipe shall be underlying formation; strict office on plug length and placement is necessary prior to ped or production casing is cemented in; d from below any usable water to surface within 120 days of spurias, 891-C, which applies to the KCC District 3 area, alternate II caged. In all cases, NOTIFY district office prior to any cementing	RVATION DIVISION  MCHITA, KS  Jugging;  d date.  ementing
It is agreed that the following  1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is a dry hole 5. The appropriate distric 6. If an ALTERNATE II C Or pursuant to Append	minimum requirement district office <i>prior</i> to district office <i>prior</i> to district of line of surface pipe as specified materials plus as an agreement betweet office will be notified OMPLETION, production the materials of surface of the materials of surface of the materials of	nts will be met:  o spudding of well;  Drill <b>shall be</b> posted on each cedified below <b>shall be set</b> to minimum of 20 feet into the reen the operator and the dis d before well is either plugge ction pipe shall be cemented isas surface casing order #1 date or the well shall be plug	consendrilling rig; by circulating cement to the top; in all cases surface pipe shall be underlying formation; strict office on plug length and placement is necessary prior to ped or production casing is cemented in; d from below any usable water to surface within 120 days of spurias, 891-C, which applies to the KCC District 3 area, alternate II caged. In all cases, NOTIFY district office prior to any cementing	RVATION DIVISION  MCHITA, KS  Jugging;  d date.  ementing
It is agreed that the following  1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is a dry hole 5. The appropriate distric 6. If an ALTERNATE II C Or pursuant to Append must be completed wit I hereby certify that the stater	minimum requirement district office <i>prior</i> to district office <i>prior</i> to district of line of surface pipe as specified materials plus as an agreement betweet office will be notified OMPLETION, production with the company of the co	nts will be met: be spudding of well; Drill shall be posted on each becified below shall be set to minimum of 20 feet into the reen the operator and the dis discovered before well is either plugged ction pipe shall be cemented is as surface casing order #1 date or the well shall be pluggere true and to the best of minimum of the state.	consendrilling rig; by circulating cement to the top; in all cases surface pipe shall be underlying formation; strict office on plug length and placement is necessary prior to ped or production casing is cemented in; d from below any usable water to surface within 120 days of spuriods, which applies to the KCC District 3 area, alternate II conged. In all cases, NOTIFY district office prior to any cementing knowledge and belief.	RVATION DIVISION MONITA, KS  Plugging,  d date. ementing
It is agreed that the following  1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is a dry hole 5. The appropriate distric 6. If an ALTERNATE II C Or pursuant to Append	minimum requirement district office <i>prior</i> to district office <i>prior</i> to district of line of surface pipe as specified materials plus as an agreement betweet office will be notified OMPLETION, production with the company of the co	nts will be met: be spudding of well; Drill shall be posted on each becified below shall be set to minimum of 20 feet into the reen the operator and the dis discovered before well is either plugged ction pipe shall be cemented is as surface casing order #1 date or the well shall be pluggere true and to the best of minimum of the state.	consendrilling rig; by circulating cement to the top; in all cases surface pipe shall be underlying formation; strict office on plug length and placement is necessary prior to ped or production casing is cemented in; d from below any usable water to surface within 120 days of spurias, 891-C, which applies to the KCC District 3 area, alternate II considered in all cases, NOTIFY district office prior to any cementing knowledge and belief.  Title: SR.	RVATION DIVISION  MCHITA, KS  Jugging;  d date.  ementing
It is agreed that the following  1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is a dry hole 5. The appropriate distric 6. If an ALTERNATE II C Or pursuant to Append must be completed wit I hereby certify that the stater	minimum requirement district office <i>prior</i> to district office <i>prior</i> to district of line of surface pipe as specified materials plus as an agreement betweet office will be notified OMPLETION, production with the company of the co	nts will be met: be spudding of well; Drill shall be posted on each becified below shall be set to minimum of 20 feet into the reen the operator and the dis discovered before well is either plugged ction pipe shall be cemented is as surface casing order #1 date or the well shall be pluggere true and to the best of minimum of the state.	consendrilling rig; by circulating cement to the top; in all cases surface pipe shall be underlying formation; strict office on plug length and placement is necessary prior to ped or production casing is cemented in; d from below any usable water to surface within 120 days of spur 33,891-C, which applies to the KCC District 3 area, alternate II considered in the constant of the c	RVATION DIVISION MONITA, KS  Plugging,  d date. ementing g.  GEOLOGIST
It is agreed that the following  1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is a dry hole 5. The appropriate distric 6. If an ALTERNATE II C Or pursuant to Append must be completed wit I hereby certify that the stater  Date: DECEMBER 19, 200  For KCC use ONLY	minimum requirement district office <i>prior</i> to district office <i>prior</i> to district of surface pipe as spated materials plus at an agreement betwith office will be notified OMPLETION, productive "B" – Eastern Kanhin 30 days of spudiments made herein at a Signature of Op	nts will be met: o spudding of well; Drill shall be posted on each pecified below shall be set it minimum of 20 feet into the reen the operator and the dis d before well is either plugge ction pipe shall be cemented asas surface casing order #1 date or the well shall be plug are true and to the best of my erator or Agent:	consendrilling rig; by circulating cement to the top; in all cases surface pipe shall be underlying formation; strict office on plug length and placement is necessary prior to ped or production casing is cemented in; d from below any usable water to surface within 120 days of spur 33,891-C, which applies to the KCC District 3 area, alternate II considered in the constant of the c	RVATION DIVISION MICHITA, KS  Illugging, d date. ementing ig.  GEOLOGIST
It is agreed that the following  1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid. 4. If the well is a dry hole 5. The appropriate distric 6. If an ALTERNATE II C Or pursuant to Append must be completed wit I hereby certify that the stater  Date:DECEMBER 19, 200  For KCC use ONLY	minimum requirement district office <i>prior</i> to district office <i>prior</i> to district of line of surface pipe as specified materials plus as an agreement betweet office will be notified OMPLETION, production with the company of the co	nts will be met: o spudding of well; Drill shall be posted on each pecified below shall be set it minimum of 20 feet into the reen the operator and the dis d before well is either plugge ction pipe shall be cemented asas surface casing order #1 date or the well shall be plug are true and to the best of my erator or Agent:	consendrilling rig; by circulating cement to the top; in all cases surface pipe shall be anderlying formation; strict office on plug length and placement is necessary prior to ped or production casing is cemented in; d from below any usable water to surface within 120 days of spur 33,891-C, which applies to the KCC District 3 area, alternate II cogged. In all cases, NOTIFY district office prior to any cementing knowledge and belief.  Title:  Remember to:  File Drill Pit Application (Form CDP-1) with Intent to Dri - File Completion Form ACO-1 within 120 days of spud co	RVATION DIVISION MINIMARY MINI
It is agreed that the following  1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid. 4. If the well is a dry hole 5. The appropriate distric 6. If an ALTERNATE II O Or pursuant to Append must be completed wit I hereby certify that the stater  Date: DECEMBER 19, 200  For KCC use ONLY API # 15 - 2	minimum requirement district office <i>prior</i> to district office <i>prior</i> to district of the state of surface pipe as spated materials plus as a district and agreement betweet office will be notified OMPLETION, production with the state of th	nts will be met: o spudding of well; Drill shall be posted on each pecified below shall be set it minimum of 20 feet into the reen the operator and the dis d before well is either plugge ction pipe shall be cemented asas surface casing order #1 date or the well shall be plug are true and to the best of my erator or Agent:	consendrilling rig; by circulating cement to the top; in all cases surface pipe shall be underlying formation; strict office on plug length and placement is necessary prior to ped or production casing is cemented in; d from below any usable water to surface within 120 days of spur 33,891-C, which applies to the KCC District 3 area, alternate II cogged. In all cases, NOTIFY district office prior to any cementing knowledge and belief.  Title:  Remember to:  File Drill Pit Application (Form CDP-1) with Intent to Driller Completion Form ACO-1 within 120 days of spud control of the completion form ACO-1 within 120 days of spud control of the completion form ACO-1 within 120 days of spud control of the completion form ACO-1 within 120 days of spud control of the completion form ACO-1 within 120 days of spud control of the completion form ACO-1 within 120 days of spud control of the completion form ACO-1 within 120 days of spud control of the completion form ACO-1 within 120 days of spud control of the completion form ACO-1 within 120 days of spud control of the completion form ACO-1 within 120 days of spud control of the completion form ACO-1 within 120 days of spud control of the completion form ACO-1 within 120 days of spud control of the completion form ACO-1 within 120 days of spud control of the completion form ACO-1 within 120 days of spud control of the completion form ACO-1 within 120 days of spud control of the completion form ACO-1 within 120 days of spud control of the completion form ACO-1 within 120 days of spud control of the completion form ACO-1 within 120 days of spud control of the completion form ACO-1 within 120 days of spud control of the control of the completion form ACO-1 within 120 days of spud control of the con	RVATION DIVISION WESTITA, KS  Illugging; d date. ementing ig.  GEOLOGIST  II; tate; orders;
It is agreed that the following  1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid. 4. If the well is a dry hole 5. The appropriate distric 6. If an ALTERNATE II C Or pursuant to Appendents to Example of the completed with I hereby certify that the stater  Date: DECEMBER 19, 200  For KCC use ONLY API # 15 - 2 Conductor pipe required_	minimum requirement district office prior to district office prior to district of Intent to I of surface pipe as spated materials plus as a particular agreement betweet office will be notified OMPLETION, productive "B" — Eastern Kanhin 30 days of spudiments made herein and Signature of Op	nts will be met: o spudding of well; Drill shall be posted on each pecified below shall be set it imminimum of 20 feet into the reen the operator and the dist discovered become well is either plugget ction pipe shall be cemented as as surface casing order #1 date or the well shall be pluggere true and to the best of my erator or Agent:	consendrilling rig; by circulating cement to the top; in all cases surface pipe shall be underlying formation; strict office on plug length and placement is necessary prior to ped or production casing is cemented in; d from below any usable water to surface within 120 days of spurias, 33,891-C, which applies to the KCC District 3 area, alternate II cogged. In all cases, NOTIFY district office prior to any cementing knowledge and belief.  Title:  Remember to:  File Drill Pit Application (Form CDP-1) with Intent to Drilling Completion Form ACO-1 within 120 days of spud controls.  File acreage attribution plat according to field proration.  Notify appropriate district office 48 hours prior to workore.	RVATION DIVISION WENTA, KS  Illugging;  d date. ementing ig.  GEOLOGIST  II; tate; orders; ver or re-entry;
It is agreed that the following  1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid. 4. If the well is a dry hole 5. The appropriate distric 6. If an ALTERNATE II C Or pursuant to Appendents to Example the with the stater.  I hereby certify that the stater.  Date: DECEMBER 19, 200  For KCC use ONLY API # 15 - 2 Conductor pipe required Minimum surface pipe required	minimum requirement district office <i>prior</i> to district office <i>prior</i> to district of intent to lot of surface pipe as spated materials plus at a greement betweet office will be notified OMPLETION, productive "B" – Eastern Kanhin 30 days of spudinents made herein at a Signature of Option Complete Topion Complete Topi	nts will be met: o spudding of well; Drill shall be posted on each pecified below shall be set it imminimum of 20 feet into the reen the operator and the dist discovered by the set in the seen the operator and the dist discovered by the set in the seen the operator and the dist discovered by the set in the seen the operator and the dist discovered by the set in the seen the seas surface casing order #1 date or the well shall be pluggere true and to the best of my erator or Agent:	consendrilling rig; by circulating cement to the top; in all cases surface pipe shall be underlying formation; strict office on plug length and placement is necessary prior to ped or production casing is cemented in; d from below any usable water to surface within 120 days of spurias, 891-C, which applies to the KCC District 3 area, alternate II cogged. In all cases, NOTIFY district office prior to any cementing knowledge and belief.  Title:  SR.  Remember to:  File Drill Pit Application (Form CDP-1) with Intent to Driefle Completion Form ACO-1 within 120 days of spud of File acreage attribution plat according to field proration Notify appropriate district office 48 hours prior to workore. Submit plugging report (CP-4) after plugging is completed.	RVATION DIVISION WESTITA, KS  Illugging; d date. ementing ig.  GEOLOGIST  II; tate; orders; ver or re-entry; ted;
It is agreed that the following  1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is a dry hole 5. The appropriate distric 6. If an ALTERNATE II C Or pursuant to Append must be completed wit I hereby certify that the stater  Date: DECEMBER 19, 200  For KCC use ONLY API # 15	minimum requirement district office <i>prior</i> to district office <i>prior</i> to district of intent to the following of surface pipe as spated materials plus at a greement betweet office will be notified OMPLETION, production of the following of spudiants and the following of the foll	nts will be met: a spudding of well; brill shall be posted on each pecified below shall be set it is minimum of 20 feet into the reen the operator and the dist discovered by the set of th	consendrilling rig; by circulating cement to the top; in all cases surface pipe shall be underlying formation; strict office on plug length and placement is necessary prior to ped or production casing is cemented in; d from below any usable water to surface within 120 days of spurias, 33,891-C, which applies to the KCC District 3 area, alternate II cogged. In all cases, NOTIFY district office prior to any cementing knowledge and belief.  Title:  Remember to:  File Drill Pit Application (Form CDP-1) with Intent to Drilling Completion Form ACO-1 within 120 days of spud controls.  File acreage attribution plat according to field proration.  Notify appropriate district office 48 hours prior to workore.	RVATION DIVISION WESTITA, KS  Illugging; d date. ementing ig.  GEOLOGIST  II; tate; orders; ver or re-entry; ted;
It is agreed that the following  1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid. 4. If the well is a dry hole 5. The appropriate distric 6. If an ALTERNATE II C Or pursuant to Append must be completed wit I hereby certify that the stater  Date: DECEMBER 19, 200  For KCC use ONLY API # 15 - 2 Conductor pipe required Minimum surface pipe req	minimum requirement district office <i>prior</i> to district office <i>prior</i> to district of intent to the following of surface pipe as spated materials plus at a greement betweet office will be notified OMPLETION, production of the following of spudiants and the following of the foll	nts will be met: a spudding of well; brill shall be posted on each pecified below shall be set it is minimum of 20 feet into the reen the operator and the dist discovered by the set of th	consendrilling rig; by circulating cement to the top; in all cases surface pipe shall be underlying formation; strict office on plug length and placement is necessary prior to ped or production casing is cemented in; d from below any usable water to surface within 120 days of spurias, 891-C, which applies to the KCC District 3 area, alternate II cogged. In all cases, NOTIFY district office prior to any cementing knowledge and belief.  Title:  SR.  Remember to:  File Drill Pit Application (Form CDP-1) with Intent to Driefle Completion Form ACO-1 within 120 days of spud of File acreage attribution plat according to field proration Notify appropriate district office 48 hours prior to workore. Submit plugging report (CP-4) after plugging is completed.	RVATION DIVISION WESTITA, KS  Illugging; d date. ementing g.  GEOLOGIST  II; tate; orders; ver or re-entry; ted; It water.
It is agreed that the following  1. Notify the appropriate 2. A copy of the approved 3. The minimum amount through all unconsolid. 4. If the well is a dry hole 5. The appropriate distriction of the appropriate distric	minimum requirement district office <i>prior</i> to district office <i>prior</i> to district office <i>prior</i> to district of intent to the office with substitution of surface pipe as spated materials plus at a greement between the office will be notified office. Bestern Kanhin 30 days of spudments made herein at a signature of Operation of the office of	nts will be met: a spudding of well; brill shall be posted on each pecified below shall be set it is minimum of 20 feet into the reen the operator and the dist discovered by the set of th	consendrilling rig; by circulating cement to the top; in all cases surface pipe shall be underlying formation; strict office on plug length and placement is necessary prior to ped or production casing is cemented in; d from below any usable water to surface within 120 days of spurias, 891-C, which applies to the KCC District 3 area, alternate II coged. In all cases, NOTIFY district office prior to any cementing knowledge and belief.  Title:  SR.  Remember to:  File Drill Pit Application (Form CDP-1) with Intent to Driller Completion Form ACO-1 within 120 days of spud of File acreage attribution plat according to field proration.  Notify appropriate district office 48 hours prior to workon. Submit plugging report (CP-4) after plugging is completed.  Obtain written approval before disposing or injecting sa	RVATION DIVISION WESTITA, KS  Illugging; d date. ementing g.  GEOLOGIST  II; tate; orders; ver or re-entry; ted; It water.
It is agreed that the following  1. Notify the appropriate 2. A copy of the approved 3. The minimum amount through all unconsolid. 4. If the well is a dry hole 5. The appropriate distriction of the appropriate distric	minimum requirement district office <i>prior</i> to district office <i>prior</i> to district office <i>prior</i> to district of intent to the office with substitution of surface pipe as spated materials plus at a greement between the office will be notified office. Bestern Kanhin 30 days of spudments made herein at a signature of Operation of the office of	nts will be met: o spudding of well; Drill shall be posted on each pecified below shall be set it imminimum of 20 feet into the reen the operator and the dist discovered by the set in the seen the operator and the dist discovered by the set in the seen the operator and the dist discovered by the set in the seen the operator and the dist discovered by the set in the seen	consendrilling rig; by circulating cement to the top; in all cases surface pipe shall be underlying formation; strict office on plug length and placement is necessary prior to ped or production casing is cemented in; d from below any usable water to surface within 120 days of spurias, 891-C, which applies to the KCC District 3 area, alternate II coged. In all cases, NOTIFY district office prior to any cementing knowledge and belief.  Title:  File Drill Pit Application (Form CDP-1) with Intent to Driller Completion Form ACO-1 within 120 days of spudic File acreage attribution plat according to field proration.  Notify appropriate district office 48 hours prior to workon. Submit plugging report (CP-4) after plugging is completed.  If this permit has expired (See: authorized expiration described in the strict of the submitted expiration described.	RVATION DIVISION WESTITA, KS  Illugging; d date. ementing g.  GEOLOGIST  II; tate; orders; ver or re-entry; ted; It water.
It is agreed that the following  1. Notify the appropriate 2. A copy of the approved 3. The minimum amount through all unconsolid. 4. If the well is a dry hole 5. The appropriate distriction of the appropriate distric	minimum requirement district office <i>prior</i> to district office <i>prior</i> to district office <i>prior</i> to district of surface pipe as spated materials plus a part of a material plus a part of a p	nts will be met: o spudding of well; Drill shall be posted on each pecified below shall be set it imminimum of 20 feet into the reen the operator and the dist discovered by the set in the seen the operator and the dist discovered by the set in the seen the operator and the dist discovered by the set in the seen the operator and the dist discovered by the set in the seen	consendrilling rig; by circulating cement to the top; in all cases surface pipe shall be underlying formation; strict office on plug length and placement is necessary prior to ped or production casing is cemented in; d from below any usable water to surface within 120 days of spurias, 891-C, which applies to the KCC District 3 area, alternate II coged. In all cases, NOTIFY district office prior to any cementing knowledge and belief.  Title:  File Drill Pit Application (Form CDP-1) with Intent to Drille Completion Form ACO-1 within 120 days of spudic File acreage attribution plat according to field proration.  Notify appropriate district office 48 hours prior to workor.  Submit plugging report (CP-4) after plugging is completed.  Obtain written approval before disposing or injecting sate of the box below and return to the address below.	RVATION DIVISION WESTITA, KS  Plugging, d date. ementing g.  GEOLOGIST  II; tate; orders; ever or re-entry; ted; It water. ate) please
It is agreed that the following  1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is a dry hole 5. The appropriate distric 6. If an ALTERNATE II Or pursuant to Appendent to Example the with the stater  I hereby certify that the stater  Date: DECEMBER 19, 200  For KCC use ONLY API # 15 - 2 Conductor pipe required Minimum surface pipe required Approved by: White Approved by: This authorization void if dispenses the complete of the control of the contro	minimum requirement district office <i>prior</i> to district office <i>prior</i> to district office <i>prior</i> to district of surface pipe as spated materials plus a part of a material plus a part of a p	nts will be met: o spudding of well; Drill shall be posted on each pecified below shall be set it imminimum of 20 feet into the reen the operator and the dist discovered by the set in the seen the operator and the dist discovered by the set in the seen the operator and the dist discovered by the set in the seen the operator and the dist discovered by the set in the seen	consent drilling rig; by circulating cement to the top; in all cases surface pipe shall be underlying formation; strict office on plug length and placement is necessary prior to ped or production casing is cemented in; d from below any usable water to surface within 120 days of spurias, 891-C, which applies to the KCC District 3 area, alternate II conged. In all cases, NOTIFY district office prior to any cementing knowledge and belief.  Title:  SR.  Remember to:  File Drill Pit Application (Form CDP-1) with Intent to Drive File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to workown Submit plugging report (CP-4) after plugging is completed.  Obtain written approval before disposing or injecting sate the box below and return to the address below.  Well Not Drilled – Permit Expired	RVATION DIVISION WENTA, KS  Plugging, d date. ementing ig.  GEOLOGIST  II; tate; orders; ver or re-entry; ted; It water. ate) please

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of Acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within ½ mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15- 159-27575-00-00	Location of Well: County:RICE
Operator: SAMUEL GARY JR & ASSOCIATES, INC.	feet from N / S Line of Section
Lease: BOLDT	feet from
Well Number: 3-19	Sec. <u>19</u> Twp. <u>18</u> S. R. <u>9</u> East 🛛 West
Field:	_
	Is Section: Regular or Irregular
Number of Acres attributable to well:	_
QTR / QTR / QTR of acreage:	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: ☐NE ☑NW ☐SE ☐SW

**PLAT** 

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

RICE COUNTY	R9W		330	from the nearest	
			lease	from the nearest boundary	
	23/0		EXAMP	LE .	
←— 2645 <sup>′</sup> —	33049		T 18	10	
		:	5	3390'	
			SEWAF	RD CO.	
			ineg	Julas section: W/2/9 = 3040 ×	vid

#### NOTE: In all cases locate the spot of the proposed drilling location.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached; (CD-7 for oil wells; CG-8 for gas wells). KANSAS CORPORATION COMMISSION

DEC 2 0 2006

CONSERVATION DIVISION WICHITA KS

# Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: SAMUEL GARY JR	. AND ASSOC	License Number: 3882				
Operator Address: 1670 BROADWAY, SUITE 3300 DENVER, CO 80202-4838						
Contact Person: TOM FERTAL	*	Phone Number: ( 303 ) 831 - 4673				
Lease Name & Well No.: BOLDT 3-1	9		Pit Location (QQQQ):			
Type of Pit:	Pit is:		SESENW			
Emergency Pit Burn Pit	Proposed Existing		Sec. 19 Twp. 18 R. 9 ☐ East 🗸 West			
Settling Pit	If Existing, date constructed:		2310 Feet from 🗸 North / South Line of Section			
Workover Pit Haul-Off Pit	Pit capacity:		2645 Feet from East / ✓ West Line of Section			
(If WP Supply API No. or Year Drilled)	4000	(bbls)	RICE			
Is the pit located in a Sensitive Ground Water	Area? ✓ Yes	] No	Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)			
is the bottom below ground level?  ✓ Yes  No	Artificial Liner?  ☐ Yes ☑ No		How is the pit lined if a plastic liner is not used?  NATIVE MUD AND CLAY			
The difficultion (all but working pilo).	Length (fo		Width (feet) N/A: Steel Pits			
			120			
Distance to nearest water well within one-mile of pit		Depth to shallo Source of infor	west fresh water 120 feet. 4 mation: UR-HGS			
	/40feet	measu	redwell owner electric logKDWR			
Emergency, Settling and Burn Pits ONLY:			over and Haul-Off Pits ONLY:			
Producing Formation:			al utilized in drilling/workover: FRESH MUD			
Number of producing wells on lease:  Barrels of fluid produced daily:			king pits to be utilized: 0 (Steel Tanks)  procedure: ALLOW TO DRY, THEN BACKFILL			
Does the slope from the tank battery allow all flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.				
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.  KANSAS CORPORATION COMMISSIO						
DECEMBER 19, 2006  Date		Thors	DEC 2 0 2006  ignature of Applicant or Agent  CONSERVATION DIVISION			
	KCC OFFICE USE ONLY  Bentonite LineR					
Date Received: 12/20/06 Permit Number: Permit Date: 18/28/06 Lease Inspection: Permit Date: No						

# KANSAS

CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR BRIAN J. MOLINE, CHAIR ROBERT E. KREHBIEL, COMMISSIONER MICHAEL C. MOFFET, COMMISSIONER

December 28, 2006

Tom Fertal
Samuel Gary Jr. & Associates, Inc.
1670 Broadway, Ste 3300
Denver CO 80202

Re:

Drilling Pit Application Boldt Lease Well No. 3-19 NW/4 19-18S-09W Rice County, Kansas

Dear Mr. Fertal:

District staff has inspected the above referenced location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has recommended that the reserve pit be lined with bentonite, constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 72 hours after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (316) 630-4000 when the fluids have been removed. Please file form CDP-5, Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms/

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely.

Jonelle Rains, Supervisor

Joselle Rains

Department of Environmental Protection and Remediation

cc: Doug Louis