Kansas Corporation Commission Oil & Gas Conservation Division

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Function Should Date January 12, 2007	<u> </u>
Expected Spud Date January 12, 2007	Spot East
month day year	C NE Sec. 7 Twp. 33 S. R. 15E West
OPERATOR: License# 33074	4620 FSL feet from N / ✓ S Line of Section
Name: Dart Cherokee Basin Operating Co. LLC	660 FEL feet from Feet fro
Address: 211 W. Myrtle	Is SECTION RegularIrregular?
Address:	
City/State/Zip: Tony Williams	(Note: Locate well on the Section Plat on reverse side) County: Montgomery
Contact Person: Tony Williams	Lease Name: Parham et al Well #: A4-7
Phone: 620-331-7870	Field Name: Cherokee Basin Coal Gas Area
CONTRACTOR: License# 5675	
Name: McPherson Drilling	Is this a Prorated / Spaced Field?
Name: Marie	Target Information(s): Mississippian
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 660 feet
	Ground Surface Elevation: 843 feet MSL
	Water well within one-quarter mile:Yes ✓ No
	Public water supply well within one mile:
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 150' + -
Seismic; # of Holes Other	Depth to bottom of usable water: 175'
Other	Surface Pipe by Alternate: 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 40'
Operator:	Length of Conductor Pipe required:
•	Projected Total Depth: 1576 feet
Well Name:Original Total Depth:	Formation at Total Depth: Mississippian
Original Completion Date:Original Total Depth	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well ✓ Farm Pond Other
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken? Yes ✓ No
NOO BINT #.	If Yes, proposed zone:
	RECEIVED
AFFI	DAVIT KANSAS CORPORATION COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual pl	ugging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be met:	JAN 0 3 2007
Notify the appropriate district office <i>prior</i> to spudding of well;	Na
1. Notify the appropriate district office prior to operating or work	th drilling rig: CONSERVATION DIVISION
2. A conv of the approved notice of intent to drill shall be posted on each	
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be se 	t by circulating cement to the top; in all cases sufficient that be set
The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the second state of t	t by circulating cement to the top; in all cases sufficient the set the underlying formation.
 The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the discount. 	the tribulating cement to the top; in all cases sufficient to the set the underlying formation. In this light the set to be underlying formation. In this light the set to be underlying formation.
 The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the description. The appropriate district office will be notified before well is either plug 	the tribute of the top; in all cases sufficient to the set the underlying formation. In the top circulating cement to the top; in all cases sufficient to the set the underlying formation. In the top case the top
 The minimum amount of surface pipe as specified below shall be sethrough all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the ALTERNATE IL COMPLETION, production gipe shall be cement. 	the triangle of the set of the top; in all cases sufficient to the set of the condition of the set
 The minimum amount of surface pipe as specified below shall be sethrough all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the doing to the sether plught is either plught. The appropriate district office will be notified before well is either plught. If an ALTERNATE II COMPLETION, production pipe shall be demented to the property of the sether plught. The settern Kansas surface casing order. 	the third has been to the top; in all cases sufficient that the set the underlying formation. In this istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; the set of from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing
 The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the description of the second of the s	the thy circulating cement to the top; in all cases sufficient to the set the underlying formation. In the control of the cont
 The minimum amount of surface pipe as specified below shall be sethrough all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the doing to the sether plught is either plught. The appropriate district office will be notified before well is either plught. If an ALTERNATE II COMPLETION, production pipe shall be demented to the property of the sether plught. The settern Kansas surface casing order. 	the type circulating cement to the top; in all cases sufficient that the set the underlying formation. In the set the underlying formation. In the set the underlying formation. In the set the underlying formation is the set that the set the set that th
 The minimum amount of surface pipe as specified below shall be sethrough all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the set of the appropriate district office will be notified before well is either pluge. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the dest of the set of the se	the thy circulating cement to the top; in all cases sufficient to the set the underlying formation. In the control of the cont
 The minimum amount of surface pipe as specified below shall be sethrough all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the set of the appropriate district office will be notified before well is either pluge. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the set of the	It by circulating cement to the top; in all cases sufficient that the set we underlying formation. In the set with the set
 The minimum amount of surface pipe as specified below shall be sethrough all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the set of the appropriate district office will be notified before well is either pluge. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the dest of the set of the se	It by circulating cement to the top; in all cases sufficient that the set we underlying formation. In the set with the set
3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the second of the	It by circulating cement to the top; in all cases sufficient that the set we underlying formation. In instrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Sr Regulatory & Safety Compliance Specialist Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the set of the well is either plug. The appropriate district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the set of the plane. Date: January 2, 2007 Signature of Operator or Agent: 	It by circulating cement to the top; in all cases sufficient that the set we underlying formation. In instrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Sr Regulatory & Safety Compliance Specialist Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the second of the s	It by circulating cement to the top; in all cases sufficients all be set be underlying formation. In this by circulating cement to the top; in all cases sufficients all be set be underlying formation. In this by circulating cement to the top; in all cases sufficients all be set be underlying formation. It by circulating cement to the top; in all cases all cases all cases all cases are prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Sr Regulatory & Safety Compliance Specialist Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the seed of the well is dry hole, an agreement between the operator and the description of the second	t by circulating cement to the top; in all cases sufficients all be set be underlying formation. In this top circulating cement to the top; in all cases sufficients all be set be underlying formation. In this top continuous and the set of t
3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the second state of the well is dry hole, an agreement between the operator and the description of the second state of the well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the set of the place. Date: January 2, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - ASSI-ODDO Conductor pipe required feet per Alt. (2)	t by circulating cement to the top; in all cases sufficients that the set with the control of th
3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the second state of the well is dry hole, an agreement between the operator and the description of the second state of the well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the shall be completed within 30 days of the spud date or the well shall be the second state of the well shall be completed. Signature of Operator or Agent: Date: January 2, 2007	t by circulating cement to the top; in all cases sufficients that the set with the control of th
3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the second state of the well is dry hole, an agreement between the operator and the description of the second state of the well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the second state of the	t by circulating cement to the top; in all cases sufficients all be set be underlying formation. In instrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: Sr Regulatory & Safety Compliance Specialist Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting saft water. If this permit has expired (See: authorized expiration date) please
3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the second state of the well is dry hole, an agreement between the operator and the description of the second state of the well is either plug for the appropriate district office will be notified before well is either plug for appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed as a spud date or the well shall be completed as a spud date or the well shall be completed as a spud date or the well shall be completed as a spud date or the well shall be completed as a spud date or the well shall be completed as a spud date or the well shall be completed as a spud date or the well shall be completed as a spud date or the well shall be completed as a spud date or the well shall be completed as a spud date or the well shall be completed as a spud date or the well shall be completed as a spud date or the well shall be completed as a spud date or the well shall be completed as a spud date or the well shall be completed as a spud date or the well shall be completed as a spud date or the well shall be completed as a spud date or the well shall be completed as a spud date or the well shall be completed as	t by circulating cement to the top; in all cases sufficients that the set with the content of th
3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the second state of the well is dry hole, an agreement between the operator and the description of the second state of the well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the second state of the	the by circulating cement to the top; in all cases sufficients that the set with the control of
3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the second state of the well is dry hole, an agreement between the operator and the description of the second state of the well is either plug for the appropriate district office will be notified before well is either plug for the second state of the second state of the shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the sect of the plant of the sect of the section of th	the typic circulating cement to the top; in all cases sufficients that the underlying formation. In the underlying formation casing is cemented in; and the underlying ged or production casing is cemented in; and the underlying ged or production casing is cemented in; and the underlying ged or production as the underlying ged or production casing is cemented in; and the underlying ged or production as the underlying ged or production and the underlying ged or underlying
3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the second state of the well is dry hole, an agreement between the operator and the description of the second state of the well is either plug for a pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the shall be completed within 30 days of the spud date or the well shall be the shall be completed. Signature of Operator or Agent: Date: January 2, 2007	the by circulating cement to the top; in all cases sufficients that the set with the control of

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 125-31281-0000	Location of Well: County: Montgomery	
Operator: Dart Cherokee Basin Operating Co. LLC	4620 FSL feet from N / S Line of Section	
Lease: Parham et al	660 FEL feet from 🗸 E / W Line of Section	
Well Number: A4-7	Sec. 7 Twp. 33 S. R. 15E ✓ East Wes	
Field: Cherokee Basin Coal Gas Area		
Number of Acres attributable to well: 40 QTR / QTR / QTR of acreage: C NE NE NE	Is Section: Regular or ☐ Irregular If Section is Irregular, locate well from nearest corner boundary. Section corner used: ☐ NE ☐ NW ☐ SE ☐ SW	

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

RECEIVED KANSAS CORPORATION COMMISSION

JAN 0 3 2007

CONSERVATION DIVISION
WICHITA, KS

R15E

EXAMPLE

1980

SEWARD CO.

Montgomery Co.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Dart Cherokee Basin Operating Co. LLC		License Number: 33074		
Operator Address: 211 W. Myrtle Independence KS 67301				
Contact Person: Tony Williams		Phone Number: (620) 331 - 7870		
Lease Name & Well No.: Parham et al A4-7		Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>C . NE . NE</u>	
Emergency Pit Burn Pit	✓ Proposed Existing		Sec. 7 Twp. 33 R. 15E	✓ East West
Settling Pit	If Existing, date constructed:		_	/ ✓ South Line of Section
Workover Pit Haul-Off Pit	Pit capacity:		660 FEL Feet from 🗸 East	/ West Line of Section
(If WP Supply API No. or Year Drilled)	926	(bbls)	Montgomery	County
Is the pit located in a Sensitive Ground Water Area? Yes Vo		Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?	***	How is the pit lined if a plastic liner is not used?	
✓ Yes No	Yes 🗸	No	Natural Clays	
Pit dimensions (all but working pits): 35 Length (feet) 30 Width (feet) N/A: Steel Pits				
Depth fr	om ground level to de	eepest point: 5	(feet)	
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.				
Distance to nearest water well within one-mile of pit Depth to shallo		owest fresh waterfe		
Source of infor		mation: 🚜 🔭		
Emergency, Settling and Burn Pits ONLY: Drilling, Workover and Haul-Off Pits ONLY:				tric log KDWR
Producing Formation: Type of material utilized in drilling/workover: Air				\(\frac{1}{6} \)
Number of producing wells on lease: Number of working pits to be utilized: One		3		
Barrels of fluid produced daily:	Air dry fill			
Does the slope from the tank battery allow al flow into the pit? Yes No	lope from the tank battery allow all spilled fluids to e pit? Yes No Drill pits must be closed within 365 days of		be closed within 365 days of spud dat	
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. KANSAS CORPORATION COMMISSIO				
January 2, 2007 		Jony	William Signature of Applicant or Agent	JAN 0 3 2007 CONSERVATION DIVISION WICHITAL KS
KCC OFFICE USE ONLY				
Date Received: (367 Permit Nun	nber:	Perm	nit Date: 1307 Lease Inspi	ection: Yes No