Effective Date: _

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

	Spot East
pected Spud Date January 10, 2007 month day year	S2NW SW NW Sec. 26 Twp. 9 S. R. 26 West
ERATOR: License# 30076 V	1800feet from/ N / S Line of Section
ne- Andy Anderson dba A & A Production	leet from E / V VV Line of Section
P.O. Box 100	Is SECTIONRegularIrregular?
//State/Zip: Hill City, KS 67642	(Note: Locate well on the Section Plat on reverse side)
ntact Person. Andy Anderson	County: Sheridan
one: (785) 421-2234	Lease Name: AlvinWell #: 2
33237	Field Name:
NTRACTOR: License# 33237 V me: Anderson Drilling	Is this a Prorated / Spaced Field? Yes ✓ No
me: Articles of Briting	Target Formation(s): Base Kansas City
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 330'
✓ Oil ✓ Enh Rec Infield ✓ Mud Rotary	Ground Surface Elevation: 2,620 est. feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
OWWO Disposal Wildcat Cable	Public water supply well within one mile: Yes V No
Seismic;# of Holes Other	Depth to bottom of fresh water: 200 1400:
Other	Depth to bottom of usable water: 1,400'
	Surface Pipe by Alternate: 1 2 200+
DWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 200+
Operator:	Length of Conductor Pipe required: none 4 000'
Well Name:	Projected Total Depth: 4,000' Base Kansas City
Original Completion Date:Original Total Depth:	Formation at Total Depth.
rectional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
	Well ✓ Farm Pond Other
Yes, true vertical depth:	DWR Permit #:
ottom Hole Location:	(Note: Apply for Permit with DWR ☐) Will Cores be taken? Yes ✓ No
DO DRI #.	
	If Yes, proposed zone: FIDAVIT RECEIVED
	olugging of this well will comply with K.S.A. 55 (ANSAS CORPORATION COMM
he undersigned hereby affirms that the drilling, completion and eventual place agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall	changing of this well will comply with K.S.A. 55 CORPORATION COMMINATION OF SUBJECT CONSERVATION DIVISION THE Underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; attended from below any usable water to surface within 120 days of spud date. It will be plugged. In all cases, NOTIFY district office prior to any cementing.
he undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing orde	JAN 0.5 2007 ach drilling rig; cet by circulating cement to the top; in all cases surface piper to plugging; district office on plug length and placement is necessary prior to plugging; integer from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent
he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spanning of	JAN 0.5 2007 ach drilling rig; cet by circulating cement to the top; in all cases surface pignature. Rs district office on plug length and placement is necessary prior to plugging; inted from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to:
ne undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the appropriate district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the form the strict office will be notified before well is either plue. 5. The appropriate district office will be notified before well is either plue. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud state. Signature of Operator or Agent: **Description** Signature of Operator or Agent: **Description** Signature of Operator or Agent: **Description** **Description** Signature of Operator or Agent: **Description** **Description** The uniform provided shall be posted on the spud shall be provided at the statements and the spud shall be provided at the statements and the spud shall be provided at the statements and the spud shall be provided at the statements and the spud shall be provided at the spud shall be provided at the statements and the spud shall be provided at the shall be provided at the spud shall be provided at the	JAN 0.5 2007 ach drilling rig; conservation Division the underlying formation. district office on plug length and placement is necessary prior to plugging; inted from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
ne undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the appropriate district of the places as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plue 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best date: January 5, 2007	JAN 0.5 2007 ach drilling rig; ach drilling rig; conservation plusion the underlying formation. district office on plug length and placement is necessary prior to plugging; inted from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing. If the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on east through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud state. For KCC Use ONLY API # 15 - 179-21107-0000 Conductor pipe required None feet	JAN 0.5 2007 ach drilling rig; cet by circulating cement to the top; in all cases surface pincetic ks the underlying formation. district office on plug length and placement is necessary prior to plugging; inted from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the appropriate district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below shall be such through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the sum of the spud date or the well shall hereby certify that the statements made herein are true and to the shall hereby certified before the shall be produced the shall be sum of the shall be proved to the shall be shall be sum of the shall be proved that the statement to drift be shall	JAN 0.5 2007 ach drilling rig; ach drilling rig;
the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the foundation of the street of the well is either plus. If an ALTERNATE II COMPLETION, production pipe shall be cerner. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be rereby certify that the statements made herein are true and to the best of the spud state. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 179-21167-0000 Conductor pipe required None feet Minimum surface pipe required feet per Alt. X (2) Approved by: Put 1-507	ach drilling rig; ach drilling
the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall be rereby certify that the statements made herein are true and to the best of the specific production of the post of the specific production of the post of the specific production of the post of the specific production pipe required None feet Minimum surface pipe required feet per Alt. X (2) Approved by: Put 1 - 5 - 77	JAN 0.5 2007 ach drilling rig; ach drilling rig;
ne undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the foundation of the statement of the properties district office will be notified before well is either plus. If an ALTERNATE II COMPLETION, production pipe shall be cemer. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall neereby certify that the statements made herein are true and to the best of the specific production pipe required. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 179-21167-0000 Conductor pipe required None feet Minimum surface pipe required feet per Alt. X (2) Approved by: Putt 1-507	An 0.5 2007 ach drilling rig;
ne undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plue 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall nereby certify that the statements made herein are true and to the best of the specific productor of the specific productor of the specific productor of the specific productor pipe required. Signature of Operator or Agent: When the statement of the product of the productor pipe required. Approved by: Put 1-5-07 This authorization expires: 7-5-07 (This authorization void if drilling not started within 6 months of approval date.)	JAN 0.5 2007 ach drilling rig; conservation plusion the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; nted from below any usable water to surface within 120 days of spud date. r #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water. - If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired
ne undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plue 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall neereby certify that the statements made herein are true and to the best of the specific production of the post of the specific production produc	An 0.5 2007 ach drilling rig;

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15. 179-21167-0000	Location of Well: County: Sheridan
Operator: Andy Anderson dba A & A Production	1800 feet from 🗸 N / 🔲 S Line of Section
Lease: Alvin	530 feet from E / 🗸 W Line of Section
Well Number: 2	Sec. <u>26</u> Twp. <u>9</u> S. R. <u>26</u> East 🗸 Wes
Field:	
Number of Acres attributable to well:	Is Section: 📝 Regular or 🔲 Irregular
QTR / QTR / QTR of acreage:	If Section is irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

				•
		•		•
			•	•
	•		-	•
 ·				·
	·	•	•	•
		•	-	•
	;	:		
	•	•		•
	•	•		
· .				
		•	•	
•		•	•	
	•			•
			•	•
	-	-	-	



NOTE: In all cases locate the spot of the proposed drilling locaton.

in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Andy Anderson dba A & A Production		License Number: 30076			
Operator Address: P.O. Box 100, Hill City, KS 67642					
Contact Person: Andy Anderson		Phone Number: (785) 421 - 2234			
Lease Name & Well No.: Alvin #2		Pit Location (QQQQ):			
Type of Pit:	Pit is:		S2 <u>NWSWNW</u>		
Emergency Pit Burn Pit	Proposed Existing		Sec. 26 Twp. 9 R. 26 ☐ East ✓ West		
Settling Pit 📝 Drilling Pit	If Existing, date constructed:		1800 Feet from 🗸 North / 🗌 South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		Feet from East / 🗹 West Line of Section		
(If WP Supply API No. or Year Drilled)	3,600	(bbls)	Sheridan County		
Is the pit located in a Sensitive Ground Water Area? Yes No		/ No	Chloride concentration: mg/l		
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?		
✓ Yes No	☐ Yes 🗸	No	clay type soil		
Pit dimensions (all but working pits):	60 Length (fe	eet)60	Width (feet) N/A: Steel Pits		
Depth f	rom ground level to de	eepest point: 5	(feet)		
material, thickness and installation procedure.			ncluding any special monitoring.		
Distance to nearest water well within one-mile of pit Depth to shallo Source of infor		west fresh water115feet. rmation: well owner electric logKDWR			
		measu	measuredwell owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY	:		Drilling, Workover and Haul-Off Pits ONLY:		
Producing Formation: Type of materi		of material utilized in drilling/workover: drilling mud			
, =			per of working pits to be utilized: 1		
Barrels of fluid produced daily: Abandonment		procedure: let fluid evaporate and fill with excavated dirt			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must I		be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
January 5, 2007 Date	(v)) mna s	Thanda JAN U 5 2007 ignature of Applicant or Agent CANSERVATION DIVISION		
KCC OFFICE USE ONLY WICHITA, KS					
Date Received: \s\07 Permit Number: Permit Date: \s\07 Lease Inspection: Yes \s\08.00					