For KCC Use:	1-10-07
Elfective Date:	<i>J-10-</i> 07
Olstrict #	
SGA7 VYes	No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Signod Form must be Signod All blanks must be Filled

Expected Spud Date	Spot	85(
month day year	C SW Soc 11 Twp 35S S. R. 16 VW	
OPERATOR: License# 32204	1320 feel from N / S Line of Section	621
Name: REDLAND RESOURCES, INC.	1320 feet from E / / W Line of Section	
Address: 6001 NW 23RD STREET	Is SECTION Regular Irregular?	
City/State/Zip: OKLAHOMA CITY, OK. 70127		
Contact Person: ALAN THROWER	(Note: Locate well on the Section Plat on reverse side) County: COMANCHE	
Phone: (405)789-7104	Lease Name: MARION Wolf # 11-11	
	Field Name: AETNA GAS AREA	
CONTRACTOR Licenses 5929	Is this a Prorated / Spaced Field?	
Namo, DUKE DRILLING CO., INC.	Target Formation(s) MISSISSIPPIAN	pres.
Well Dalled For: Well Class: Type Equipment:	Negrost Lease or unit boundary: 1320'	
Oil Enh Rec Infield I Mud Rotary	Ground Surface Elevation: 1844 feet M	ISL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile;	
OWO Olsposel Wilden Cuble	Public water supply well within one mile:	٠.
	Depth to bottom of fresh water 150	,
Seismic;# of Holes { Other	Depth to bottom of usable water: 180'	
TORIOR	Surface Pipe by Alternate: 1 2	
If OWWO: old well information as follows:	Length of Surface Pipu Planned to be set: 500	
Operator	Length of Conductor Pipe required: NONE	
Well Name:	Projected Total Depth; 5600	
Onginal Completion DatoOriginal Total Depth	Formation at Total Depth, MISSISSIPPIAN	_
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore? ☐ Yes ☑ No	Well Farm Pond Other SPRING/HAULING	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with OWR)	
VCC DVT 4.	(Protection of the property of	
KCC DKT #:		No
NOC DK1 #:		Νo
	Will Cores be taken? If Yes, proposed zone Yos ✓	No
AFF	Will Cores be taken? If Yes, proposed zone DAVIT	Νo
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl	Will Cores be taken? If Yes, proposed zone DAVIT	Nσ
AFF(The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met.	Will Cores be taken? If Yes, proposed zone DAVIT	No
AFF(The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met. 1. Notify the appropriate district office prior to spudding of well:	Will Cores be taken? If Yes, proposed zone DAVIT ugging of this well will comply with K.S.A. 55 et. seq.	Nο
AFF The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met. 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on care	Will Cores be taken? If Yes, proposed zone DAVIT ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig:	No
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met. 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac. 3. The minimum amount of surface pipe as specified below shall be so	Will Cores be taken? If Yes, proposed zone DAVIT ugging of this well will comply with K.S.A. 55 et. seq. ft drilling rig; If by circulating cemcol to the top; in all cases surface also chall be not	No
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met. 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the	Will Cores be taken? If Yes, proposed zone DAVIT ugging of this well will comply with K.S.A. 55 et. seq. If drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.	-
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met. 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on cad 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plug	Will Cores be taken? If Yes, proposed zone. DAVIT ugging of this well will comply with K.S.A. 55 ct. seq. If drilling rig; t by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. strat office on plug length and placement is necessary prior to plugging; and or production casion is cemented in:	-
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met. 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on cad 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE If COMPLETION, production plus shall be comented.	Will Cores be taken? If Yes, proposed zone. DAVIT ugging of this well will comply with K.S.A. 55 et. seq. If drilling rig; t by circulating cement to the top; in all cases surface pipe shall be set e underlying formation, strict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to curface within 120 date of each total course.	-
AFF The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met. 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on cad 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into it 4. If the well is dry hole, an agreement between the operator and the d 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE If COMPLETION, production pipe shall be demented Or pursuant to Appendix "B"—Eastern Kanses surface cashing order	Will Cores be taken? If Yes, proposed zone. DAVIT ugging of this well will comply with K.S.A. 55 et. seq. If drilling rig; t by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. strict office on plug length and placement is necessary prior to plugging; and production casing is cemented in; and from below any usable water to surface within 120 days of spud date.	-
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met. 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on cad 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the d 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE If COMPLETION, production plips shall be cements Or pursuant to Appendix "B" - Eastern Kanses surface casing order must be completed within 30 days of the spud date or the well shall be	Will Cores be taken? If Yes, proposed zone. DAVIT ugging of this well will comply with K.S.A. 55 et. seq. If drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set e underlying formation, strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate If cementing the plugged. In all cases, NOTIFY district office prior to any cementing.	-
AFF The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met. 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on cad 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into it 4. If the well is dry hole, an agreement between the operator and the d 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE If COMPLETION, production pipe shall be demented Or pursuant to Appendix "B"—Eastern Kanses surface cashing order	Will Cores be taken? If Yes, proposed zone. DAVIT ugging of this well will comply with K.S.A. 55 et. seq. If drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set e underlying formation, strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate If cementing the plugged. In all cases, NOTIFY district office prior to any cementing.	-
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met. 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on cad 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE If COMPLETION, production pipe shall be comented. Or pursuant to Appendix "B" - Eastern Kanses surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of	Will Cores be taken? If Yes, proposed zone DAVIT ugging of this well will comply with K.S.A. 55 et. seq. If drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set e underlying formation, strict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. 1133,891-C, which applies to the KCC District 3 area, alternate If cementary in the plugged. In all cases, NOTIFY district office prior to any cementing. The plugged of this well will comply with K.S.A. 55 et. seq.	-
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met. 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on cad 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the d 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE If COMPLETION, production plips shall be cements Or pursuant to Appendix "B" - Eastern Kanses surface casing order must be completed within 30 days of the spud date or the well shall be	Will Cores be taken? If Yes, proposed zone. DAVIT ugging of this well will comply with K.S.A. 55 et. seq. If drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set e underlying formation, strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate If cementing the plugged. In all cases, NOTIFY district office prior to any cementing.	-
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met. 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as the minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the fifth the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug in an ALTERNATE if COMPLETION, production plug shall be cement Or pursuant to Appendix "B". Eastern Kanses surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the control of the spud date of the specific shall be completed. 1. Portion of the spud date of the well shall be completed.	Will Cores be taken? If Yes, proposed zone DAVIT ugging of this well will comply with K.S.A. 55 et. seq. If drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set e underlying formation, strict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. 1133,891-C, which applies to the KCC District 3 area, alternate If cementary in the plugged. In all cases, NOTIFY district office prior to any cementing. The plugged of this well will comply with K.S.A. 55 et. seq.	-
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met. 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the appropriate district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the different office will be notified before well is either plug in a hatternate district office will be notified before well is either plug if an ALTERNATE if COMPLETION, production plips shall be demented or pursuant to Appendix "B". Eastern Kanses surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the place of the control of the control of the place of the control of the place of the control of the contr	Will Cores be taken? If Yes, proposed zone DAVIT ugging of this well will comply with K.S.A. 55 et. seq. If drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set e underlying formation, strict office on plug length and placement is necessary prior to pluggling; and or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate If comenting in plugged. In all cases, NOTIFY district office prior to any cementing, my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill.	-
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met. 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the appropriate district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the difference of the well is dry hole, an agreement between the operator and the diffice will be notified before well is either plug in an ALTERNATE if COMPLETION, production pipe shall be comented or pursuant to Appendix "B". Eastern Kanses surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the plants of the spud date of the section of	Will Cores be taken? If Yes, proposed zone DAVIT ugging of this well will comply with K.S.A. 55 et. seq. If drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set e underlying formation, strict office on plug length and placement is necessary prior to pluggling; and or production casing is comented in; and from below any usable water to surface within 120 days of spud date. If 33,891-C, which applies to the KCC District 3 area, alternate If comenting e plugged. In all cases, NOTIFY district office prior to any comenting, my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill, File Completion Form ACO-1 within 120 days of spud date;	-
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met. 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the second of the minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug in an ALTERNATE if COMPLETION, production pipe shall be demented or pursuant to Appendix "B". Eastern Kanses surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the control of the spud date of the second of the control of the second	Will Cores be taken? If Yes, proposed zone DAVIT ugging of this well will comply with K.S.A. 55 et. seq. If drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set e underlying formation, strict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 days of spud date, If 133,891-C, which applies to the KCC District 3 area, alternate If comentate plugged. In all cases, NOTIFY district office prior to any cementing, my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill, File Completion Form ACO-1 within 120 days of spud date; File screage attribution plat according to field proration orders.	-
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met. 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the drill the well is dry hole, an agreement between the operator and the drill the well is dry hole, an agreement between the operator and the drilling office will be notified before well is either plug in a ATTERNATE if COMPLETION, production plips shall be comented or pursuant to Appendix "B". Eastern Kanses surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the conflict of the co	Will Cores be taken? If Yes, proposed zone DAVIT ugging of this well will comply with K.S.A. 55 et. seq. If drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set e underlying formation, strict office on plug length and placement is necessary prior to pluggling; and or production casing is cemented in; and from below any usable water to surface within 120 days of spud date, If 133,891-C, which applies to the KCC District 3 area, alternate If cementarie plugged. In all cases, NOTIFY district office prior to any cementing, my knowledge and belief. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill, - File Completion Form ACO-1 within 120 days of spud date; - File screage attribution plat according to field proration orders, - Notify appropriate district office 48 hours prior to workeyer or re-entry.	-
The undersigned hereby affirms that the drilling, completion and eventual plet is agreed that the following minimum requirements will be met. 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the appropriate district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug in an atternate if completed with be notified before well is either plug in an atternate if completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be thereby conflict that the statements made herein are true and to the best of the post of the spud date of the specific that the statements made herein are true and to the best of the spud date of the specific that the statements made herein are true and to the best of the spud date of the specific that the statements made herein are true and to the best of the specific that the statements made herein are true and to the best of the specific that the statements made herein are true and to the best of the specific that the statements made herein are true and to the best of the specific that the statements are true and to the best of the specific that the statements are true and to the best of the specific that the statements are true and to the best of the specific that the statements are true and to the best of the specific that the statements are true and the specific that the statements are tru	Will Cores be taken? If Yes, proposed zone DAVIT ugging of this well will comply with K.S.A. 55 et. seq. If drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. It is in all cases surface pipe shall be set e underlying formation. It is in the control of the top; in all cases surface pipe shall be set e underlying formation. It is necessary prior to plugging; ged or production casing is cemented in; all from below any usable water to surface within 120 days of spud date. It is all cases, NOTIFY district office prior to any cementing. The plugged. In all cases, NOTIFY district office prior to any cementing. The Drill Pit Application (form CDP-1) with Intent to Drill, File Completion Form ACO-1 within 120 days of spud date; File acreege attribution plat according to field proration orders, Notify appropriate district office 48 hours prior to workever or re-entry; Submit plugging report (CP-4) after plugging is completed;	-
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met. 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the difference of the well is dry hole, an agreement between the operator and the difference of the appropriate district office will be notified before well is either plug in an ALTERNATE if COMPLETION, production planshall be comented. Or pursuant to Appendix "B" - Eastern Kanses surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the production planshall be conducted. The complete of the plants of the spud date of the plants of the plants of the spud date of the plants. For KCC Use ONLY API # 15 - 033-2/489-0000 Conductor plants of the spud date of the spud date of the plants of the spud date of the plants. The plants of the spud date of the plants of the spud date of the plants of the spud date of the plants. The plants of the spud date of the plants of the spud date of the	Will Cores be taken? If Yes, proposed zone DAVIT ugging of this well will comply with K.S.A. 55 et. seq. If drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set e underlying formation, strict office on plug length and placement is necessary prior to pluggling; and or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate If cementary to plugged. In all cases, NOTIFY district office prior to any cementing, my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill, File Completion Form ACO-1 within 120 days of spud date; File screage attribution plat according to field proration orders, Notify appropriate district office 48 hours prior to workever or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting sail water.	ng
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met. 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the appropriate district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the different set of the well is dry hole, an agreement between the operator and the different set is either plug in an ALTERNATE if COMPLETION, production plps shall be cement. Or pursuant to Appendix "B" Eastern Kanses surface casing order must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: 1	Will Cores be taken? If Yes, proposed zone DAVIT ugging of this well will comply with K.S.A. 55 et. seq. If drilling rig; the proposed zone is the top; in all cases surface pipe shall be set e underlying formation, strict office on plug length and placement is necessary prior to pluggling; and or production casing is comented in; all from below any usable water to surface within 120 days of spud date, this plugged. In all cases, NOTIFY district office prior to any comenting, my knowledge and beliet. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill, file Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders, Notify appropriate district office 48 hours prior to workever or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (Soe, authorized expiration date) please	-
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met. 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the difference of the well is dry hole, an agreement between the operator and the difference of the appropriate district office will be notified before well is either plug in an ALTERNATE if COMPLETION, production planshall be comented. Or pursuant to Appendix "B" - Eastern Kanses surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the production planshall be conducted. The complete of the plants of the spud date of the plants of the plants of the spud date of the plants. For KCC Use ONLY API # 15 - 033-2/489-0000 Conductor plants of the spud date of the spud date of the plants of the spud date of the plants. The plants of the spud date of the plants of the spud date of the plants of the spud date of the plants. The plants of the spud date of the plants of the spud date of the	Will Cores be taken? If Yes, proposed zone DAVIT ugging of this well will comply with K.S.A. 55 et. seq. If drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set e underlying formation, strict office on ptug length and placement is necessary prior to pluggling; and or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate If cementary to plugged. In all cases, NOTIFY district office prior to any cementary. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill, File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders. Notify appropriate district office 48 hours prior to workever or re-entry: Submit pluggling report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting suit water. If this permit has expired (Soe, authorized expiration date) please check the box bollow and return to the address below.	ng
The undersigned hereby affirms that the drilling, completion and eventual plant is agroed that the following minimum requirements will be met. 1. Notify the appropriate distinct office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as the minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the different of the well is dry hole, an agreement between the operator and the different of the appropriate district office will be notified before well is either plug in an ALTERNATE II COMPLETION, production plug shall be comented or pursuant to Appendix "B". Eastern Kanses surface cashing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the production of the post of the spud date or the well shall be conducted within a significant of the prior of the post of the spud date or the well shall be conducted within a surface of the spud date or the well shall be conducted by the post of the spud date or the well shall be conducted by the post of the spud date or the well shall be conducted by the post of the spud date or the well shall be conducted by the post of the spud date or the well shall be conducted by the post of the spud date or the well shall be conducted by the post of the spud date or the well shall be conducted by the post of the spud date or the well shall be conducted by the post of the spud date or the well shall be conducted by the post of the spud date or the well shall be conducted by the post of the spud date or the well shall be conducted by the post of the spud date or the well shall be conducted by the post of the spud date or the well shall be conducted by the post of the spud date or the well shall be conducted by the post of the spud date or the well shall be conducted by the post of	Will Cores be taken? If Yes, proposed zone DAVIT ugging of this well will comply with K.S.A. 55 et. seq. If drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set e underlying formation, strict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; all from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate If cementary to plugged. In all cases, NOTIFY district office prior to any cementing, my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill, File Completion Form ACO-1 within 120 days of spud date; File screage attribution plat according to field proration orders, Notify appropriate district office 48 hours prior to workever or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (Soe, authorized expiration date) please check the box bolow and return to the address below. Well Not Drilled - Permit Expired	ng
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met. 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the appropriate district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the difference well is dry hole, an agreement between the operator and the difference of the well is dry hole, an agreement between the operator and the difference of the well is either plug in an ALTERNATE if COMPLETION, production plps shall be cemented. Or pursuant to Appendix "B"—Eastern Kanses surface casing order must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: 1	Will Cores be taken? If Yes, proposed zone. DAVIT ugging of this well will comply with K.S.A. 55 et. seq. If drilling rig: If by circulating cement to the top; in all cases surface pipe shall be set e underlying formation, strict office on plug length and placement is necessary prior to pluggling; and or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate if cementary to plugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to: File Drill Pit Application (form CDP-1) with intent to Drill, File Completion Form ACO-1 within 120 days of epud date; File acreage attribution plat according to field proration orders, Notify appropriate district office 48 hours prior to workover or re-entry. Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting sall water. If this permit has expired (Soe, authorized oxpiration date) please check the box bottow and return to the address below. Well Not Drilled - Permit Expired Signature of Operator or Agent.	ng
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met. 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shalf be posted on each of the intention of surface pipe as specified below shalf be so through all unconsolidated materials plus a minimum of 20 feet into it if the well is dry hole, an agreement between the operator and the district office will be notified before well is either plus of it in an ALTERNATE if COMPLETION, production pipe shalf be comented. Or pursuant to Appendix "B"—Eastern Kanses surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the best of Date: 1. D. T. Signeture of Operator or Agent The best of Conductor pipe required None—feet Minimum surface pipe required 200 feet per All. Approved by: 244 1-5-07 This suthorization expires: 7-5-07. (This authorization expires: 7-5-07. (This authorization expires: Agent:	Will Cores be taken? If Yes, proposed zone. DAVIT ugging of this well will comply with K.S.A. 55 et. seq. If drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. In this office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate if comenting in the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to: File Drill Pit Application (form CDP-1) with intent to Drill, File Completion Form ACO-1 within 120 days of spud date; File screage attribution plat according to field proration orders. Notify appropriate district office 48 hours prior to workever or re-entry. Submit plugging report (CP-4) when plugging is completed; Obtain written approval before disposing or injecting sall water. If this permit has expired (Soe, authorized expiration date) please check the box bolow and return to the address below. Well Not Drilled - Permit Expired Signature of Operator or Agent.	ng
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met. 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shalf be posted on each of the intention of surface pipe as specified below shalf be so through all unconsolidated materials plus a minimum of 20 feet into it if the well is dry hole, an agreement between the operator and the district office will be notified before well is either plus of it in an ALTERNATE if COMPLETION, production pipe shalf be comented. Or pursuant to Appendix "B"—Eastern Kanses surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the best of Date: 1. D. T. Signeture of Operator or Agent The best of Conductor pipe required None—feet Minimum surface pipe required 200 feet per All. Approved by: 244 1-5-07 This suthorization expires: 7-5-07. (This authorization expires: 7-5-07. (This authorization expires: Agent:	Will Cores be taken? If Yes, proposed zone. DAVIT ugging of this well will comply with K.S.A. 55 et. seq. If drilling rig: If by circulating cement to the top; in all cases surface pipe shall be set e underlying formation, strict office on plug length and placement is necessary prior to pluggling; and or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate if cementary to plugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to: File Drill Pit Application (form CDP-1) with intent to Drill, File Completion Form ACO-1 within 120 days of epud date; File acreage attribution plat according to field proration orders, Notify appropriate district office 48 hours prior to workover or re-entry. Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting sall water. If this permit has expired (Soe, authorized oxpiration date) please check the box bottow and return to the address below. Well Not Drilled - Permit Expired Signature of Operator or Agent.	ng

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this aide of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 033-21489-0000	Location of Woll: County. COMANCHE
Operator: REDIAND RESOURCES, INC	N / 🗸 S Line of Section
Lease, MARION	1320 feet from E / W Line of Section
Wolf Number: 11-11 Field: AETNA GAS AREA	Sec11 Twp35S S. R16 East
Number of Acres attributable to well: 320	la Section. 🕢 Regular or 🔲 Irregular
QTR / QTR / QTR of acreage: CSW	if Section is irregular, locate well from nearest corner boundary. Section comer used. NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

	,					
í		l			,	
		1				-
İ		١				
		ļ				
•		1				
1						
1						
,	•				•	•
1						
1.,						
				,		
		ı				
		··· []				
			(•	-	
		((•	-	
		(l	•	-	
		··· (•	-	
				•	-	
				•	- - -	
				•		
				•		
				•		
€ 1320'						
	•					
C1320'						
C1320'						
C1320'						
C1320'			,			





JAN 0 4 2007 CONSERVATION DIVISION

In plotting the proposed location of the well, you must show:

1 The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.

- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary tine.
- 4 If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached. (C0-7 for oil wells; CG-8 for gas wolls).

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: REDLAND RESOURCES, INC.			License Number: 32204		
Operator Address: 6001 NW 23RE	STREET, C	OKLAHOMA	CITY, OK 73127		
Contact Person, ALAN THROWER		Phone Number: (405) 789 17104			
Lease Name & Well No.: MARION #11-11			Pit Location (QQQQ):		
Type of Pit.	Pit is.		<u>Csw</u>		
Emergency Pit Burn Pit Settling Pit Drilling Pit	Proposed Existing If Existing, date constructed: 12/26/06 Pit capacity:		Sec. 11 Twp. 35S R. 16 East West 1320 Feet from North / South Line of Sect		
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)			1320 Feet from East / West Line of Section		
	3000	(aldd)	COMANCHE County		
Is the pit located in a Sensitive Ground Water	Area? Yes	Z] No	Chloride concentration: mg/l (For Emergency Pits and Setting Pits only)		
Is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used? NATURAL PERMEABILITY		
If the pit is lined give a brief description of the material, thickness and installation procedure	liner	Describe proce liner integrity, in	dures for periodic maintenance and determining icluding any special monitoring.		
Distance to nearest water well within one-mile		Source of infor	vest fresh waterSOfeet. nation() edwell ownerelectric logKDWR		
		l .	over and Haul-Off Pits ONLY:		
Producing Formation: Type of material		utilized in drilling/workover: FRESH			
•		rocedure: JET TO RESERVE PIT, EVAPORATE AND BACKFILL			
Does the slope from the tank battery allow all spilled fluids to		e closed within 365 days of spud date			
I hereby certify that the above staten	nents are true and c	Racel	of my knowledge and belief. L. Manueltow Ogent nature of Applicant or Agent		
	KCC	OFFICE USE ON	LY RFS4C		
Date Received 4407 Permit Number	er;	Pérmit	Date: 1 4 0 7 Leaso Inspection: W Yes No		
Mall to: KCC - Cons	novalian Dhyleion	170 8 Market B	AND ANY MILL KANSAS CORRORATION COMMISSION		

JAN 0 4 2007

CONSERVATION DIVISION WICHITA, KS



CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR
BRIAN J. MOLINE, CHAIR
ROBERT E. KREHBIEL, COMMISSIONER
MICHAEL C. MOFFET, COMMISSIONER

January 5, 2007

Mr. Alan Thrower Redland Resources, Inc. 6001 NW 23rd St. Oklahoma City, OK 73127

RE: Drilling Pit Application

Marion Lease Well No. 11-11 SW/4 Sec. 11-35S-16W Comanche County, Kansas

Dear Mr. Thrower:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.

If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

Department of Environmental Protection and Remediation

cc: File