# KANSAS CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION**

Form C-1 December 2002

COLO ET U MALL ITOLICE OF IN	ITENT TO DRILL Form must be Type Form must be sign
SCATTIVES ININO	(5) days prior to commencing well  All blanks must be Fil
Expected Spud Date01/07/07	Spot:
month day year	<u>NW - NW - NE</u> Sec. <u>22</u> Twp. <u>30S</u> R. <u>32</u> ⊠w
OPERATOR: License#5447	feet from N / S Line of Sect
OW/ HOA III	feet from E / W Line of Sect
lame: OXY USA Inc.	Is SECTION X Regular Irregular
ddress: P.O. Box 2528	
Contact Person: Vicki Carder	(Note: Locate well on the Section Plat on reverse side)
Phone: (620) 629-4242	County:         Haskell           Lease Name:         Cook C         Well #:         1
/	Field Name: unknown
ONTRACTOR: License # 30606	
lame: Murfin Drilling Inc.	Is this a Prorated / Spaced Field?
<del></del>	Target Formation(s): St. Louis
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit Boundary: 330
well Diffied For. Well Glass. Type Equipment.	Ground Surface Elevation: 2870 feet M
☐Oil ☐Enh Rec ☐Infield ☑Mud Rotary ✔	Water well within one-quarter mile
Gas Storage ⊠Pool Ext ☐ Air Rotary	
2009 Dichage Micolify Dan Kolaly	Public water supply well within one mile:
OWWO Disposal Wildcat Cable	
Лотт — # «Ш.» — Пон	Depth to bottom of fresh water: 500
Seismic:# of Holes Other	Depth to bottom of usable water: 5%
Other	
	Surface Pipe by Alternate: 🔀 1 🔲 2
OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 1750
Operator:	Length of Conductor Pipe Required:
Well Name:	Projected Total Depth: 5800
Original Completion Date: Original Total Depth:	Formation at Total Depth: St. Louis
	Water Source for Drilling Operations:
irectional, Deviated or Horizontal wellbore?	☑ Weli ☐ Farm Pond Other
Yes, true vertical depth	DWR Permit #
ottom Hole Location	(Note: Apply for Permit with DWR 🔀)
CC DKT #:	Will Cores be Taken ?
PROPATED & SPACED HULDTON	If Yes, Proposed zone:
AFFIC	DAVIT
he undersigned hereby affirms that the drilling, completion and eventual plugging of is agreed that the following minimum requirements will be met:	r this well will comply with K.S.A. 55-101, et. 5eq.
· ·	
<ol> <li>Notify the appropriate district office prior to spudding of well:</li> </ol>	
<ol> <li>Notify the appropriate district office prior to spudding of well;</li> <li>A copy of the approved notice of intent to drill shall be posted on each dr</li> </ol>	
<ol> <li>A copy of the approved notice of intent to drill shall be posted on each dr</li> <li>The minimum amount of surface pipe as specified below shall be set by</li> </ol>	circulating cement to the top; in all cases surface pipe shall be set through all
<ol> <li>A copy of the approved notice of intent to drill shall be posted on each dr</li> <li>The minimum amount of surface pipe as specified below shall be set by uncosolidated materials plus a minimum of 20 feet into the underlying for</li> </ol>	circulating cement to the top; in all cases surface pipe <b>shall be set</b> through all reation.
<ol> <li>A copy of the approved notice of intent to drill shall be posted on each dr</li> <li>The minimum amount of surface pipe as specified below shall be set by uncosolidated materials plus a minimum of 20 feet into the underlying for lf the well is dry hole, an agreement between the operator and the district</li> <li>The appropriate district office will be notified before well is either plugged</li> </ol>	circulating cement to the top; in all cases surface pipe <b>shall be set</b> through all mation. It office on plug length and placement is necessary <b>prior to plugging</b> ; If or production casing is cemented in:
<ol> <li>A copy of the approved notice of intent to drill shall be posted on each dr</li> <li>The minimum amount of surface pipe as specified below shall be set by uncosolidated materials plus a minimum of 20 feet into the underlying for</li> <li>If the well is dry hole, an agreement between the operator and the district</li> <li>The appropriate district office will be notified before well is either plugged if an ALTERNATE II COMPLETION, production pipe shall be cemented from the complete of the complete</li></ol>	circulating cement to the top; in all cases surface pipe shall be set through all mation. It office on plug length and placement is necessary prior to plugging; If or production casing is cemented in; If or production was usable water to surface within 120 days of spud date. Or pursuant to
<ol> <li>A copy of the approved notice of intent to drill shall be posted on each dr</li> <li>The minimum amount of surface pipe as specified below shall be set by uncosolidated materials plus a minimum of 20 feet into the underlying for lf the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugged if an ALTERNATE II COMPLETION, production pipe shall be cemented from the complete of the compl</li></ol>	circulating cement to the top; in all cases surface pipe shall be set through all mation. It office on plug length and placement is necessary prior to plugging; If or production casing is cemented in; If or production with the company usable water to surface within 120 days of spud date. Or pursuant to applies to the KCC District 3 area, alternate II cementing must be completed within 30
<ol> <li>A copy of the approved notice of intent to drill shall be posted on each dr</li> <li>The minimum amount of surface pipe as specified below shall be set by uncosolidated materials plus a minimum of 20 feet into the underlying for lf the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugged if an ALTERNATE II COMPLETION, production pipe shall be cemented for Appendix "B" – Eastern Kansas surface casing order #133,891-C, which days of the spud date or the well shall be plugged. In all cases, NOTIFY</li> </ol>	circulating cement to the top; in all cases surface pipe shall be set through all mation. It office on plug length and placement is necessary prior to plugging; or production casing is cemented in; from below any usable water to surface within 120 days of spud date. Or pursuant to applies to the KCC District 3 area, alternate II cementing must be completed within 30 of district office prior to any cementing.
<ol> <li>A copy of the approved notice of intent to drill shall be posted on each dr</li> <li>The minimum amount of surface pipe as specified below shall be set by uncosolidated materials plus a minimum of 20 feet into the underlying for lif the well is dry hole, an agreement between the operator and the district</li> <li>The appropriate district office will be notified before well is either plugged</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented for Appendix "B" – Eastern Kansas surface casing order #133,891-C, which is days of the spud date or the well shall be plugged. In all cases, NOTIFY thereby certify that the statements made herein are true and to the best of my known.</li> </ol>	circulating cement to the top; in all cases surface pipe shall be set through all mation. It office on plug length and placement is necessary prior to plugging; or production casing is cemented in; from below any usable water to surface within 120 days of spud date. Or pursuant to applies to the KCC District 3 area, alternate II cementing must be completed within 30 of district office prior to any cementing.
<ol> <li>A copy of the approved notice of intent to drill shall be posted on each dr</li> <li>The minimum amount of surface pipe as specified below shall be set by uncosolidated materials plus a minimum of 20 feet into the underlying for lf the well is dry hole, an agreement between the operator and the district</li> <li>The appropriate district office will be notified before well is either plugged</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented for Appendix "B" – Eastern Kansas surface casing order #133,891-C, which days of the spud date or the well shall be plugged. In all cases, NOTIFY nereby certify that the statements made herein are true and to the best of my known</li> </ol>	circulating cement to the top; in all cases surface pipe shall be set through all rmation.  It office on plug length and placement is necessary prior to plugging; If or production casing is cemented in; If or production casing is cemented in; If or phelow any usable water to surface within 120 days of spud date. Or pursuant to applies to the KCC District 3 area, alternate II cementing must be completed within 30 or district office prior to any cementing.  It district office and belief.  Title: Capital Project
A copy of the approved notice of intent to drill shall be posted on each dr     The minimum amount of surface pipe as specified below shall be set by uncosolidated materials plus a minimum of 20 feet into the underlying for lift the well is dry hole, an agreement between the operator and the district.     The appropriate district office will be notified before well is either plugged if an ALTERNATE II COMPLETION, production pipe shall be cemented for Appendix "B" – Eastern Kansas surface casing order #133,891-C, which days of the spud date or the well shall be plugged. In all cases, NOTIFY nereby certify that the statements made herein are true and to the best of my knowled.  O1/05/07 Signature of Operator or Agent:	circulating cement to the top; in all cases surface pipe shall be set through all mation. It office on plug length and placement is necessary prior to plugging; If or production casing is cemented in; If orm below any usable water to surface within 120 days of spud date. Or pursuant to applies to the KCC District 3 area, alternate II cementing must be completed within 30 or district office prior to any cementing.  Tedge and belief.
2. A copy of the approved notice of intent to drill shall be posted on each dr  3. The minimum amount of surface pipe as specified below shall be set by uncosolidated materials plus a minimum of 20 feet into the underlying for lif the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for Appendix "B" – Eastern Kansas surface casing order #133,891-C, which days of the spud date or the well shall be plugged. In all cases, NOTIFY hereby certify that the statements made herein are true and to the best of my known ate:  01/05/07 Signature of Operator or Agent:	circulating cement to the top; in all cases surface pipe shall be set through all rmation.  It office on plug length and placement is necessary prior to plugging; If or production casing is cemented in; If or production casing is cemented in; If or phelow any usable water to surface within 120 days of spud date. Or pursuant to applies to the KCC District 3 area, alternate II cementing must be completed within 30 or district office prior to any cementing.  It is capital Project  Remember to:
2. A copy of the approved notice of intent to drill shall be posted on each dr  3. The minimum amount of surface pipe as specified below shall be set by uncosolidated materials plus a minimum of 20 feet into the underlying for lift the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugged.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for Appendix "B" – Eastern Kansas surface casing order #133,891-C, which days of the spud date or the well shall be plugged. In all cases, NOTIFY nereby certify that the statements made herein are true and to the best of my known ate:  01/05/07 Signature of Operator or Agent:  08/-2/1698-0000	circulating cement to the top; in all cases surface pipe shall be set through all rmation.  It office on plug length and placement is necessary prior to plugging; if or production casing is cemented in; from below any usable water to surface within 120 days of spud date. Or pursuant to applies to the KCC District 3 area, alternate II cementing must be completed within 30 or district office prior to any cementing.  It is capital Project  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;
2. A copy of the approved notice of intent to drill shall be posted on each dr 3. The minimum amount of surface pipe as specified below shall be set by uncosolidated materials plus a minimum of 20 feet into the underlying for if the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugged.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented if Appendix "B" – Eastern Kansas surface casing order #133,891-C, which days of the spud date or the well shall be plugged. In all cases, NOTIFY nereby certify that the statements made herein are true and to the best of my known ate:  01/05/07 Signature of Operator or Agent:  01/05/07 Signature of Operator or Agent:  01/05/07 Figure 15- OSI - 2/1698-0000 feet	circulating cement to the top; in all cases surface pipe shall be set through all mation.  It office on plug length and placement is necessary prior to plugging; of or production casing is cemented in; from below any usable water to surface within 120 days of spud date. Or pursuant to applies to the KCC District 3 area, alternate II cementing must be completed within 30 or district office prior to any cementing.  Title: Capital Project  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acerage attribution plat according to field proation orders;  Notify appropriate district office 48 hours prior to workover or re-entry;
2. A copy of the approved notice of intent to drill shall be posted on each dr 3. The minimum amount of surface pipe as specified below shall be set by uncosolidated materials plus a minimum of 20 feet into the underlying for if the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged if an ALTERNATE II COMPLETION, production pipe shall be cemented if Appendix "B" – Eastern Kansas surface casing order #133,891-C, which days of the spud date or the well shall be plugged. In all cases, NOTIFY nereby certify that the statements made herein are true and to the best of my known ate:  01/05/07 Signature of Operator or Agent:  OF KCC Use ONLY  PI # 15 - OSI — 2/1698 — OVO  onductor pipe required	circulating cement to the top; in all cases surface pipe shall be set through all mation.  It office on plug length and placement is necessary prior to plugging; or production casing is cemented in; from below any usable water to surface within 120 days of spud date. Or pursuant to applies to the KCC District 3 area, alternate II cementing must be completed within 30 or district office prior to any cementing.  It is capital Project  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acerage attribution plat according to field proation orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;
2. A copy of the approved notice of intent to drill shall be posted on each dr  3. The minimum amount of surface pipe as specified below shall be set by uncosolidated materials plus a minimum of 20 feet into the underlying for if the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged if an ALTERNATE II COMPLETION, production pipe shall be cemented for Appendix "B" – Eastern Kansas surface casing order #133,891-C, which is days of the spud date or the well shall be plugged. In all cases, NOTIFY nereby certify that the statements made herein are true and to the best of my known ate:  O1/05/07 Signature of Operator or Agent:  ON CUSE ONLY  PI # 15 - OSI — 2/098-0000  onductor pipe required feet inimum Surface pipe required feet per Alt.  Opproved by: PUH 1-8-07	circulating cement to the top; in all cases surface pipe shall be set through all mation.  It office on plug length and placement is necessary prior to plugging; or production casing is cemented in; from below any usable water to surface within 120 days of spud date. Or pursuant to applies to the KCC District 3 area, alternate II cementing must be completed within 30 or district office prior to any cementing.  It is capital Project  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acerage attribution plat according to field proation orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.
2. A copy of the approved notice of intent to drill shall be posted on each dr 3. The minimum amount of surface pipe as specified below shall be set by uncosolidated materials plus a minimum of 20 feet into the underlying for If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugged.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented if Appendix "B" – Eastern Kansas surface casing order #133,891-C, which days of the spud date or the well shall be plugged. In all cases, NOTIFY nereby certify that the statements made herein are true and to the best of my known ate:  O1/05/07 Signature of Operator or Agent:  O1/05/07 Signature of Operator or Agent:  ON KCC Use ONLY  PI# 15 - OSI - 2/698-0000  onductor pipe required feet linimum Surface pipe required feet provided by: Put I -	circulating cement to the top; in all cases surface pipe shall be set through all mation.  It office on plug length and placement is necessary prior to plugging; If or production casing is cemented in; If orm below any usable water to surface within 120 days of spud date. Or pursuant to applies to the KCC District 3 area, alternate II cementing must be completed within 30 or district office prior to any cementing.  Italian Title: Capital Project  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acerage attribution plat according to field proation orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (see: authorized expiration date) please check the box below and return to the address below.
2. A copy of the approved notice of intent to drill shall be posted on each dr 3. The minimum amount of surface pipe as specified below shall be set by uncosolidated materials plus a minimum of 20 feet into the underlying for If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugged.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented if Appendix "B" – Eastern Kansas surface casing order #133,891-C, which days of the spud date or the well shall be plugged. In all cases, NOTIFY nereby certify that the statements made herein are true and to the best of my known ate:  O1/05/07 Signature of Operator or Agent:  O1/05/07 Signature of Operator or Agent:  ON KCC Use ONLY  PI# 15 - OSI - 2/698-0000  onductor pipe required feet linimum Surface pipe required feet provided by: Put I -	circulating cement to the top; in all cases surface pipe shall be set through all mation.  It office on plug length and placement is necessary prior to plugging; of or production casing is cemented in; from below any usable water to surface within 120 days of spud date. Or pursuant to applies to the KCC District 3 area, alternate II cementing must be completed within 30 or district office prior to any cementing.  It is capital Project  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acerage attribution plat according to field proation orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (see: authorized expiration date) please check the box below and return to the address below.
2. A copy of the approved notice of intent to drill shall be posted on each dr 3. The minimum amount of surface pipe as specified below shall be set by uncosolidated materials plus a minimum of 20 feet into the underlying for if the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugged.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented if Appendix "B" – Eastern Kansas surface casing order #133,891-C, which days of the spud date or the well shall be plugged. In all cases, NOTIFY thereby certify that the statements made herein are true and to the best of my known ate:  01/05/07 Signature of Operator or Agent:  OF KCC Use ONLY  PI # 15 - OSI - 2/698-0000  onductor pipe required feet per Alt. 1)  feet proved by: Put 1-207  this authorization expires: 7-8-07  This authorization void if drilling not started within 6 months of effective date.)	circulating cement to the top; in all cases surface pipe shall be set through all mation.  It office on plug length and placement is necessary prior to plugging; If or production casing is cemented in; If orm below any usable water to surface within 120 days of spud date. Or pursuant to applies to the KCC District 3 area, alternate II cementing must be completed within 30 or district office prior to any cementing.  Italian the complete of the complete or to any cementing.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acerage attribution plat according to field proation orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (see: authorized expiration date) please check the box below and return to the address below.
2. A copy of the approved notice of intent to drill shall be posted on each dr 3. The minimum amount of surface pipe as specified below shall be set by uncosolidated materials plus a minimum of 20 feet into the underlying for If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented if Appendix "B" – Eastern Kansas surface casing order #133,891-C, which days of the spud date or the well shall be plugged. In all cases, NOTIFY thereby certify that the statements made herein are true and to the best of my known thate:  O1/05/07 Signature of Operator or Agent:  OF KCC Use ONLY  PI # 15	circulating cement to the top; in all cases surface pipe shall be set through all mation.  It office on plug length and placement is necessary prior to plugging; of or production casing is cemented in; from below any usable water to surface within 120 days of spud date. Or pursuant to applies to the KCC District 3 area, alternate II cementing must be completed within 30 or district office prior to any cementing.  It is capital Project  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acerage attribution plat according to field proation orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (see: authorized expiration date) please check the box below and return to the address below.

#### Side Two

## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundries of the proposed acreage attribution unit for gas wells and within ½ mile of the boundries of the proposed acreage attribution unit for oil wells.


API No. 15 - 081-21698-0000	Location of Well: County		
Operator:	feet from N / S Line of Sec		
Lease:	feet from E / W Line of Sec		
Well Number:	SecTwpRR.	Vest	
Field:	Is Section Regular or Irregular		
Number of Acres attributable to well:	IF Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW		

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

•		<b>☆</b>
	· · · · · · · · · · · · · · · · · · ·	Cook C-1 330 FNL, 2310 FEL 22-30S-32W Haskell County
• • • • • • •	· · · · · · · · · · · · · · · · · · ·	
•		22
•	• •	
	•	
	· · · · · · · · · · · · · · · · · · ·	
		• •



Note: In all cases locate the spot of the proposed drilling location.

## In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the sections south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (CO-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

## Submit in Duplicate

Operator Name: OXY USA Inc.		License Number: 5447			
Operator Address: P. O. Box 2528, Liberal, KS 67901					
Contact Person: Wes Willimon		Phone Number: ( 620 ) 629 - 4200			
Lease Name & Well No.: Cook C-1		Pit Location (QQQQ):			
Type of Pit:	Pit is:				
Emergency Pit Burn Pit	✓ Proposed ☐ Existing		Sec. 22 Twp. 30S R. 32 East 🗸 West		
Settling Pit	If Existing, date constructed:		330 Feet from 🗸 North / 🗌 South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		2310 Feet from 🗸 East / West Line of Section		
(If WP Supply API No. or Year Drilled)		(bbls)	Haskell County		
Is the pit located in a Sensitive Ground Water Area? ☐ Yes ✓ No		Chloride concentration: mg/l			
	1 :		(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?  √ Yes  No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?		
			Bentonite & Cuttings		
Pit dimensions (all but working pits):					
Depth fr	om ground level to de	eepest point: 4	(feet)		
I will but to mitou ditto a mitot and all all all and all all all and all all all all all all all all all al		edures for periodic maintenance and determining			
material, trickless and installation procedure	•	milet integrity, ii	iolading any operation memoring.		
		west fresh water 204 feet.			
Distance to nearest water well within one-mile of pit Dep Sou		Source of infor	Depth to shallowest fresh waterfeet. Source of information:		
<u>। ५९२                                    </u>	<u>425</u> feet	measu	measuredwell owner electric logKDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation: Type		Type of materia	Type of material utilized in drilling/workover: Fresh Water Mud		
Trained or producting trained and the second			er of working pits to be utilized:		
Barrels of fluid produced daily: Abandonm		Abandonment	pandonment procedure: Evaporation and Backfill		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill p		Drill pits must	Drill pits must be closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
			RECEIVED		
01/05/07		<u>''</u>	CC COMMISSION		
Date		S	ignature of Applicant or Agent		
KCC OFFICE USE ONLY CONSERVATION DIVISION WICHTIA, KS					
Date Received: 1/8/07 Permit Num	ber:	Perm	, , , , , , , , , , , , , , , , , , ,		