For KCC Use:	1-13-07
Effective Date:	7-13-07
District #	
0040 Disc.	IVI Na

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed
Form must be Signed
All blanks must be Filled

expected Spud Date January 13, 2007 month day year	Spot ApNW NENW SE Sec. 13 Two. 20 S. R. 20	East
/	Sec. Iwp. S. H. 2475 feet from N / S Line of Sect	West
OPERATOR: License# 03113	1900 feet from \checkmark E / W Line of Sect	
iome: Crinstian L. Martin Oba Martin Oil Properties	Is SECTION ✓ RegularIrregular?	Ų11
ddress: 6421 Avondale Drive, Suite 212	•	
City/State/Zip: Oklahoma City, OK 73116	(Note: Locate well on the Section Plat on reverse side)	
Contact Person, Chris Martin	County: Anderson Lease Name: East Hastert	
Phone: (405) 810-0900	Lease Name: East HastertWell #: 17-E Field Name: Garnett Shoestring	
CONTRACTOR: License# 8509		
lame: Evans Energy Development, Inc.		√No
idilie.	Target Formation(s): Bartlesville 165	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 165'	et MSL
✓ Oil Enh Rec ✓ Infield Mud Rotary		V No
Gas Storage Pool Ext. Air Rotary		✓ No
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 50'	▼]140
Seismic;# of Holes Other	Depth to bottom of tresh water: 128 128	
Other		
	Surface Pipe by Alternate: 1 2 2 2 Length of Surface Pipe Planned to be set: 20'	
f OWWO: old well information as follows:	Length of Conductor Pipe required: none	
Operator:	Projected Total Depth: 900'	
Well Name:	Formation at Total Depth: Bartlesville	
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well Farm Pond Other X	
Yes true vertical depth:	DWR Permit #-	
Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR)	✓No
	(Note: Apply for Permit with DWR) Will Cores be taken? Yes	√No
Sottom Hole Location:	(Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone:	√No
AFF The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met:	(Note: Apply for Permit with DWR) Will Cores be taken? Yes If Yes, proposed zone:	No
AFF The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the first the well is dry hole, an agreement between the operator and the complete of the surface pipe is either plugible. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall.	(Note: Apply for Permit with DWR) Will Cores be taken? Yes If Yes, proposed zone: IDAVIT Illugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; If by circulating cement to the top; in all cases surface pipe shall be somether to the sunderlying formation. Idistrict office on plug length and placement is necessary prior to plugging good or production casing is cemented in; Ited from below any usable water to surface within 120 days of spud days at 133,891-C, which applies to the KCC District 3 area, alternate II center to be plugged. In all cases, NOTIFY district office prior to any cementic	et ging; ate. penting
AFF The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the fifth that the well is dry hole, an agreement between the operator and the fifth appropriate district office will be notified before well is either plugible. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order	(Note: Apply for Permit with DWR) Will Cores be taken?	et ging; ate. penting
AFF The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the first the well is dry hole, an agreement between the operator and the complete of the surface pipe is either plugible. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall.	(Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; In the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging of production casing is cemented in; Ited from below any usable water to surface within 120 days of spud days and the plugged. In all cases, NOTIFY district office prior to any cementing my knowledge and belief.	et ging; nte. nenting
AFF The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into to. 4. If the well is dry hole, an agreement between the operator and the construction of the surface pipe as specified before well is either plugible. 5. The appropriate district office will be notified before well is either plugible. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the statements made herein are true and to the statements are true and to the statements made herein are true and to the statements	(Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; In the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging of production casing is cemented in; Ited from below any usable water to surface within 120 days of spud days and the plugged. In all cases, NOTIFY district office prior to any cementing my knowledge and belief.	et ging; ate. penting
AFF The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the surface will be notified before well is either plugible. The appropriate district office will be notified before well is either plugible. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the complete states. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 2003 - 24/388-0000	(Note: Apply for Permit with DWR) Will Cores be taken?	et ging; ate. aentin
AFF The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the statements district office will be notified before well is either plus for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the part of the spud shall be surface. For KCC Use ONLY API # 15 - OO3 - 24/388 - OOO Conductor pipe required feet per Alt. X (2)	(Note: Apply for Permit with DWR) Will Cores be taken?	et interest in the second of t
AFF The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be surfaced through all unconsolidated materials plus a minimum of 20 feet into the second strict office will be notified before well is either plus for appropriate district office will be notified before well is either plus for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the control of the spud shall be surfaced. Signature of Operator or Agent: For KCC Use ONLY API # 15 - OO3 - 24/388 - OOO Conductor pipe required	(Note: Apply for Permit with DWR) Will Cores be taken?	ef aing; tete. nenting
AFF The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be supported to the surface pipe as specified below shall be supported to the surface pipe as specified below shall be supported to the surface pipe as specified below shall be supported to the surface pipe as specified below shall be supported to the surface pipe as specified below shall be supported to the surface pipe as specified below shall be supported to the supported to the supported to the supported pipe shall be comentally be notified before well is either plug. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cementally be completed within 30 days of the spud date or the well shall be reby certify that the statements made herein are true and to the best of the supported best of	Will Cores be taken? If Yes, proposed zone: IDAVIT Ilugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; In the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging goed or production casing is cemented in; Ited from below any usable water to surface within 120 days of spud date; If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	et interpretation in the state of the state
AFF The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be supposed that the unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below shall be supposed to the surface pipe as specified below shall be supposed to the unconsolidated materials plus a minimum of 20 feet into the supposed to	(Note: Apply for Permit with DWR) Will Cores be taken?	et interest in the second of t

KANSAS CORPORATION COMMISSION JAN 08 2007

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 003-24388-000	Location of Well: County: Anderson
Operator: Christian L. Martin dba Martin Oil Properties	2475 feet fromN / ✓ S Line of Section
Lease: East Hastert	1900 feet from 🗸 E / 🗌 W Line of Section
Well Number: 17-E	Sec. 13 Twp. 20 S. R. 20 Fast West
Field: Garnett Shoestring	
Number of Acres attributable to well:	Is Section: ✓ Regular or ☐ Irregular
QTR / QTR / QTR of acreage: ApNW NENW SE	If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

r				
			•	
	•			
			-	
		•	•	
		•	·	
		*		
i				
		•	· ·	
				· · · · · · ·
1	•			
	· · ·]	
		•	•	
			:	
		-		
1	•	- '		· ·
[
		· · · · · · · · · · · · · · · · · · ·		
		· · · · · · · · · · · · · · · · · · ·		
		· · · · · · · · · · · · · · · · · · ·		
		· · · · · · · · · · · · · · · · · · ·		



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Christian L. Martin dba Martin Oil Properties			License Number: 03113		
Operator Address: 6421 Avondale Drive, Suite 2112, Oklahoma City, OK 73116					
Contact Person: Chris Martin			Phone Number: (405) 810 - 0900		
Lease Name & Well No.: East Hastert 17-E			Pit Location (QQQQ):		
Type of Pit:	Pit is:		ApNW _ NE _ NW _ SE		
Emergency Pit Burn Pit	✓ Proposed Existing		Sec. 13 Twp. 20 R. 20 ✓ East West		
Settling Pit Drilling Pit	If Existing, date constructed:		2475 Feet from North / V South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		1900 Feet from ✓ East / West Line of Section		
(If WP Supply API No. or Year Drilled)	120	(bbis)	Anderson		
Is the pit located in a Sensitive Ground Water	Area? Yes ✓	No	Chloride concentration:mg/l		
•	,		(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?	 .	How is the pit lined if a plastic liner is not used?		
✓ Yes	Yes ✓	N0	native clay		
Pit dimensions (all but working pits):1	0 Length (fe	eet)10	Width (feet) N/A: Steel Pits		
Depth fr	om ground level to de	epest point: 5	(feet)		
If the pit is lined give a brief description of the	liner	Describe proce	edures for periodic maintenance and determining		
material, thickness and installation procedure		liner integrity, in	ncluding any special monitoring.		
Distance to nearest water well within one-mile	e of pit	Depth to shallo	west fresh waterfeet.		
.1	_	Source of infor			
feet Depth of water wellfeet			redwell owner electric logKDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover: drilling mud			
			Number of working pits to be utilized: 1		
Barrels of fluid produced daily:		Abandonment procedure: air dry and backfill			
Does the slope from the tank battery allow all spilled fluids to		Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
January 8, 2007 (Nanna Thanda					
Date	1/5/	S	ignature of Applicant or Agent		
KCC OFFICE USE ONLY					
Date Received: (s o7 Permit Num	ber:	Perm	it Date: Yes No		

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 672CEIVED KANSAS CORPORATION COMMISSION

JAN 08 2007