For KCC Use: /- 13-0-7	
Effective Date:	
District #	
COAR TOWN PING	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

	Spot 🗸 East
Expected Spud Date January 13, 2007 month day	rear ApNW SENW SE Sec. 13 Twp. 20 S. R. 20 West
03113	1775feet from N / ✓ S Line of Section
OPERATOR: License# 03113 Name: Christian L. Martin dba Martin Oil Properties	1900feet from VE / W Line of Section
Name: Christian L. Martin dua Martin Christoperides Address: 6421 Avondale Drive, Suite 212	Is SECTION ✓ RegularIrregular?
Oklahoma City OK 73116	(Note: Locate well on the Section Plat on reverse side)
JITV/State/ZIP:	County: Anderson
Contact Person: Chris Martin Phone: (405) 810-0900	Lease Name: East Hastert Well #: 19-E
Phone: (450) 5 15 5555	Field Name: Garnett Shoestring
CONTRACTOR: License# 8509	Is this a Prorated / Spaced Field?
Name: Evans Energy Development, Inc.	Target Formation(s): Bartlesville
,	Nearest Lease or unit boundary: 740'
Well Drilled For: Well Class: Type Equip	nent: Ground Surface Elevation: n/a feet MSL
✓ Oil ✓ Enh Rec ✓ Infield ✓ Mud Re	
Gas Storage Pool Ext. 🗸 Air Rota	
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 50°
Seismic; # of Holes Other	Depth to bottom of usable water 186 /25
Other	Surface Pipe by Alternate: 1 2
	Length of Surface Pipe Planned to be set: 20'
If OWWO: old well information as follows:	Length of Conductor Pipe required: none
Operator:	Projected Total Depth:
Well Name:	Bartlesville
Original Completion Date: Original Total Depth	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Yes ✓ No Well Farm Pond Other X
If Yes, true vertical depth:	
Bottom Hole Location:	
KCC DKT #:	
	If Yes, proposed zone:
	AFFIDAVIT
	and eventual plugging of this well will comply with K.S.A. 55 et. seq.
	and eventual plugging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be r 1. Notify the appropriate district office prior to spudding	and eventual plugging of this well will comply with K.S.A. 55 et. seq. net: of well;
It is agreed that the following minimum requirements will be r 1. Notify the appropriate district office prior to spudding a 2. A copy of the approved notice of intent to drill shall be	and eventual plugging of this well will comply with K.S.A. 55 et. seq. net: of well; posted on each drilling rig;
It is agreed that the following minimum requirements will be r 1. Notify the appropriate district office prior to spudding a 2. A copy of the approved notice of intent to drill shall be 3. The minimum amount of surface pipe as specified belonger.	and eventual plugging of this well will comply with K.S.A. 55 et. seq. of well; posted on each drilling rig; ow shall be set by circulating cement to the top; in all cases surface pipe shall be set
It is agreed that the following minimum requirements will be r 1. Notify the appropriate district office <i>prior</i> to spudding a 2. A copy of the approved notice of intent to drill <i>shall be</i> 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of	and eventual plugging of this well will comply with K.S.A. 55 et. seq. net: of well; posted on each drilling rig; ow shall be set by circulating cement to the top; in all cases surface pipe shall be set f 20 feet into the underlying formation.
It is agreed that the following minimum requirements will be r 1. Notify the appropriate district office <i>prior</i> to spudding a 2. A copy of the approved notice of intent to drill <i>shall be</i> 3. The minimum amount of surface pipe as specified betoe through all unconsolidated materials plus a minimum of the first the well is dry hole, an agreement between the operations.	and eventual plugging of this well will comply with K.S.A. 55 et. seq. net: of well; posted on each drilling rig; ow shall be set by circulating cement to the top; in all cases surface pipe shall be set if 20 feet into the underlying formation. rator and the district office on plug length and placement is necessary prior to plugging;
It is agreed that the following minimum requirements will be r 1. Notify the appropriate district office <i>prior</i> to spudding a 2. A copy of the approved notice of intent to drill <i>shall be</i> 3. The minimum amount of surface pipe as specified better through all unconsolidated materials plus a minimum of the well is dry hole, an agreement between the open to the appropriate district office will be notified before we	and eventual plugging of this well will comply with K.S.A. 55 et. seq. net: of well; posted on each drilling rig; ow shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. retor and the district office on plug length and placement is necessary prior to plugging; It is either plugged or production casing is cemented in;
It is agreed that the following minimum requirements will be r 1. Notify the appropriate district office <i>prior</i> to spudding a 2. A copy of the approved notice of intent to drill <i>shall be</i> 3. The minimum amount of surface pipe as specified beto through all unconsolidated materials plus a minimum of all the well is dry hole, an agreement between the oper of the appropriate district office will be notified before we of an ALTERNATE II COMPLETION, production pipe significant of the production of pursuant to Appendix "B" - Eastern Kansas surface	and eventual plugging of this well will comply with K.S.A. 55 et. seq. net: of well; posted on each drilling rig; ow shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. rator and the district office on plug length and placement is necessary prior to plugging; Il is either plugged or production casing is cemented in; nall be cemented from below any usable water to surface within 120 days of spud date. the casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
It is agreed that the following minimum requirements will be r 1. Notify the appropriate district office <i>prior</i> to spudding a 2. A copy of the approved notice of intent to drill <i>shall be</i> 3. The minimum amount of surface pipe as specified betoe through all unconsolidated materials plus a minimum of a lift the well is dry hole, an agreement between the oper to the appropriate district office will be notified before we for an ALTERNATE II COMPLETION, production pipe significant of appendix "B" - Eastern Kansas surface	and eventual plugging of this well will comply with K.S.A. 55 et. seq. net: of well; posted on each drilling rig; ow shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. retor and the district office on plug length and placement is necessary prior to plugging; It is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 days of spud date.
It is agreed that the following minimum requirements will be r 1. Notify the appropriate district office <i>prior</i> to spudding a 2. A copy of the approved notice of intent to drill <i>shall be</i> 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of a lift the well is dry hole, an agreement between the operation of the appropriate district office will be notified before we consider the surface of the specified before we consider the appropriate district office will be notified before we consider the specified before we consider the specified within 30 days of the spud date or	and eventual plugging of this well will comply with K.S.A. 55 et. seq. net: of well; posted on each drilling rig; ow shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. rator and the district office on plug length and placement is necessary prior to plugging; It is either plugged or production casing is cemented in; nall be cemented from below any usable water to surface within 120 days of spud date. a casing order #133,891-C, which applies to the KCC District 3 area, alternate It cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.
It is agreed that the following minimum requirements will be r 1. Notify the appropriate district office <i>prior</i> to spudding a 2. A copy of the approved notice of intent to drill <i>shall be</i> 3. The minimum amount of surface pipe as specified beto through all unconsolidated materials plus a minimum of a lift the well is dry hole, an agreement between the oper 5. The appropriate district office will be notified before we for pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or inhereby certify that the statements made herein are true and	and eventual plugging of this well will comply with K.S.A. 55 et. seq. net: of well; posted on each drilling rig; ow shall be set by circulating cement to the top; in all cases surface pipe shall be set f 20 feet into the underlying formation. rator and the district office on plug length and placement is necessary prior to plugging; fill is either plugged or production casing is cemented in; nall be cemented from below any usable water to surface within 120 days of spud date. e casing order #133,891-C, which applies to the KCC District 3 area, alternate if cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.
It is agreed that the following minimum requirements will be r 1. Notify the appropriate district office <i>prior</i> to spudding a 2. A copy of the approved notice of intent to drill <i>shall be</i> 3. The minimum amount of surface pipe as specified betoe through all unconsolidated materials plus a minimum of a lift the well is dry hole, an agreement between the oper of the appropriate district office will be notified before we of an ALTERNATE II COMPLETION, production pipe is or pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or linearly certify that the statements made herein are true and	and eventual plugging of this well will comply with K.S.A. 55 et. seq. net: of well; posted on each drilling rig; ow shall be set by circulating cement to the top; in all cases surface pipe shall be set if 20 feet into the underlying formation. rator and the district office on plug length and placement is necessary prior to plugging; fill is either plugged or production casing is cemented in; nall be cemented from below any usable water to surface within 120 days of spud date. e casing order #133,891-C, which applies to the KCC District 3 area, alternate it cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.
It is agreed that the following minimum requirements will be r 1. Notify the appropriate district office <i>prior</i> to spudding a 2. A copy of the approved notice of intent to drill <i>shall be</i> 3. The minimum amount of surface pipe as specified beto through all unconsolidated materials plus a minimum of a lift the well is dry hole, an agreement between the oper 5. The appropriate district office will be notified before we for pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or inhereby certify that the statements made herein are true and	and eventual plugging of this well will comply with K.S.A. 55 et. seq. net: of well; posted on each drilling rig; ow shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. rator and the district office on plug length and placement is necessary prior to plugging; il is either plugged or production casing is cemented in; nall be cemented from below any usable water to surface within 120 days of spud date. e casing order #133,891-C, which applies to the KCC District 3 area, alternate It cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. If to the best of my knowledge and belief. Title: Agent
It is agreed that the following minimum requirements will be r 1. Notify the appropriate district office <i>prior</i> to spudding a 2. A copy of the approved notice of intent to drill <i>shall be</i> 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of an experiment between the oper 5. The appropriate district office will be notified before were found to appropriate district office will be notified before were for an ALTERNATE II COMPLETION, production pipe is or pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or inhereby certify that the statements made herein are true and Date: Date: January 8, 2007 Signature of Operator or Agent	and eventual plugging of this well will comply with K.S.A. 55 et. seq. net: of well; posted on each drilling rig; posted on each drilling rig; posted on each drilling rig; for 20 feet into the underlying formation. retor and the district office on plug length and placement is necessary prior to plugging; il is either plugged or production casing is cemented in; nall be cemented from below any usable water to surface within 120 days of spud date. e casing order #133,891-C, which applies to the KCC District 3 area, alternate it cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. It to the best of my knowledge and belief. Remember to:
It is agreed that the following minimum requirements will be r 1. Notify the appropriate district office <i>prior</i> to spudding c 2. A copy of the approved notice of intent to drill <i>shall be</i> 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of consolidated materials plus a minimum of lifth the well is dry hole, an agreement between the operation of the surface of	and eventual plugging of this well will comply with K.S.A. 55 et. seq. net: of well; posted on each drilling rig; ow shall be set by circulating cement to the top; in all cases surface pipe shall be set f 20 feet into the underlying formation. rator and the district office on plug length and placement is necessary prior to plugging; fill is either plugged or production casing is cemented in; nall be cemented from below any usable water to surface within 120 days of spud date. e casing order #133,891-C, which applies to the KCC District 3 area, alternate it cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. It to the best of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
It is agreed that the following minimum requirements will be r 1. Notify the appropriate district office <i>prior</i> to spudding of the approved notice of intent to drill <i>shall be</i> of the approved notice of intent to drill <i>shall be</i> of the minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of the well is dry hole, an agreement between the oper of the appropriate district office will be notified before were of the appropriate district office will be notified before were of the appropriate district office will be notified before were of the appropriate district office will be notified before were of the appropriate district office will be notified before were of the appropriate district office will be notified before were of the appropriate district office will be notified before were of the appropriate district office will be notified before were of the appropriate district office will be notified before were of the	and eventual plugging of this well will comply with K.S.A. 55 et. seq. net: of well; posted on each drilling rig; ow shall be set by circulating cement to the top; in all cases surface pipe shall be set f 20 feet into the underlying formation. rator and the district office on plug length and placement is necessary prior to plugging; fill is either plugged or production casing is cemented in; nall be cemented from below any usable water to surface within 120 days of spud date. e casing order #133,891-C, which applies to the KCC District 3 area, alternate it cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. It to the best of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
It is agreed that the following minimum requirements will be r 1. Notify the appropriate district office <i>prior</i> to spudding c 2. A copy of the approved notice of intent to drill <i>shall be</i> 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of comparison of the well is dry hole, an agreement between the operation of the surface of th	and eventual plugging of this well will comply with K.S.A. 55 et. seq. net: of well; posted on each drilling rig; ow shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. rator and the district office on plug length and placement is necessary prior to plugging; il is either plugged or production casing is cemented in; nall be cemented from below any usable water to surface within 120 days of spud date. e casing order #133,891-C, which applies to the KCC District 3 area, alternate it cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. It to the best of my knowledge and belief. Title: Agent Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
It is agreed that the following minimum requirements will be r 1. Notify the appropriate district office <i>prior</i> to spudding of the approved notice of intent to drill <i>shall be</i> of the approved notice of intent to drill <i>shall be</i> of the minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of the well is dry hole, an agreement between the oper of the appropriate district office will be notified before were of the appropriate district office will be notified before were of the appropriate district office will be notified before were of the appropriate district office will be notified before were of the appropriate district office will be notified before were of the appropriate of the surface of the spud date of t	and eventual plugging of this well will comply with K.S.A. 55 et. seq. net: of well; posted on each drilling rig; ow shall be set by circulating cement to the top; in all cases surface pipe shall be set if 20 feet into the underlying formation. rator and the district office on plug length and placement is necessary prior to plugging; fill is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 days of spud date. e casing order #133,891-C, which applies to the KCC District 3 area, alternate it cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. It to the best of my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
It is agreed that the following minimum requirements will be r 1. Notify the appropriate district office <i>prior</i> to spudding and the spurposed notice of intent to drill <i>shall be</i> and the spurposed notice of intent to drill <i>shall be</i> and the spurposed notice of intent to drill <i>shall be</i> and the spurposed notice of intent to drill <i>shall be</i> and the spurposed notice of the spurposed notice of the spurposed notified before we have appropriate district office will be notified before we have appropriate district office will be notified before we have appropriate district office will be notified before we have appropriate district office will be notified before we have appropriate district office will be notified before we have appropriate district office will be notified before we have appropriate of the spurposed of the spurposed number of the spurposed numb	net: of well; posted on each drilling rig; posted on each drill
It is agreed that the following minimum requirements will be r 1. Notify the appropriate district office <i>prior</i> to spudding and the spurpose of the approved notice of intent to drill <i>shall be</i> and through all unconsolidated materials plus a minimum of surface pipe as specified below through all unconsolidated materials plus a minimum of surface pipe as specified below through all unconsolidated materials plus a minimum of surface pipe and surface will be notified before we should be notified before we	net: of well; posted on each drilling rig; posted set of roll cases surface pipe shall be set of 20 descending; li to tree best of roll days of spud date. Posted of roll days of spud date; posted on each drilling rig; posted on each drilling rig; posted on each drilling rig; posted set of roll cases surface pipe shall be set of 20 descending; li to tree best of roll cases, NOTIFY district office prior to any cementing. Title: Agent Posted of roll days of spud date; posted of roll days of
It is agreed that the following minimum requirements will be r 1. Notify the appropriate district office <i>prior</i> to spudding 2. A copy of the approved notice of intent to drill <i>shall be</i> 3. The minimum amount of surface pipe as specified belot through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the oper 5. The appropriate district office will be notified before we 6. If an ALTERNATE II COMPLETION, production pipe is or pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or 1 hereby certify that the statements made herein are true and Date: January 8, 2007 Signature of Operator or Agent Minimum surface pipe required None feet Minimum surface pipe required Approved by: Let 1-8-07 This authorization expires: 7-8-07	and eventual plugging of this well will comply with K.S.A. 55 et. seq. Inet: In well; I posted on each drilling rig; I posted on each drilling rig; I posted on each drilling rig; I set the set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. I ator and the district office on plug length and placement is necessary prior to plugging; I is either plugged or production casing is cemented in; I is either plugged or production casing is cemented in; I is either plugged or production casing is cemented in; I is either plugged or production casing is cemented in; I is either plugged or production casing is cemented in; I is either plugged or production casing is cemented in; I is either plugged or production casing is cemented in; I is either plugging of this best of spud date. I is expected on each drilling rig; I is expected in expected on each expected in; I is expected on each dri
It is agreed that the following minimum requirements will be r 1. Notify the appropriate district office <i>prior</i> to spudding and the spurpose of the approved notice of intent to drill <i>shall be</i> and through all unconsolidated materials plus a minimum of surface pipe as specified below through all unconsolidated materials plus a minimum of surface pipe as specified below through all unconsolidated materials plus a minimum of surface pipe and surface will be notified before we should be notified before we	and eventual plugging of this well will comply with K.S.A. 55 et. seq. Inet: In well; I posted on each drilling rig; I posted on each drilling rig; I posted on each drilling rig; I set the set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. I ator and the district office on plug length and placement is necessary prior to plugging; I is either plugged or production casing is cemented in; I is either plugged or production casing is cemented in; I is either plugged or production casing is cemented in; I is either plugged or production casing is cemented in; I is either plugged or production casing is cemented in; I is either plugged or production casing is cemented in; I is either plugged or production casing is cemented in; I is either plugging of this best of spud date. I is expected on each drilling rig; I is expected in expected on each expected in; I is expected on each dri

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kanage 6780/ED

KANSAS CORPORATION COMMISSION

JAN 08 2007

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 003-24390000	Location of Well: County: Anderson
Operator: Christian L. Martin dba Martin Oil Properties	1775 feet from N / S Line of Section
Lease: East Hastert	1900 feet from F / W Line of Section
Well Number: 19-E	Sec. 13 Twp. 20 S. R. 20 ✓ East West
Field: Garnett Shoestring	
Number of Acres attributable to well: QTR / QTR / QTR of acreage: ApNW _ SENW _ SE	Is Section: Regular or Irregular If Section is irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

Γ																
ı]					_			
١																
1						-	•						•		-	
ŀ						_	 									
1	•	•	•	-												
ı]			•					
١								1	l		,					
1															-	
						-	 									
Į									ļ						_	
Ì							•		1		•					
1						•	-				•				•	
1							•		1		•		-		•	
1			_	_			 									
l		•	•		-								-			
ĺ				_												
1																
1				•							•					
ł				-		•	•				•		·			
1							 _									
١																
١				•					I.							
1				•		-	•		i				•			
1	١.						 		1							
1									1	•			•			
	İ									•		- •	•	• •	٠.	
	l									<u>. </u>	•	• •				
	ı									•	•					
										•	•				· · ·	
											•				· · ·	
							 •				•				· · ·	
							 •								•	
							 · ·				· .					• •
	-						 · ·									
							 · ·				· .					, ,
							 · ·				· .					
							 · ·		, .		· .					
							 · ·									
							 · ·									



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Christian L. Martin	dba Martin Oil	License Number: 03113					
Operator Address: 6421 Avondale Drive, Suite 2112, Oklahoma City, OK 73116							
Contact Person: Chris Martin			Phone Number: (405) 810 - 0900				
Lease Name & Well No.: East Hastert 19-E			Pit Location (QQQQ):				
Type of Pit:	Pit is:	1 - 2 	ApNW SE NW SE				
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec <u>13</u>				
Settling Pit	If Existing, date co	enstructed:	1775 Feet from North / V South Line of Section				
☐ Workover Pit ☐ Haul-Off Pit	Pit capacity:		Feet from ✓ East / West Line of Section				
(If WP Supply API No. or Year Drilled)	120	(bbls)	Anderson County				
Is the pit located in a Sensitive Ground Water	Area? Yes ✓	No	Chloride concentration:mg/l				
	· · · · · · · · · · · · · · · · · · ·		(For Emergency Pits and Settling Pits only)				
Is the bottom below ground level?	Artificial Liner? Yes 7	do	How is the pit lined if a plastic liner is not used?				
_✓ Yes	Yes ✓	•••	native clay				
Pit dimensions (all but working pits):1	O Length (fe	et)10	Width (feet) N/A: Steel Pits				
Depth fr	om ground level to de	epest point: 5	(feet)				
material, thickness and installation procedure. liner integrity, including any special monitoring.							
Distance to nearest water well within one-mile	e of pit	Depth to shallo Source of infor	lowest fresh waterfeet. ormation:				
	feet	measu	redwell owner electric logKDWR				
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:					
Producing Formation:		Type of material utilized in drilling/workover: drilling mud					
Number of producing wells on lease:		Number of wor	rking pits to be utilized: 1				
Barrels of fluid produced daily: Aban			Abandonment procedure: air dry and backfill				
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill p			Drill pits must be closed within 365 days of spud date.				
I hereby certify that the above state	ements are true and c	orrect to the bes	t of my knowledge and belief.				
January 8, 2007 Date D							
	KCC C	OFFICE USE O	NLY				
Date Received: 1 8 61 Permit Number: Permit Date: 1 8 67 Lease Inspection: Yes No							

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202 HECEIVED KANSAS CORPORATION COMMISSION

JAN 08 2007