For KCC Use:	1-13-07
Effective Date:	
District #	.3
	Ι Σ Τ

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

pected Spud Date January 13, 2007	3001	East
month day year	SENW NW SE Sec. 13 Twp. 20 S. R. 20	West
03113	2125 feet from N / S Line of Secti	
ERATOR: License# 03113 Vme: Christian L. Martin Old Properties	feet from F W Line of Secti	on
6424 Avendala Drive Suite 212	Is SECTION Regular Irregular?	
dress: Oklahoma City, OK 73116 Chris Martin	(Note: Locate well on the Section Plat on reverse side)	
ntact Person: Chris Martin	County: Anderson	
one: (405) 810-0900	Lease Name. East HastertWell #: 22-E	
	Field Name: Garnett Shoestring	
ONTRACTOR: License# 8509	Is this a Prorated / Spaced Field?	√ No
me: Evans Energy Development, Inc.	Target Formation(s): Bartlesville	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 390'	
✓ Oil ✓ Enh Rec ✓ Infield Mud Rotary	Growing Sarrage Elevation.	et MSL
Gas Storage Pool Ext. Air Rotary		✓ No
OWNO Disposal Wildcat Cable		√ No
Seismic:# of Holes Other	Depth to bottom of fresh water: 50° Depth to bottom of usable water: 460 125	
Other	Surface Pipe by Alternate: 1 2 2	
	Surface Pipe by Alternate: 1 2 2 2 Length of Surface Pipe Planned to be set: 20'	
OWWO: old well information as follows:	Length of Conductor Pipe required: none	
Operator:	Projected Total Depth: 900'	
Well Name:	Formation at Total Depth: Bartlesville	
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:	
rectional, Deviated or Horizontal wellbore?	Well Farm Pond Other X	
Yes, true vertical depth:	DWR Permit #:	
Yes, true vertical depth:		
Yes, true vertical depth:	(Note: Apply for Permit with DWR)	✓ No
ottom Hole Location:	(Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone:	√No
ottom Hole Location: CC DKT #: AFI the undersigned hereby affirms that the drilling, completion and eventual	(Note: Apply for Permit with DWR) Will Cores be taken? Yes If Yes, proposed zone:	√No
AFI the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well;	(Note: Apply for Permit with DWR) Will Cores be taken? Yes If Yes, proposed zone: Yes FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq.	√ No
AFI The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> attrough all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus of an ALTERNATE II COMPLETION, production pipe shall be ceme or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall.	(Note: Apply for Permit with DWR) Will Cores be taken?	et ging; ate. nenting
AFI the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e. 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging of production casing is cemented in; anted from below any usable water to surface within 120 days of spud days of the the complete of th	et ging; ate. nenting
AFI the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best	Will Cores be taken? If Yes, proposed zone: STDAVIT Plugging of this well will comply with K.S.A. 55 et. seq. Set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging of production casing is cemented in; and the from below any usable water to surface within 120 days of spud days of the plugged. In all cases, NOTIFY district office prior to any cemention of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entred to the surface of the plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	ping; ate. menting
AFI the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e. 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into experience. The appropriate district office will be notified before well is either plus. If an ALTERNATE II COMPLETION, production pipe shall be ceme or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best ate: January 8, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OO3 - 2 43 93 - OOO Conductor pipe required Nove feet Minimum surface pipe required feet Minimum surface pipe required feet Approved by: Pull 1-3-OO This authorization expires: 7-8-OO	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging or production casing is cemented in; anted from below any usable water to surface within 120 days of spud dar #133,891-C, which applies to the KCC District 3 area, alternate II centled be plugged. In all cases, NOTIFY district office prior to any cemention of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entred submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	et ping; ate. nenting.

JAN 08 2007

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 003-24393-0000	Location of Well: County: Anderson
Operator: Christian L. Martin dba Martin Oil Properties	feet fromN / ✓ S Line of Section
Lease: East Hastert	2250 feet from VE / W Line of Section
Well Number: 22-E	Sec. 13 Twp. 20 S. R. 20 ✓ East Wes
Field: Garnett Shoestring	-
Number of Acres attributable to well:	Is Section: ✓ Regular or ☐ Irregular
QTR / QTR of acreage: SENW - NW - SE	If Section is irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

İ	• •	-	•	-
			• •	
' ' '				
İ			• •	
	ē			-
	· .		• •	•
	•		•	
		[
		•		-
	• •	•	• •	•
			•	•
		·	-•	-
1		•	•	-
	•		•	•
	·		• • • • • • •	
			•	
	· .	:	• •	
				.
			-	
	· .	.	•	



NOTE: In all cases locate the spot of the proposed drilling locaton.

in plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Christian L. Martin dba Martin Oil Properties			License Number: 03113		
Operator Address: 6421 Avondale Drive, Suite 2112, Oklahoma City, OK 73116					
Contact Person: Chris Martin			Phone Number: (405) 810 0900		
Lease Name & Well No.: East Haster	22-E		Pit Location (QQQQ):		
Type of Pit:	Pit is:		SE NW NW SE		
Emergency Pit Burn Pit	✓ Proposed Existing		Sec. 13 _{Twp.} 20 _{R.} 20		
Settling Pit	If Existing, date constructed:		2125 Feet from North / 🗸 South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		2250 Feet from 🗸 East / West Line of Section		
(If WP Supply API No. or Year Drilled)	120	(bbls)	Anderson		
Is the pit located in a Sensitive Ground Water	Area? Yes ✓	No	Chloride concentration:mg/l		
			(For Emergency Pits and Settling Pits only)		
is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?		
✓ Yes No	Yes ✓ N	No	native clay		
Pit dimensions (all but working pits):	0 Length (fe	et) 10	Width (feet) N/A: Steel Pits		
Depth fr	om ground level to de	epest point: 5	(feet)		
If the pit is lined give a brief description of the			edures for periodic maintenance and determining		
material, thickness and installation procedure	1.	liner integrity, i	ncluding any special monitoring.		
Distance to nearest water well within one-mile	e of pit	Depth to shallo Source of infor	west fresh waterfeet.		
N_Afeet Depth of water wellfeet		meası	rredwell owner electric logKDWR		
Emergency, Settling and Burn Pits ONLY:		•	over and Haul-Off Pits ONLY:		
Producing Formation: Type of ma		Type of materia	pe of material utilized in drilling/workover: drilling mud		
Number of producing wells on lease: Number of			ber of working pits to be utilized: 1		
Barrels of fluid produced daily: A		Abandonment	procedure: air dry and backfill		
Does the slope from the tank battery allow all spifled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
January 8, 2007 Wanna Thanda					
Date Signature of A			Signature of Applicant or Agent		
KCC OFFICE USE ONLY					
1-1-					
Date Received: 18 07 Permit Number: Permit Date: 18 07 Lease Inspection: Yes 2					

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichitansas CORPORATION COMMISSION

JAN 08 2007