For KCC Use: 1-14-0-7	
Effective Date:	
District # 4	_
COAS TONG	

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

# **NOTICE OF INTENT TO DRILL**

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

	Spot
xpected Spud Date	W2SE SE NW Sec. 22 Twp. 14 S. R. 16 West
30717	2310feet from ✓ N /S Line of Section
PERATOR: License# 30717 / me: Downing - Nelson Oil Company, Inc.	2090feet fromE / _/ W Line of Section
rie: P.O. Box 372	Is SECTION Regular Irregular?
dress: Hays, KS 67601 //State/Zip:	(Note: Locate well on the Section Plat on reverse side)
//State/Zip:	County: Ellis
ntact Person:	Lease Name: DreilingWell #: 11
	Field Name:
NTRACTOR: License# 33237 / me: Anderson Drilling	Is this a Prorated / Spaced Field?  Target Formation(s): Kansas City  Yes V No
	Nearest Lease or unit boundary: 330'
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 1886.3feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 180'
Seismic;# of Holes Other	Depth to bottom of usable water: 80er 400
Other	Surface Pipe by Alternate: 1 1 🗸 2
MARKO: ald wall information as follows:	Length of Surface Pipe Planned to be set: 200+
WWO: old well information as follows:  Operator:	Length of Conductor Pipe required: none
Well Name:	Projected Total Depth: 4,000'
Original Completion Date: Original Total Depth:	Formation at Total Depth: Kansas City
Original Completion Date.	Water Source for Drilling Operations:
ectional, Deviated or Horizontal wellbore?	Well ✓ Farm Pond Other
es, true vertical depth:	DWR Permit #:
ttom Hole Location:	(Note: Apply for Permit with DWR)
OC DKT #:	_ Will Cores be taken?
	If Yes, proposed zone:
All he undersigned hereby affirms that the drilling, completion and eventual	FFIDAVIT all plugging of this well will comply with K.S.A. 55 et. seq.
the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int  4. If the well is dry hole, an agreement between the operator and the  5. The appropriate district office will be notified before well is either the completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the spud date	each drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  de district office on plug length and placement is necessary prior to plugging; blugged or production casing is cemented in; lented from below any usable water to surface within 120 days of spud date. der #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.
e undersigned hereby affirms that the drilling, completion and eventuals agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int  4. If the well is dry hole, an agreement between the operator and the street office will be notified before well is either the first an ALTERNATE II COMPLETION, production pipe shall be cemed or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well shall be certify that the statements made herein are true and to the best of the spud date.	each drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  set district office on plug length and placement is necessary prior to plugging; blugged or production casing is cemented in; sented from below any usable water to surface within 120 days of spud date. der #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.
ne undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int  4. If the well is dry hole, an agreement between the operator and th  5. The appropriate district office will be notified before well is either in the completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed.  Signature of Operator or Agent:  For KCC Use ONLY  API # 15	each drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  the district office on plug length and placement is necessary prior to plugging;  blugged or production casing is cemented in;  thented from below any usable water to surface within 120 days of spud date.  ther #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.
ne undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall</i> be posted on 3. The minimum amount of surface pipe as specified below <i>shall</i> be through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either price of the appropriate district office will be notified before well is either price of the appropriate district office will be notified before well is either price of the appropriate district office will be notified before well is either price of the appropriate of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the shall be completed within 30 days of the spud date or the shall be completed within 30 days of the spud date or the shall be	each drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  set district office on plug length and placement is necessary prior to plugging; blugged or production casing is cemented in; sented from below any usable water to surface within 120 days of spud date.  der #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.  Set of my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or Injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
ne undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int  4. If the well is dry hole, an agreement between the operator and th  5. The appropriate district office will be notified before well is either the completed with a complete point of the specific production pipe shall be computed be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed.  For KCC Use ONLY  API # 15 - OSI - 25 bot - OCCO  Conductor pipe required	each drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  the district office on plug length and placement is necessary prior to plugging; blugged or production casing is cemented in; thented from below any usable water to surface within 120 days of spud date.  ther #133,891-C, which applies to the KCC District 3 area, alternate II cementing.  all be plugged. In all cases, NOTIFY district office prior to any cementing.  It of my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or Injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202 KANSAS CORPORATION COMMISSION

JAN 0 9 2007

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


if the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 051-25607-000	Location of Well: County: Ellis
Operator: Downing - Nelson Oil Company, Inc.	2310 feet from VN/ S Line of Section
Lease: Dreiling	2090 feet from E / V W Line of Section
Well Number: 11	Sec. 22 Twp. 14 S. R. 16 East 🗸 West
Field:	
Number of Acres attributable to well:  OTR / QTR / QTR of acreage:	Is Section: Regular or Irregular  If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

#### PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

		-	•	
			•	
-	•			•
,	•	•	•	•
-		•	•	•
			•	•
			•	
-		T T	-	- ·
	•	.	•	
	•			
-	•	•	•	
•	•	•		
-	•	-	•	
	•		•	
			•	
			-	•
	-			
	•		•	
			• • • • • • • • • • • • • • • • • • •	
	•			
1	•	-		•
	•	•	•	•



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Downing - Nelson Oil Company, Inc.			License Number: 30717		
Operator Address: P.O. Box 372, Hays, KS 67601					
Contact Person: Ron Nelson			Phone Number: ( 785 ) 621 - 2810		
Lease Name & Well No.: Dreiling #11			Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>W2 . SE . SE . NW</u>		
Emergency Pit Burn Pit	✓ Proposed Existing		Sec. 22 <sub>Twp.</sub> 14 R. 16 ☐ East 🗸 West		
Settling Pit	If Existing, date constructed:		2310 Feet from  North / South Line of Section		
Workover Pit Haul-Off Pit	Dia nonnoite:		2090 Feet from East / 🗸 West Line of Section		
(If WP Supply API No. or Year Drilled)	Pit capacity: 3,600	(bbls)	Ellis		
Is the pit located in a Sensitive Ground Water	Area? 4 Yes 4	l No	Chloride concentration: mg/l		
,		······	(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?		
✓ Yes No	Yes ✓ I	No	clay type soil		
Pit dimensions (all but working pits):	0 Length (fe	et) 60	Width (feet) N/A: Steel Pits		
Depth fro	om ground level to de	epest point: 5	(feet)		
If the pit is lined give a brief description of the liner Describe			edures for periodic maintenance and determining including any special monitoring.		
Distance to nearest water well within one-mile of pit Depth to shallo Source of infor		west fresh water <del>2</del> 5feet.			
3821 feet Depth of water well 60 feet m		measu	<b>∀</b>		
Emergency, Settling and Burn Pits ONLY: Dri			over and Haul-Off Pits ONLY:		
Producing Formation: Type of mate		Type of materia	al utilized in drilling/workover: drilling mud		
		orking pits to be utilized: 1			
Barrels of fluid produced daily: Abandonment		procedure: let fluid evaporate and fill with excavated dirt			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		its must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
January 9, 2007  Date  Date  Date  Danua Manda  Signature of Applicant or Agent					
	KCC	OFFICE USE OI	NLY RFAC		
Date Received: 1 q / 07 Permit Numl	ber:	Permi	t Date: ( q 67 Lease Inspection: X Yes No		

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 6720RANSAS CORPORATION COMMISSION

JAN 0 9 2007

# KANSAS

CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR BRIAN J. MOLINE, CHAIR ROBERT E. KREHBIEL, COMMISSIONER MICHAEL C. MOFFET, COMMISSIONER

January 9, 2007

Mr. Ron Nelson Downing-Nelson Oil Company, Inc. PO Box 372 Hays, KS 67601

RE: Drilling Pit Application

Dreiling Lease Well No. 11 NW/4 Sec. 22-14S-16W Ellis County, Kansas

Dear Mr. Nelson:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased. **Please keep all pits away from any draws.** 

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (785) 625-0550 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

**Environmental Protection and Remediation Department** 

cc: File