JAN 08 2007

For KCC Use	' / _ / S 7) /
District #	3
SGA?	Yes 🗓 No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

CONSERVATION DIVISION must be Typed
WICKITA, KS Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date	anuary 12, 2001			Spot	✓ East
Expected oped bate	month	day	year	SW _ NW Sec. 11 Twp. 29	S. R. 19 West
	33344				/ S Line of Section
OPERATOR: License#_ Name: Quest Cherokee LL	I.C.			660 feet from E	/ W Line of Section
Address: 9520 North May	Avenue, Suite 300			Is SECTION Regular Irregular?	
Oklahoma	City, Oklahoma 73120			(Note: Locate well on the Section Plat	on reverse side)
City/State/Zip: Contact Person: Richard	Marlin			County: Neosho	·
Phone: (405) 286-9316				Lease Name. Clevenger Rev Trust	Weli #: 11-1
				Field Name: Cherokee Basin CBM	
CONTRACTOR: License	e# Will be licensed b	y the KCC	<u> </u>	Is this a Prorated / Spaced Field?	Yes ✓ No
Name: Will advise on the	3 ACO-1			Target Formation(s): Cherokee Coals	
W-8 D-26-4 E	Mall Class	Time	Faulomont	Nearest Lease or unit boundary: 660	
Well Drilled For:	Well Class:		Equipment:	Ground Surface Elevation: 968	feet MSL
	Rec / Infield	-	lud Rotary	Water well within one-quarter mile:	Yes ✓ No
	rage Pool Ex		ir Rotary	Public water supply well within one mile:	Yes ✓ No
	oosal Wildcat		able	Depth to bottom of fresh water: 100	
Seismic;# Other Coalbed M	of Holes Other lethane			Depth to bottom of usable water: 200-150	
Other_Coalboa III				Surface Pipe by Alternate: 1 2	_
If OWWO: old well infor	mation as follows:			Length of Surface Pipe Planned to be set: 25	_
Operator:				Length of Conductor Pipe required:	
•				Projected Total Depth: 1500	<u> </u>
Original Completion	Date:	Original Total	Depth:	Formation at Total Depth: Cherokee Coals	
	11-2		Yes No	Water Source for Drilling Operations:	
Directional, Deviated or				Well Farm Pond Other Air	
If Yes, true vertical depth				DWR Permit #:	
				_	
Bottom Hole Location:				(Note: Apply for Permit with D	
				Will Cores be taken? If Yes, proposed zone:	<i>WR</i> □) □ Yes √ No
KCC DKT #:			AFF	Will Cores be taken?	Yes √No
KCC DKT #:	y affirms that the dri	iling, comple	AFF	Will Cores be taken? If Yes, proposed zone:	Yes √No
The undersigned hereby It is agreed that the folk 1. Notify the approp 2. A copy of the app 3. The minimum am through all uncon 4. If the well is dry b 5. The appropriate 6. If an ALTERNATE Or pursuant to Al	by affirms that the dri owing minimum requ oriate district office p proved notice of inte nount of surface pipe asolidated materials hole, an agreement district office will be E II COMPLETION,	illing, comple uirements wi vrior to spud nt to drill sh e as specifie plus a minim between the notified befo production p rn Kansas s	AFF etion and eventual p li be met: ding of well; all be posted on ea d below shall be s tum of 20 feet into e operator and the re well is either plu lipe shall be cemer urface casing order	Will Cores be taken? If Yes, proposed zone: FIDAVIT Slugging of this well will comply with K.S.A. 55 et. se	eq. face pipe shall be set essary prior to plugging; 120 days of spud date. area, alternate II cementing
The undersigned hereby It is agreed that the folko 1. Notify the approp 2. A copy of the app 3. The minimum am through all uncon 4. If the well is dry b 5. The appropriate of 6. If an ALTERNATE Or pursuant to Al must be complete	by affirms that the dri owing minimum requestrate district office proved notice of internation of surface piper asolidated materials shole, an agreement district office will be a sufficient of the surface of the surf	illing, comple virements wi prior to spud nt to drill sh e as specifie plus a minim between the notified befo production p rn Kansas s the spud de	AFF etion and eventual p li be met: ding of well; all be posted on ea d below shall be s num of 20 feet into e operator and the re well is either plu ipe shall be cemer urface casing order te or the well shall	Will Cores be taken? If Yes, proposed zone: FIDAVIT Subject of this well will comply with K.S.A. 55 et. so the control of the comply with K.S.A. 55 et. so the underlying formation. Idistrict office on plug length and placement is neces gged or production casing is cemented in; ted from below any usable water to surface within #133,891-C, which applies to the KCC District 3	eq. face pipe shall be set essary prior to plugging; 120 days of spud date. area, alternate II cementing
The undersigned hereby It is agreed that the follow 1. Notify the approp 2. A copy of the approp 3. The minimum ame through all uncon 4. If the well is dry by 5. The appropriate of 6. If an ALTERNATE Or pursuant to Appropriate to the complete I hereby certify that the	by affirms that the driver owing minimum requestion of the proved notice of interesting in the interesting in the provided materials hole, an agreement district office will be a statements made he statements made he	illing, comple uirements wi prior to spud e as specifie plus a minim between the notified befo production p rn Kansas s the spud de	AFF etion and eventual p li be met: ding of well; all be posted on ea d below shall be s num of 20 feet into e operator and the re well is either plu ipe shall be cemer urface casing order ate or the well shall be and to the	Will Cores be taken? If Yes, proposed zone: IDAVIT Indugging of this well will comply with K.S.A. 55 et. so the drilling rig; In the underlying formation. In the underlying formation. In the underlying formation. In the underlying formation are the underlying formation. In the underlying formation are the underlying formation. If the underlying formation are the underlying formation are the underlying formation. If the underlying formation are the underlying formation are the underlying formation. If the underlying formation are the underlying formation. If yet are the underlying formation are the underlyin	eq. face pipe shall be set essary prior to plugging; 120 days of spud date. area, alternate II cementing
The undersigned hereby It is agreed that the follow 1. Notify the approp 2. A copy of the approp 3. The minimum ame through all uncon 4. If the well is dry by 5. The appropriate of 6. It an ALTERNATE Or pursuant to Appropriate to the complete I hereby certify that the	by affirms that the dri owing minimum requestrate district office proved notice of internation of surface piper asolidated materials shole, an agreement district office will be a sufficient of the surface of the surf	illing, comple uirements wi prior to spud e as specifie plus a minim between the notified befo production p rn Kansas s the spud de	AFF etion and eventual p li be met: ding of well; all be posted on ea d below shall be s num of 20 feet into e operator and the re well is either plu ipe shall be cemer urface casing order ate or the well shall be and to the	Will Cores be taken? If Yes, proposed zone: FIDAVIT Slugging of this well will comply with K.S.A. 55 et. so the drilling rig; ef by circulating cement to the top; in all cases sure the underlying formation. district office on plug length and placement is necessary and the placement is necessary and the placement is necessary and the second or production casing is cemented in; ted from below any usable water to surface within #133,891-C, which applies to the KCC District 3 is be plugged. In all cases, NOTIFY district office	eq. face pipe shall be set essary prior to plugging; 120 days of spud date. area, alternate II cementing
The undersigned hereby It is agreed that the follow 1. Notify the approp 2. A copy of the approp 3. The minimum ame through all uncon 4. If the well is dry by 5. The appropriate of 6. It an ALTERNATE Or pursuant to Appropriate to the complete I hereby certify that the	by affirms that the driver owing minimum requestion of the proved notice of interesting in the interesting in the provided materials hole, an agreement district office will be a statements made he statements made he	illing, comple uirements wi prior to spud e as specifie plus a minim between the notified befo production p rn Kansas s the spud de	AFF etion and eventual p li be met: ding of well; all be posted on ea d below shall be s num of 20 feet into e operator and the re well is either plu ipe shall be cemer urface casing order ate or the well shall be and to the	Will Cores be taken? If Yes, proposed zone: IDAVIT Indugging of this well will comply with K.S.A. 55 et. so the drilling rig; In the underlying formation. In the underlying formation. In the underlying formation. In the underlying formation are the underlying formation. In the underlying formation are the underlying formation. If the underlying formation are the underlying formation are the underlying formation. If the underlying formation are the underlying formation are the underlying formation. If the underlying formation are the underlying formation. If yet are the underlying formation are the underlyin	eq. face pipe shall be set essary prior to plugging; 120 days of spud date. area, alternate II cementing
The undersigned hereby It is agreed that the folko 1. Notify the approp 2. A copy of the approp 3. The minimum am through all uncon 4. If the well is dry the street of the second of the appropriate of the second of the sec	ry affirms that the driver owing minimum requestrate district office proved notice of interestrate of surface pipersolidated materials hole, an agreement district office will be E II COMPLETION, ppendix "B" - Eastered within 30 days of a statements made how signature of the complete of	illing, completing in the production of the production are true.	AFF stion and eventual p If be met: ding of well; all be posted on ea d below shall be s num of 20 feet into e operator and the re well is either plu lipe shall be cemer urface casing order ate or the well shall be and to the best of	Will Cores be taken? If Yes, proposed zone: IDAVIT Inlugging of this well will comply with K.S.A. 55 et. so the drilling rig; In the underlying formation. Indistrict office on plug length and placement is neces good or production casing is cemented in; Ited from below any usable water to surface within the surface within the surface. In all cases, NOTIFY district office of my knowledge and belief. Title: VP	eq. face pipe shall be set essary prior to plugging; 120 days of spud date. area, alternate II cementing prior to any cementing. at to Drill; of spud date; proration orders; to workover or re-entry; s completed;
The undersigned hereby It is agreed that the folko 1. Notify the approp 2. A copy of the approp 3. The minimum am through all uncon 4. If the well is dry the street of the second of the appropriate of the second of the sec	y affirms that the dri owing minimum requ oriate district office p proved notice of inte proved notice pipe nsolidated materials hole, an agreement district office will be E II COMPLETION, ppendix "B" - Easter ed within 30 days of proved statements made h Signature of C - 26 76/-0 ed None prequired 20 proves: 7-/0-07	illing, completion of the complete of the comp	AFF etion and eventual p li be met: ding of well; all be posted on ea d below shall be s num of 20 feet into e operator and the re well is either plu ipe shall be cemer urface casing order ate or the well shall be and to the best of Agent: Agent: et et et per Alt. AFF 2	Will Cores be taken? If Yes, proposed zone: IDAVIT Sugging of this well will comply with K.S.A. 55 et. so the children of the underlying formation. Idistrict office on plug length and placement is necestated from below any usable water to surface within #133,891-C, which applies to the KCC District 3 be plugged. In all cases, NOTIFY district office of my knowledge and belief. Title: Permember to: File Drill Pit Application (form CDP-1) with Interestive Completion Form ACO-1 within 120 days of File acreage attribution plat according to field Notify appropriate district office 48 hours prior Submit plugging report (CP-4) after plugging is	eq. face pipe shall be set essary prior to plugging; 120 days of spud date. area, alternate II cementing prior to any cementing. Int to Drill; of spud date; proration orders; to workover or re-entry; s completed; lecting salt water. iration date) please
The undersigned hereby It is agreed that the folko 1. Notify the approp 2. A copy of the approp 3. The minimum am through all uncon 4. If the well is dry by 5. The appropriate of	y affirms that the dri owing minimum requ oriate district office p proved notice of inte proved notice pipe nsolidated materials hole, an agreement district office will be E II COMPLETION, ppendix "B" - Easter ed within 30 days of proved statements made h Signature of C - 26 76/-0 ed None prequired 20 proves: 7-/0-07	illing, completion of the complete of the comp	AFF etion and eventual p li be met: ding of well; all be posted on ea d below shall be s num of 20 feet into e operator and the re well is either plu ipe shall be cemer urface casing order ate or the well shall be and to the best of Agent: Agent: et et et per Alt. AFF 2	Will Cores be taken? If Yes, proposed zone: IDAVIT Inlugging of this well will comply with K.S.A. 55 et. so the character of the underlying formation. Indistrict office on plug length and placement is necessary the underlying formation. Indistrict office on plug length and placement is necessary the underlying formation. In this permit has expired (See: authorized expired) In all cases, NOTIFY district office of my knowledge and belief. In the completion form ACO-1 within 120 days of the completion form	eq. face pipe shall be set essary prior to plugging; 120 days of spud date. area, alternate II cementing prior to any cementing. Int to Drill; of spud date; proration orders; to workover or re-entry; s completed; lecting salt water. iration date) please
The undersigned hereby It is agreed that the folko 1. Notify the approp 2. A copy of the approp 3. The minimum am through all uncon 4. If the well is dry the street of the second of the appropriate of the second of the sec	y affirms that the dri owing minimum requ oriate district office p proved notice of inte proved materials hole, an agreement district office will be E II COMPLETION, ppendix "B" - Easter ed within 30 days of proved statements made h Signature of C - 26 76/-0 ed None prequired 20 proved 70/-007 press: 7-/0-07	illing, completion of the complete of the comp	AFF etion and eventual p li be met: ding of well; all be posted on ea d below shall be s num of 20 feet into e operator and the re well is either plu ipe shall be cemer urface casing order ate or the well shall be and to the best of Agent: Agent: et et et per Alt. AFF 2	Will Cores be taken? If Yes, proposed zone: IDAVIT Inlugging of this well will comply with K.S.A. 55 et. so the drilling rig; In the underlying formation. In the underlying formatio	eq. face pipe shall be set essary prior to plugging; 120 days of spud date. area, alternate II cementing prior to any cementing. at to Drill; of spud date; proration orders; to workover or re-entry; s completed; ecting salt water. iration date) please

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 133-26761-0000	Location of Well: County: Neosho
Operator: Quest Cherokee LLC	
Lease: Clevenger Rev Trust	feet from V N / S Line of Section 660 feet from E / V W Line of Section
Well Number: 11-1 Field: Cherokee Basin CBM	Sec. 11 Twp. 29 S. R. 19 V East Wes
Number of Acres attributable to well:	Is Section: ✓ Regular or ☐ Irregular
QTR / QTR / QTR of acreage: SW NW	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)





NOTE: in all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

RECEIVED

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

JAN 08 2007

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

CONSERVATION DIVISION WICHITA KS

Submit in Duplicate License Number: 33344 Operator Name: Quest Cherokee LLC Operator Address: 9520 North May Avenue, Suite 300 Oklahoma City, Oklahoma 73120 Phone Number: (405) 286 - 9316 Contact Person: Richard Marlin Lease Name & Well No.: Clevenger Rev Trust #11-1 Pit Location (QQQQ): SW NW Pit is: Type of Pit: ✓ Proposed Existing Burn Pit Emergency Pit If Existing, date constructed: 1980 Settling Pit Drilling Pit Feet from ✓ North / South Line of Section Workover Pit Haul-Off Pit 660 Feet from East / 🗸 West Line of Section Pit capacity: (If WP Supply API No. or Year Drilled) Neosho 300 (bbls) Is the pit located in a Sensitive Ground Water Area? Yes **√** No Chloride concentration: ma/l (For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used? Is the bottom below ground level? **Artificial Liner?** Yes ✓ No Yes ✓ No 10 _ Width (feet) N/A: Steel Pits Pit dimensions (all but working pits): Length (feet) Depth from ground level to deepest point: (feet) Describe procedures for periodic maintenance and determining If the pit is lined give a brief description of the liner material, thickness and installation procedure. liner integrity, including any special monitoring. Air Drilling Operation lasting approx 3 days Distance to nearest water well within one-mile of pit Depth to shallowest fresh water _ Source of information: N ← feet Depth of water well. **KDWR** feet measured well owner electric loa Drilling, Workover and Haul-Off Pits ONLY: Emergency, Settling and Burn Pits ONLY: Type of material utilized in drilling/workover: Air Drilled Producing Formation: _ Number of working pits to be utilized: One Number of producing wells on lease:

I hereby certify that the above statements are true and correct to the best of my knowledge and belief.

January 5, 2007

Does the slope from the tank battery allow all spilled fluids to

Barrels of fluid produced daily: _

flow into the pit? Yes No

Signature of Applicant or Agent

Abandonment procedure: Air Dry, Back Fill and Cover

Drill pits must be closed within 365 days of spud date.

KCC OFFICE USE ONLY

Date Received: Lease Inspection: Yes 🔨 No Permit Number: