For KCC Use:
Effective Date: 3/-15-07
District # SGA? Yes X No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed

All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date January	15, 2007		Spot	✓ East
	month	day year	SE- NE SE NE Sec. 14 Twp. 16S S. F	
OPERATOR: License# 33640			1815 feet from ✓ N / S	
Name: Haas Petroleum, LLC			Is SECTION ✓ Regular Irregular?	Line of Section
Address: 800 W. 47th St., Suite 4 City/State/Zip: Kansas City, MO 6	64112	· · · · · · · · · · · · · · · · · · ·	3	
Contact Person: Mark Haas			(Note: Locate well on the Section Plat on reverse County: Miami	se side)
Phone: (816) 531-5922	,		Lease Name: Cone Field Name: Wellsville	Well #: 52-HP
CONTRACTOR: License# 335	57			Yes ✓ No
Name: Skyy Drilling, LLC			Is this a Prorated / Spaced Field? Target Formation(s): Squirrel	Yes [V]No
Well Drilled For:	Well Class:	Type Equipment:	Nearest Lease or unit boundary: 165'	
✓ Oil ✓ Enh Rec	✓ Infield	✓ Mud Rotary		feet MSL
Gas Storage	Pool Ext.	Air Rotary	Water well within one-quarter mile:	Yes ✓ No
O/W/O Disposal	Wildcat	Cable	Public water supply well within one mile: Depth to bottom of fresh water: 100+	Yes 🗸 No
Seismic; # of Hole	es Other		Depth to bottom of usable water: 180+	
Other				
If OMENO AND RESTORED			Surface Pipe by Alternate: 1 2 2 Length of Surface Pipe Planned to be set: 20'	
If OWWO: old well information			Length of Conductor Pipe required: None	
Operator:			Projected Total Depth: 725'	
		alast Tatal Doub.	Formation at Total Depth: Squirrel	
Original Completion Date:	Uni	ginal Total Depth:	Water Source for Drilling Operations:	
Directional, Deviated or Horizo	ntal wellbore?	Yes ✓ No	Well ✓ Farm Pond Other	
If Yes, true vertical depth:			DWR Permit #:	
Bottom Hole Location:			(Note: Apply for Permit with DWR	
KCC DKT #:		·	→ Will Cores be taken?	Yes No
				1
			If Yes, proposed zone:	
			If Yes, proposed zone: KANSAS CORPOR	EIVED
		AFF	FIDAVIT KANSAS CORPOR	ATION COMMISSION
The undersigned hereby affirm	ns that the drillin	g, completion and eventual p	FIDAVIT KANSAS CORPOR	ATION COMMISSION
The undersigned hereby affirm It is agreed that the following	ns that the drillin minimum require	g, completion and eventual p	FIDAVIT blugging of this well will comply with K.S.A. 55 et. SAN	ATION COMMISSION 0 2007
1. Notify the appropriate d 2. A copy of the approved 3. The minimum amount of through all unconsolidal 4. If the well is dry hole, a 5. The appropriate district 6. If an ALTERNATE II CO	minimum require listrict office <i>pric</i> notice of intent of surface pipe as ted materials plus an agreement be office will be not DMPLETION, pro ix "B" - Eastern I	g, completion and eventual perments will be met: or to spudding of well; to drill shall be posted on ease specified below shall be so a minimum of 20 feet into the second the	CONSERVATION OF THE PROPERTY O	O 2007 ON DIVISION No. KS e shall be set rior to plugging; vs of spud date. ernate II cementing
1. Notify the appropriate of 2. A copy of the approved 3. The minimum amount of through all unconsolidat 4. If the well is dry hole, a 5. The appropriate district 6. If an ALTERNATE II CO Or pursuant to Appendimust be completed with	minimum require listrict office <i>prio</i> notice of intent of surface pipe as ted materials plu in agreement be office will be not DMPLETION, pro ix "B" - Eastern I in 30 days of the	g, completion and eventual perments will be met: or to spudding of well; to drill shall be posted on easts specified below shall be so a minimum of 20 feet into a tween the operator and the lifted before well is either plus objection pipe shall be cement Kansas surface casing order a spud date or the well shall	CONSERVATION District office prior to be plugged. In all cases, NOTIFY district office prior to be plugged. In all cases, NOTIFY district office prior to be plugged. In all cases, NOTIFY district office prior to be plugged.	O 2007 ON DIVISION No. KS e shall be set rior to plugging; vs of spud date. ernate II cementing
1. Notify the appropriate of 2. A copy of the approved 3. The minimum amount of through all unconsolidal 4. If the well is dry hole, a 5. The appropriate district 6. If an ALTERNATE II CC Or pursuant to Appendimust be completed with	minimum require instrict office <i>prio</i> notice of intent if surface pipe as ted materials plu an agreement be office will be not DMPLETION, pro x "B" - Eastern I in 30 days of the ments made here	g, completion and eventual perments will be met: or to spudding of well; to drill shall be posted on easts specified below shall be so a minimum of 20 feet into a tween the operator and the lifted before well is either plus objection pipe shall be cement Kansas surface casing order a spud date or the well shall	CONSERVATION CONSERVATION OF THE PRODUCT OF THE PRO	O 2007 ON DIVISION NA KS e shall be set rior to plugging; vs of spud date. ernate If cementing any cementing.
1. Notify the appropriate d 2. A copy of the approved 3. The minimum amount of through all unconsolidal 4. If the well is dry hole, a 5. The appropriate district 6. If an ALTERNATE II CC Or pursuant to Appending must be completed with	minimum require instrict office <i>prio</i> notice of intent if surface pipe as ted materials plu an agreement be office will be not DMPLETION, pro x "B" - Eastern I in 30 days of the ments made here	g, completion and eventual perments will be met: or to spudding of well; to drill shail be posted on east specified below shall be so a minimum of 20 feet into a tween the operator and the lighted before well is either plus duction pipe shall be cement Kansas surface casing order e spud date or the well shall bein are true and to the best of	CONSERVATION CONSERVATION OF THE PROPERTY OF T	O 2007 ON DIVISION NA KS e shall be set rior to plugging; vs of spud date. ernate If cementing any cementing.
1. Notify the appropriate of 2. A copy of the approved 3. The minimum amount of through all unconsolidal 4. If the well is dry hole, a 5. The appropriate district 6. If an ALTERNATE II CO. Or pursuant to Appendimust be completed with 1 hereby certify that the stater Date: 1 - 7 - 0 7 For KCC Use ONLY	minimum require listrict office <i>prio</i> notice of intent of surface pipe atted materials plus in agreement be office will be not DMPLETION, pro ix "B" - Eastern linin 30 days of the nents made here. Signature of Ope	g, completion and eventual perments will be met: or to spudding of well; to drill shall be posted on east specified below shall be so a minimum of 20 feet into tween the operator and the lifted before well is either plu duction pipe shall be cemen Kansas surface casing order e spud date or the well shall ein are true and to the best cerator or Agent:	CONSERVATION OF THE PROPERTY O	O 2007 ON DIVISION A, KS, e shall be set rior to plugging; vs of spud date. ernate It cementing any cementing.
1. Notify the appropriate of 2. A copy of the approved 3. The minimum amount of through all unconsolidal 4. If the well is dry hole, a 5. The appropriate district 6. If an ALTERNATE II CO Or pursuant to Appendimust be completed with I hereby certify that the stater Date: 1 - 7 - 0 7	minimum require listrict office <i>prio</i> notice of intent of surface pipe atted materials plus in agreement be office will be not DMPLETION, pro ix "B" - Eastern linin 30 days of the nents made here. Signature of Ope	g, completion and eventual perments will be met: or to spudding of well; to drill shall be posted on east specified below shall be so a minimum of 20 feet into tween the operator and the lifted before well is either plu duction pipe shall be cemen Kansas surface casing order e spud date or the well shall ein are true and to the best cerator or Agent:	CONSERVATION OF THE PRINCE OF	O 2007 ON DIVISION A, KS, e shall be set rior to plugging; vs of spud date. ernate It cementing any cementing.
1. Notify the appropriate of 2. A copy of the approved 3. The minimum amount of through all unconsolidal 4. If the well is dry hole, a 5. The appropriate district 6. If an ALTERNATE II CO. Or pursuant to Appendimust be completed with 1 hereby certify that the stater Date: 1 - 7 - 0 7 For KCC Use ONLY API # 15 - 121 - 28	minimum require listrict office <i>prio</i> notice of intent of surface pipe asted materials plus in agreement be office will be not oMPLETION, pro ix "B" - Eastern lain 30 days of the nents made here. Signature of Ope	g, completion and eventual perments will be met: or to spudding of well; to drill shall be posted on easy secified below shall be so a minimum of 20 feet into tween the operator and the diffied before well is either plus duction pipe shall be cement Kansas surface casing order e spud date or the well shall bein are true and to the best of the state of t	CONSERVATION OF THE PROPERTY O	O 2007 ON DIVISION
1. Notify the appropriate of 2. A copy of the approved 3. The minimum amount of through all unconsolidal 4. If the well is dry hole, a 5. The appropriate district 6. If an ALTERNATE II CO. Or pursuant to Appending must be completed with 1 hereby certify that the stater Date: 1 - 7 - 0 7 For KCC Use ONLY API # 15 - 121 - 28 Conductor pipe required Minimum surface pipe required	minimum require listrict office prior notice of intent of surface pipe atted materials plus in agreement be office will be not DMPLETION, prox "B" - Eastern I prior 30 days of the nents made here. Signature of Open North North North add December 200	g, completion and eventual perments will be met: or to spudding of well; to drill shall be posted on east specified below shall be so a minimum of 20 feet into tween the operator and the lifted before well is either plu duction pipe shall be cemen Kansas surface casing order e spud date or the well shall ein are true and to the best cerator or Agent:	CONSERVATION OF THE PROPERTY O	CN DIVISION CN DIVISION A KS e shall be set rior to plugging; vs of spud date. ernate II cementing any cementing. date; orders; ver or re-entry; ted;
1. Notify the appropriate of 2. A copy of the approved 3. The minimum amount of through all unconsolidat 4. If the well is dry hole, a 5. The appropriate district 6. If an ALTERNATE II CO Or pursuant to Appendimust be completed with 1 hereby certify that the stater Date: 1 - 7 - 0 7 For KCC Use ONLY API # 15 - 121 - 28 Conductor pipe required Minimum surface pipe required Approved by: 244 1-10-1	minimum require listrict office <i>prio</i> notice of intent of surface pipe asted materials plus in agreement be office will be not oMPLETION, prox "B" - Eastern lain 30 days of the ments made here Signature of Ope North Column 1997 1997 1997 1997 1997 1997 1997 199	g, completion and eventual perments will be met: or to spudding of well; to drill shail be posted on east specified below shall be so a minimum of 20 feet into tween the operator and the lifted before well is either plu duction pipe shall be cement Kansas surface casing order e spud date or the well shall ein are true and to the best cerator or Agent:	conservation of this well will comply with K.S.A. 55 et. sign of this well will comply with K.S.A. 55 et. sign of the underlying formation. district office on plug length and placement is necessary progressive of the underlying formation. The district office on plug length and placement is necessary progressive of the underlying formation. The district office on plug length and placement is necessary progressive of the underlying formation casing is cemented in; at the plugged or production casing is cemented in; at the plugged. In all cases, NOTIFY district 3 area, alto be plugged. In all cases, NOTIFY district office prior to office prior to office and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud of File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to workon. Submit plugging report (CP-4) after plugging is comple. Obtain written approval before disposing or injecting safety.	COMMISSION O 2007 CN DIVISION A KS e shall be set rior to plugging; vs of spud date. ernate II cementing any cementing. date; orders; ver or re-entry; ted; alt water.
1. Notify the appropriate of 2. A copy of the approved 3. The minimum amount of through all unconsolidal 4. If the well is dry hole, a 5. The appropriate district 6. If an ALTERNATE II CO Or pursuant to Appendimust be completed with 1 hereby certify that the stater Date: 1 - 2 - 0 7 For KCC Use ONLY API # 15 - 228 Conductor pipe required Minimum surface pipe required Approved by: 244 1-10-16 This authorization expires:	minimum require listrict office prio notice of intent of surface pipe asted materials plus in agreement be office will be not o	g, completion and eventual perments will be met: or to spudding of well; to drill shail be posted on east specified below shall be so a minimum of 20 feet into tween the operator and the lifted before well is either plu duction pipe shall be cemen Kansas surface casing order e spud date or the well shall bein are true and to the best of the state of the shall be the	CONSERVATION OF THE PROPERTY O	COMMISSION O 2007 CN DIVISION A KS e shall be set rior to plugging; vs of spud date. ernate II cementing any cementing. date; orders; ver or re-entry; ted; alt water.
1. Notify the appropriate of 2. A copy of the approved 3. The minimum amount of through all unconsolidat 4. If the well is dry hole, a 5. The appropriate district 6. If an ALTERNATE II CO Or pursuant to Appendimust be completed with 1 hereby certify that the stater Date: 1 - 1 - 0 - 7 For KCC Use ONLY API # 15 - 121 - 28 Conductor pipe required Minimum surface pipe required Approved by: 244 1-10-1	minimum require listrict office prio notice of intent of surface pipe asted materials plus in agreement be office will be not o	g, completion and eventual perments will be met: or to spudding of well; to drill shail be posted on east specified below shall be so a minimum of 20 feet into tween the operator and the lifted before well is either plu duction pipe shall be cemen Kansas surface casing order e spud date or the well shall bein are true and to the best of the state of the shall be the	CONSERVATION OF THE PROPERTY O	COMMISSION O 2007 CN DIVISION A KS e shall be set rior to plugging; vs of spud date. ernate II cementing any cementing. date; orders; ver or re-entry; ted; alt water.
1. Notify the appropriate of 2. A copy of the approved 3. The minimum amount of through all unconsolidal 4. If the well is dry hole, a 5. The appropriate district 6. If an ALTERNATE II CO Or pursuant to Appendimust be completed with 1 hereby certify that the stater Date: 1 - 2 - 0 7 For KCC Use ONLY API # 15 - 228 Conductor pipe required Minimum surface pipe required Approved by: 244 1-10-16 This authorization expires:	minimum require listrict office prio notice of intent of surface pipe asted materials plus in agreement be office will be not oMPLETION, pro ix "B" - Eastern I in 30 days of the nents made here. Signature of Open North Control of the control of t	g, completion and eventual perments will be met: or to spudding of well; to drill shail be posted on east specified below shall be so a minimum of 20 feet into tween the operator and the lifted before well is either plu duction pipe shall be cemen Kansas surface casing order e spud date or the well shall bein are true and to the best of the state of the shall be the	conservation of this well will comply with K.S.A. 55 et. s.A.N. 1 Conservation of this well will comply with K.S.A. 55 et. s.A.N. 1 Conservation of this well will comply with K.S.A. 55 et. s.A.N. 1 Conservation of the top of the top of the underlying formation. It cases surface pipe the underlying formation. It cases surface pipe the underlying formation. It cases are provided from below any usable water to surface within 120 days of #133,891-C, which applies to the KCC District 3 area, alto be plugged. In all cases, NOTIFY district office prior to find the prior to find the plugged and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud of File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to workown of the plugging report (CP-4) after plugging is comple. Obtain written approval before disposing or injecting sale. If this permit has expired (See: authorized expiration days).	COMMISSION O 2007 CN DIVISION A KS e shall be set rior to plugging; vs of spud date. ernate II cementing any cementing. date; orders; ver or re-entry; ted; alt water.
1. Notify the appropriate of 2. A copy of the approved 3. The minimum amount of through all unconsolidal 4. If the well is dry hole, a 5. The appropriate district 6. If an ALTERNATE II CO Or pursuant to Appendimust be completed with 1 hereby certify that the stater Date: 1 - 2 - 0 - 7 For KCC Use ONLY API # 15 - 22 Conductor pipe required Minimum surface pipe required Approved by: 2 - 4 - 7 - 7 This authorization void if drilling through the statement of the	minimum require listrict office prio notice of intent of surface pipe asted materials plus in agreement be office will be not oMPLETION, pro ix "B" - Eastern I in 30 days of the nents made here. Signature of Open North Control of the control of t	g, completion and eventual perments will be met: or to spudding of well; to drill shail be posted on east specified below shall be so a minimum of 20 feet into tween the operator and the lifted before well is either plu duction pipe shall be cemen Kansas surface casing order e spud date or the well shall bein are true and to the best of the state of the shall be the	CONSERVATION OF THE PRINCE OF	COMMISSION O 2007 CN DIVISION A KS e shall be set rior to plugging; vs of spud date. ernate II cementing any cementing. date; orders; ver or re-entry; ted; alt water.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 121-28344-0000	Location of Well: County: Miami		
Operator: Haas Petroleum, LLC			
Lease: Cone	1815 feet from		
Well Number: 52-HP Field: Wellsville	Sec. 14 Twp. 16S S. R. 21		
Number of Acres attributable to well:	ls Section: ✓ Regular or ☐ Irregular		
QTR / QTR / QTR of acreage: NE _ SE _ NE _	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW		

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

· ·		
 		RECEIVED KANSAS CORPORATION COMMISSION JAN 1 0, 2007
		CONSERVATION DIVISION WICHITM, KS
		EXAMPLE
:		⊞o 1980
		10
		3390'
 :	· · · · · · · · · · · · · · · · · · ·	SEWARD CO.

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Haas Petroleum, LLC			License Number: 33640	
Operator Address: 800 W. 47th St	. Suite #409,	Kansas Cit	y, MO 64112	
Contact Person: Mark Haas			Phone Number: (816) 531 - 5922	
Lease Name & Well No.: Cone 52-HI	P		Pit Location (QQQQ):	
Type of Pit:	Pit is:		SE NE SE NE	
Emergency Pit Burn Pit	✓ Proposed Existing		Sec. 14 Twp. 16S R. 21 📝 East 🗍 West	
Settling Pit	If Existing, date constructed:		1815 Feet from ✓ North / South Line of Section	
Workover Pit Haul-Off Pit	DY		165 Feet from ✓ East / West Line of Section	
(If WP Supply API No. or Year Drilled)	Pit capacity:	(hbls)	Miami	
Is the pit located in a Sensitive Ground Wate			County	
is the pit located in a Sensitive Stourig vvate	r Alea? [] fes [<u>▼</u>	_ NO	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?	
✓ Yes No	☐ Yes ✓	No	Native Clay	
Pit dimensions (all but working pits):	45 Length (fe	eet) 8		
	from ground level to de	_		
			redures for periodic maintenance and determining including any special monitoring. RECEIVED JAN 1 0 2007 CONSERVATION DIVISION WASTER TEST WATER TEST TEST TO THE PROPERTY OF THE PROPERTY	
Distance to nearest water well within one-mile of pit		Depth to shallowest fresh waterfeet.		
4 239 feet Depth of water well 165 feet		measured well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY	':	Drilling, Workover and Haul-Off Pits ONLY: Type of material utilized in drilling/workover: Drilling Mud		
Producing Formation:				
Number of producing wells on lease:		Number of working pits to be utilized: 2		
Barrels of fluid produced daily:		Abandonment procedure: Air dry and Backfill		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.		
I hereby certify that the above stat				
	ements are true and o	correct to the bes	of my knowledge and belief.	
January 9, 2006 Date	tements are true and o	Brao	of my knowledge and belief. Krawk gnature of Applicant or Agent	
		Brao	Krawr Ignature of Applicant or Agent	