| For KCC Use:    | 1-15-  |
|-----------------|--------|
| Effective Date: | 1-1507 |
| District #      | _3     |
| 0040 (**)       | [13]   |

# Kansas Corporation Commission Oil & Gas Conservation Division

#### NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed

| Must be approved by KCC five  | (5) days prior to commencing well   |
|---|---|
| Expected Spud Date January 15, 2007   | Spot  √ East  |
| month day year  | NW - SE - NE Sec. 14 Twp. 16S S. R. 21 Wes  |
| OPERATOR: License# 33640  Name: Haas Petroleum, LLC  Address: 800 W. 47th St., Suite 409  | 1650 feet from   V   N /   S Line of Section 665 feet from   V   E /   W Line of Section  Is SECTION   Regular   Irregular?   |
| Address: City/State/Zip: Kansas City, MO 64112  |   |
| Contact Person: Mark Haas   | ( <b>Note:</b> Locate well on the Section Plat on reverse side)  County: Miami  |
| Phone: (816) 531-5922   | Lease Name: Cone Well # 158-HP  |
|   | Field Name: Wellsville  |
| CONTRACTOR: License# 33557 Name: Skyy Drilling, LLC   | Is this a Prorated / Spaced Field?  Target Formation(s): Squirrel   |
| Well Drilled For: Well Class: Type Equipment:   | Nearest Lease or unit boundary: 665'  |
|   | Ground Surface Elevation: N/A feet MS   |
| Oil   | Water well within one-quarter mile: Yes ✓ N   |
| Gas Storage Pool Ext.   Air Rotary  OWWO Disposal Wildcat Cable   | Public water supply well within one mile: Yes ✓ N   |
| Seismic; # of Holes Other   | Depth to bottom of fresh water: 100+  |
| Other   | Depth to bottom of usable water: 180+   |
| <u> </u>  | Surface Pipe by Alternate:  |
| If OWWO: old well information as follows:   | Length of Surface Pipe Planned to be set: 20'   |
| Operator:   | Length of Conductor Pipe required: None  Projected Total Depth: 725'  |
| Well Name:  | Formation at Total Depth: Squirrel  |
| Original Completion Date: Original Total Depth:   | Water Source for Drilling Operations:   |
| Directional, Deviated or Horizontal wellbore?   | Well ✓ Farm Pond Other  |
| If Yes, true vertical depth:  | DWR Permit #:   |
| Bottom Hole Location:   | (Note: Apply for Permit with DWR  |
| KCC DKT #:  | → Will Cores be taken?  |
|   | If Yes, proposed zone:  |
| AFF   | DAVIT RECEIVED  |
| The undersigned hereby affirms that the drilling, completion and eventual pl  | lugging of this well will comply with \$55 CORRORATION COMMISSION   |
| It is agreed that the following minimum requirements will be met:   | 2444 4 -  |
| <ol> <li>The appropriate district office will be notified before well is either plug</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cement<br/>Or pursuant to Appendix "B" - Eastern Kansas surface casing order</li> </ol> | of by circulating cement to the top; in all cases that Divisional be set the underlying formation.  It is that the control of |
| I hereby certify that the statements made herein are true and to the best of  |   |
| Date: January 9, 2007 Signature of Operator or Agent:   | of Kramr Tille: agent   |
|   | Remember to:  |
| For KCC Use ONLY  API # 15 - 121 - 28350-0000  Conductor pipe required None feet  Minimum surface pipe required feet per Alt. 12  | <ul> <li>File Drill Pit Application (form CDP-1) with Intent to Drill;</li> <li>File Completion Form ACO-1 within 120 days of spud date;</li> <li>File acreage attribution plat according to field proration orders;</li> <li>Notify appropriate district office 48 hours prior to workover or re-entry;</li> <li>Submit plugging report (CP-4) after plugging is completed;</li> </ul>   |
| Approved by: Pett 1-10-07   | - Obtain written approval before disposing or injecting salt water.   |
| This authorization expires: 7-10-07   | <ul> <li>If this permit has expired (See: authorized expiration date) please<br/>check the box below and return to the address below.</li> </ul>  |
| (This authorization void if drilling not started within 6 months of approval date.)   | -   |
| Spud date: Agent:   | Well Not Drilled - Permit Expired   Signature of Operator or Agent:   Date:   |
| Mail to: KCC - Conservation Division 130 9  | S Market - Room 2078, Wichita, Kansas, 67202  |

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

| API No. 15-121-28350-000              | Location of Well: County: Miami  |  |  |
|---------------------------------------|--|--|--|
| Operator: Haas Petroleum, LLC         | 1650 feet from VN / S Line of Section  |  |  |
| Lease: Cone                           | feet from VN / S Line of Section  665 feet from VE / W Line of Section                               |  |  |
| Well Number: i58-HP Field: Wellsville | Sec. 14 Twp. 16S S. R. 21 Fast West  |  |  |
| Number of Acres attributable to well: | is Section: 📝 Regular or 📗 Irregular   |  |  |
| QTR / QTR of acreage: NW - SE - NE    | If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW |  |  |

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)


(Show footage to the nearest lease or unit boundary line.)

|   |   |     | [. ::: ::= |          |
|---|---|-----|------------|----------|
|   |   | į . | . 1.       |          |
|   |   |     |            |          |
|   |   | i i | · 1        |          |
|   |   |     |            |          |
| : |   |     |            |          |
|   |   |     | . [,       | 1/454    |
|   |   |     |            | KAN      |
| 1 | _ | 1   | 1.         | 1        |
|   |   |     |            | 1        |
| İ |   |     | 1          | 1        |
|   | • | •   | · [·       |          |
|   |   |     | . [.       | İ        |
|   |   | ,   | . •        | -        |
|   |   | ĺ   |            | ļ        |
|   |   |     |            |          |
|   | • |     | •          |          |
| • |   |     |            |          |
|   |   |     |            |          |
|   | - |     | _          | EXAMPLE  |
|   |   |     |            | ]        |
|   |   |     |            | 1 .      |
|   |   |     |            | 1        |
|   |   |     |            | 1        |
|   | • | •   | •          |          |
| l |   |     |            | .        |
|   |   |     |            |          |
|   |   |     |            | .        |
|   |   |     |            |          |
|   |   |     | •          | i I      |
|   |   |     | •          |          |
|   |   | i   |            | · .      |
|   |   | •   |            |          |
|   |   |     |            |          |
|   |   |     |            | 1        |
|   | • | ·   | •          |          |
|   |   |     |            |          |
|   | • |     | •          |          |
|   | • | ,   |            |          |
|   |   |     |            | 05,000   |
|   |   |     |            | SEWARD C |
| 1 |   | ·   |            |          |

RECEIVED
KANSAS CORPORATION COMMISSION

JAN 1 0 2007

CONSERVATION DIVISION WICHITM, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

| Operator Name: Haas Petroleum, L   | LC                             |   | License Number: 33640                                |  |  |
|--|--------------------------------|---|--|--|--|
| Operator Address: 800 W. 47th St. Suite #409, Kansas City, MO 64112  |                                |   |  |  |  |
| Contact Person: Mark Haas  |                                |   | Phone Number: ( 816 ) 531 - 5922                     |  |  |
| Lease Name & Well No.: Cone i58-HI   | P                              |   | Pit Location (QQQQ):                                 |  |  |
| Type of Pit:   | Pit is:                        |   | C/2 NW SE NE   |  |  |
| Emergency Pit Burn Pit   | ✓ Proposed Existing            |   | Sec. 14 Twp. 16S R. 21  Seast West                   |  |  |
| Settling Pit   | If Existing, date constructed: |   | 1650 Feet from ✓ North / South Line of Section       |  |  |
| Workover Pit Haul-Off Pit  | Division                       |   | 665 Feet from   ✓ East / West Line of Section        |  |  |
| (If WP Supply API No. or Year Drilled)   | Pit capacity:                  | 4115  | Miami  |  |  |
|  | 120                            |   | County   |  |  |
| Is the pit located in a Sensitive Ground Water Area? ☐ Yes ✓ No  |                                | Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)                                 |  |  |  |
| Is the bottom below ground level?  | Artificial Liner?              |   | How is the pit lined if a plastic liner is not used? |  |  |
| ✓   Yes  | Yes ✓                          | No  | Native Clay  |  |  |
| Pit dimensions (all but working pits): 45 Length (feet) 8 Width (feet) N/A: Steel Pits  Depth from ground level to deepest point: 3 (feet) |                                |   |  |  |  |
| material, thickness and installation procedure.  |                                | liner integrity, including any special monitoring.  RECEIVED  KANSAS CORPORATION COMMISSION  JAN 1 0 2007 |  |  |  |
| Distance to nearest water well within one-mile of pit  |                                | Depth to shallowest fresh water WICHINGKS   |  |  |  |
| 4517 feet Depth of water well 165 feet   |                                | Source of information:  measured well owner electric log KDWR   |  |  |  |
| Emergency, Settling and Burn Pits ONLY:  |                                | Drilling, Workover and Haul-Off Pits ONLY:  |  |  |  |
| Producing Formation:   |                                | Type of material utilized in drilling/workover: Drilling Mud  |  |  |  |
| Number of producing wells on lease:  |                                | Number of working pits to be utilized: <sup>2</sup>   |  |  |  |
| Barrels of fluid produced daily:   |                                | Abandonment procedure: Air dry and Backfill   |  |  |  |
| Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No   |                                | Drill pits must be closed within 365 days of spud date.   |  |  |  |
| I hereby certify that the above statements are true and correct to the best of my knowledge and belief.                                    |                                |   |  |  |  |
| January 9, 2007  Date  Brod Kramt  Signature of Applicant or Agent   |                                |   |  |  |  |
| KCC OFFICE USE ONLY  |                                |   |  |  |  |
| Date Received: \(\(\sigma\) 0 7 Permit Number: Permit Date: \(\sigma\) (0 (C7 Lease Inspection: \(\sigma\) Yes \(\sigma\) No               |                                |   |  |  |  |

# KANSAS

CORPORATION COMMISSION

KATHLEEN SEBELLUS, GOVERNOR
BRIAN J. MOLINE, CHAIR
ROBERT E. KREHBIEL, COMMISSIONER
MICHAEL C. MOFFET, COMMISSIONER

# NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.