| For KCC Use: | 1-15-07 |
|-----------------|---------|
| Effective Date: | 71301 |
| District # | |
| SGA? Yes | s 🗶 No |

Kansas Corporation Commission Oil & Gas Conservation Division

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

| Expected Spud Date January 10, 2007 | Coat 7/15 | _1 |
|---|--|--------------------|
| month day year | Spot | |
| 33344 | 660 section N / S Line of Section | est |
| OPERATOR: License# 33344 Name: Quest Cherokee LLC | 660 feet from VE / W Line of Section | |
| Address: 9520 North May Avenue, Suite 300 | Is SECTION Regular Irregular? | |
| Address: Oklahoma City, Oklahoma 73120 | | |
| Contact Person: Richard Marlin | (Note: Locate well on the Section Plat on reverse side) County: Neosho | |
| Phone: (405) 286-9316 | Lease Name: Cox, Patricia Well #: 4-1 | |
| | Field Name: Cherokee Basin CBM | |
| CONTRACTOR: License# Will be licensed by the KCC | Is this a Prorated / Spaced Field? | No. |
| Name: Will advise on the ACO-1 | Target Formation(s): Cherokee Coals | .110 |
| | Nearest Lease or unit boundary: | |
| Well Drilled For: Well Class: Type Equipment: | Ground Surface Elevation: 900 feet M | SL |
| Oil Enh Rec / Infield / Mud Rotary - | Water well within one-quarter mile: | |
| Gas Storage Pool Ext. Air Rotary | Public water supply well within one mile: | |
| CWWO Disposal Wildcat Cable | Depth to bottom of fresh water: 100 | |
| Seismic; # of Holes Other Other Coalbed Methane | Depth to bottom of usable water: | |
| Other Coalded Wellians | Surface Pipe by Alternate: 1 2 | |
| If OWWO: old well information as follows: | Length of Surface Pipe Planned to be set: 25 | |
| Operator: | Length of Conductor Pipe required: | |
| Weil Name: | Projected Total Depth: 1500 | |
| Original Completion Date:Original Total Depth: | Formation at Total Depth: Cherokee Coals | |
| | Water Source for Drilling Operations: | |
| Directional, Deviated or Horizontal wellbore? Yes ✓ No | Well Farm Pond Other Air | _ |
| If Yes, true vertical depth: | DWR Permit #: | - |
| Bottom Hole Location: | (Note: Apply for Permit with DWR) | |
| KCC DKT #: | Will Cores be taken? | N. |
| | Will Coles be taken: | INO |
| | | |
| ΛFE | If Yes, proposed zone: | |
| AFF | If Yes, proposed zone: | |
| AFF The undersigned hereby affirms that the drilling, completion and eventual particles agreed that the following minimum requirements will be met- | If Yes, proposed zone: | |
| | If Yes, proposed zone: KANSAS CORPORATION CO Plugging of this well will comply with K.S.A. 55 et. seq. JAN 0 4 2002 | MMISSIO |
| Notify the appropriate district office <i>prior</i> to spudding of well; | If Yes, proposed zone: KANSAS CORPORATION CO Plugging of this well will comply with K.S.A. 55 et. seq. JAN 0 4 2007 CONSERVATION CO | MMISSIO |
| Notify the appropriate district office <i>prior</i> to spudding of well; | If Yes, proposed zone: KANSAS CORPORATION CO Plugging of this well will comply with K.S.A. 55 et. seq. JAN 0 4 2007 CONSERVATION CO | MMISSIO |
| Notify the appropriate district office <i>prior</i> to spudding of well; | FIDAVIT Dlugging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION BY CONSERVATION BY CONSERVATION DIVISION BY CONSERVATION DIVISION BY CONSERVATION BY CONSER | MMISSIO |
| Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ea The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into a If the well is dry hole, an agreement between the operator and the | If Yes, proposed zone: KANSAS CORPORATION CO Diugging of this well will comply with K.S.A. 55 et. seq. JAN 0 4 2007 CONSERVATION DIVISION ach drilling rig; wet by circulating cement to the top; in all cases surface pipe silm, we set the underlying formation. district office on plug length and placement is necessary prior to plugging | MMISSIO , |
| Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ea The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into a If the well is dry hole, an agreement between the operator and the appropriate district office will be notified before well is either plu | FIDAVIT clugging of this well will comply with K.S.A. 55 et. seq. JAN 0 4 2007 CONSERVATION DIVISION ach drilling rig; wet by circulating cement to the top; in all cases surface pipe silla, we set the underlying formation. district office on plug length and placement is necessary prior to plugging gged or production casing is cemented in; | MMISSIO , |
| Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ea The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the time to the surface of the surfa | If Yes, proposed zone: CEIVED CONSERVATION CO CONSERVATION DIVISION Conservation DIVISI | MMISSIO YN ; |
| Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ea The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into the surface of the well is dry hole, an agreement between the operator and the surface of the surface district office will be notified before well is either plush. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order | If Yes, proposed zone: FIDAVIT Drugging of this well will comply with K.S.A. 55 et. seq. JAN 0 4 2007 CONSERVATION DIVISION ach drilling rig; the top circulating cement to the top; in all cases surface pipe selfar, reset the underlying formation. district office on plug length and placement is necessary prior to plugging to gged or production casing is cemented in; ated from below any usable water to surface within 120 days of spud date, re #133,891-C, which applies to the KCC District 3 area, alternate II cementically and the composition of the comp | MMISSIO YN ; |
| Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ea The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into a If the well is dry hole, an agreement between the operator and the appropriate district office will be notified before well is either plu If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall | FIDAVIT clugging of this well will comply with K.S.A. 55 et. seq. JAN 0 4 2007 CONSEQUENCE DIVISION ach drilling rig; eet by circulating cement to the top; in all cases surface pipe sile, taset the underlying formation. district office on plug length and placement is necessary prior to plugging gged or production casing is cemented in; ated from below any usable water to surface within 120 days of spud date. r #133,891-C, which applies to the KCC District 3 area, alternate II cementi be plugged. In all cases, NOTIFY district office prior to any cementing. | MMISSIO YN ; |
| Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ea The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into the surface of the well is dry hole, an agreement between the operator and the surface of the surface district office will be notified before well is either plush. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order | If Yes, proposed zone: KANSAS CORPORATION CO JAN 0 4 2007 CONSERVATION DIVISION ach drilling rig; tet by circulating cement to the top; in all cases surface pipe silla, tessel the underlying formation. district office on plug length and placement is necessary prior to plugging to gged or production casing is cemented in; ated from below any usable water to surface within 120 days of spud date, r #133,891-C, which applies to the KCC District 3 area, alternate II cementic be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. | MMISSIO YN ; |
| Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ea The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into a If the well is dry hole, an agreement between the operator and the appropriate district office will be notified before well is either plu If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall | FIDAVIT clugging of this well will comply with K.S.A. 55 et. seq. JAN 0 4 2007 CONSEQUENCE DIVISION ach drilling rig; eet by circulating cement to the top; in all cases surface pipe sile, taset the underlying formation. district office on plug length and placement is necessary prior to plugging gged or production casing is cemented in; ated from below any usable water to surface within 120 days of spud date. r #133,891-C, which applies to the KCC District 3 area, alternate II cementi be plugged. In all cases, NOTIFY district office prior to any cementing. | MMISSIO YN ; |
| Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ea The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into a If the well is dry hole, an agreement between the operator and the analysis of the appropriate district office will be notified before well is either pluar. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of the spud date. | FIDAVIT clugging of this well will comply with K.S.A. 55 et. seq. JAN 0 4 2007 conservation prission and placement is necessary prior to plugging gged or production casing is cemented in; ated from below any usable water to surface within 120 days of spud date. It will be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. | MMISSIO YN ; |
| Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ea The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into the surface of the well is dry hole, an agreement between the operator and the surface district office will be notified before well is either plus. If an ALTERNATE II COMPLETION, production pipe shall be demonstrated by the completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of the surface of Operator or Agent: Date: January 3, 2007 Signature of Operator or Agent: | If Yes, proposed zone: FIDAVIT Drugging of this well will comply with K.S.A. 55 et. seq. JAN 0 4 2007 Conservation Division and district office on plug length and placement is necessary prior to plugging gged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date, if #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP | MMISSIO YN ; |
| Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ea The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into a If the well is dry hole, an agreement between the operator and the s The appropriate district office will be notified before well is either plu If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of the control of | FIDAVIT clugging of this well will comply with K.S.A. 55 et. seq. JAN 0 4 2007 conservation pursion ach drilling rig; the toy circulating cement to the top; in all cases surface pipe state, tessel the underlying formation. district office on plug length and placement is necessary prior to plugging gged or production casing is cemented in; ated from below any usable water to surface within 120 days of spud date. r #133,891-C, which applies to the KCC District 3 area, alternate II cementi be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief Title: VP Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; | MMISSIO YN ; |
| 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the loast of Date: Date: January 3, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133-2670-0000 | If Yes, proposed zone: FIDAVIT Drugging of this well will comply with K.S.A. 55 et. seq. JAN 0 4 2007 Conservation Division and district office on plug length and placement is necessary prior to plugging gged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date, if #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP | MMISSIO YN ; |
| 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall 1 hereby certify that the statements made herein are true and to the loast of Date: Date: January 3, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133-26760-0000 Conductor pipe required feet | FIDAVIT olugging of this well will comply with K.S.A. 55 et. seq. JAN 0 4 2007 consequence of the pipe site, was a comportation of the underlying formation. district office on plug length and placement is necessary prior to plugging gged or production casing is cemented in; atted from below any usable water to surface within 120 days of spud date. In all cases, NOTIFY district office prior to any cementing. In the plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; | MMISSIO YN ; |
| 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: January 3, 2007 | FIDAVIT clugging of this well will comply with K.S.A. 55 et. seq. JAN 0 4 2007 CONSEQUENCE OF | MMISSIO YN ; |
| 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall 1 hereby certify that the statements made herein are true and to the best of the post of the spud shall 1 hereby certify that the statements made herein are true and to the best of the spud shall 1 hereby certify that the statements made herein are true and to the best of the spud shall 1 hereby certify that the statements made herein are true and to the best of the spud shall 1 hereby certify that the statements made herein are true and to the best of the spud shall 1 hereby certify that the statements made herein are true and to the best of the spud shall 1 hereby certify that the statements made herein are true and to the best of the spud shall 1 hereby certify that the statements made herein are true and to the best of the spud shall 1 hereby certify that the statements made herein are true and to the best of the spud shall 1 hereby certify that the statements made herein are true and to the best of the spud shall 1 hereby certify that the statements made herein are true and to the best of the spud shall 1 hereby certify that the statements made herein are true and to the best of the spud shall 1 hereby certify that the statements are spud shall 1 hereby certify that the statement | FIDAVIT olugging of this well will comply with K.S.A. 55 et. seq. JAN 0 4 2007 consequence of the pipe site, was a comportation of the underlying formation. district office on plug length and placement is necessary prior to plugging gged or production casing is cemented in; atted from below any usable water to surface within 120 days of spud date. In all cases, NOTIFY district office prior to any cementing. In the plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; | MMISSIO YN ; |
| 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall 1 hereby certify that the statements made herein are true and to the best of the post of the spud shall 1 hereby certify that the statements made herein are true and to the best of the spud shall 1 hereby certify that the statements made herein are true and to the best of the spud shall 1 hereby certify that the statements made herein are true and to the best of the spud shall 1 hereby certify that the statements made herein are true and to the best of the spud shall 1 hereby certify that the statements made herein are true and to the best of the spud shall 1 hereby certify that the statements made herein are true and to the best of the spud shall 1 hereby certify that the statements made herein are true and to the best of the spud shall 1 hereby certify that the statements made herein are true and to the best of the spud shall 1 hereby certify that the statements made herein are true and to the best of the spud shall 1 hereby certify that the statements made herein are true and to the best of the spud shall 1 hereby certify that the statements made herein are true and to the best of the spud shall 1 hereby certify that the statements are spud shall 1 hereby certify that the statement | FIDAVIT clugging of this well will comply with K.S.A. 55 et. seq. JAN 0 4 2007 conservation Division and district office on plug length and placement is necessary prior to plugging gged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date, reflection and placement within 120 days of spud date, reflection and placement is necessary prior to plugging gged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date, reflection and placement is necessary prior to plugging gged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date, reflection and cases, NOTIFY district office prior to any cementing. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please | MMISSIO YN ; |
| 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: January 3, 2007 | FIDAVIT Driugging of this well will comply with K.S.A. 55 et. seq. JAN 0 4 2007 Consequence of the top of the top of the underlying formation. district office on plug length and placement is necessary prior to plugging gged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. | MMISSIO YN ; |
| Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ea The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into a If the well is dry hole, an agreement between the operator and the animous surface district office will be notified before well is either pluared. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of the spud date. Date: January 3, 2007 Signature of Operator or Agent: Date: January 3, 2007 For KCC Use ONLY API # 15 - J33 - 26 760 - 000 Conductor pipe required feet per Alt. Y 2 Approved by: Late 1-10-07 This authorization expires: 7-10-07 (This authorization void if drilling not started within 6 months of approval date.) | FIDAVIT Driugging of this well will comply with K.S.A. 55 et. seq. JAN 0 4 2007 Consequence of the top of the top of the underlying formation. district office on plug length and placement is necessary prior to plugging gged or production casing is cemented in; attended from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired | MMISSIO YN ; |
| Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ea The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into a If the well is dry hole, an agreement between the operator and the another than the surface pipe shall be cemented. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the surface pipe required of Operator or Agent: Date: January 3, 2007 Signature of Operator or Agent: feet Minimum surface pipe required feet per Alt. (2) Approved by: Lett 1-10-07 This authorization expires: 7-10-07 | FIDAVIT chugging of this well will comply with K.S.A. 55 et. seq. JAN 0 4 2007 Consequence of the price of the underlying formation. district office on plug length and placement is necessary prior to plugging gged or production casing is cemented in; and the drom below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Signature of Operator or Agent: | MMISSIO YN ; |
| 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into a surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into a surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into a surface pipe shall be completed. 4. If the well is dry hole, an agreement between the operator and the specified before well is either plus. 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of the post of the spud date or the well shall. Date: January 3, 2007 Signature of Operator or Agent: Conductor pipe required feet per Alt. Approved by: Late 1-10-07 This authorization expires: 7-10-07 (This authorization void if drilling not started within 6 months of approval date.) Spud date: Agent: | FIDAVIT Driugging of this well will comply with K.S.A. 55 et. seq. JAN 0 4 2007 Consequence of the top of the top of the underlying formation. district office on plug length and placement is necessary prior to plugging gged or production casing is cemented in; attended from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired | MMISSIO YN ; |

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

| API No. 15 - 133-26760-0000 | Location of Well: County: Neosho |
|--|--|
| Operator: Quest Cherokee LLC | 660 feet from N / V S Line of Section |
| Lease: Cox, Patricia | 660 feet from 🗸 E / W Line of Section |
| Well Number: 4-1 Field: Cherokee Basin CBM | Sec. 4 Twp. 28 S. R. 18 ✓ East Wes |
| Number of Acres attributable to well: QTR / QTR of acreage: _ SE _ SE _ SE | Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW |

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

| Operator Name: Quest Cherokee LLC | | | License Number: 33344 | | |
|---|--------------------------------|---|---|--|--|
| Operator Address: 9520 North Ma | y Avenue, Su | ite 300 Ok | lahoma City, Oklahoma 73120 | | |
| Contact Person: Richard Marlin | | | Phone Number: (405) 286 - 9316 | | |
| Lease Name & Well No.: Cox, Patricia #4-1 | | | Pit Location (QQQQ): | | |
| Type of Pit: | Pit is: | | | | |
| Emergency Pit Burn Pit | ✓ Proposed | Existing | Sec. 4 Twp. 28 R. 18 | | |
| Settling Pit | If Existing, date constructed: | | 660 Feet from North / 🗸 South Line of Section | | |
| Workover Pit Haul-Off Pit | Pit capacity: | | 660 Feet from 🗸 East / West Line of Section | | |
| (If WP Supply API No. or Year Drilled) | 300 | (bbls) | Neosho County | | |
| Is the pit located in a Sensitive Ground Wate | r Area? ☐ Yes 🗸 | No | Chloride concentration: mg/l | | |
| | | | (For Emergency Pits and Settling Pits only) | | |
| Is the bottom below ground level? Yes No | Artificial Liner? ☐ Yes ✓ | No | How is the pit lined if a plastic liner is not used? | | |
| Pit dimensions (all but working pits): | 30 Length (fe | eet) 10 | Width (feet) N/A: Steel Pits | | |
| | rom ground level to de | | | | |
| If the pit is lined give a brief description of the material, thickness and installation procedure. | | | Operation lasting approx 3 days | | |
| Source o | | Depth to shallo Source of infor | west fresh water15feet. | | |
| 2952 feet Depth of water well 91 feet | | Source of information: | | | |
| Emergency, Settling and Burn Pits ONLY: | | Drilling, Workover and Haul-Off Pits ONLY: | | | |
| | | | al utilized in drilling/workover: Air Drilled | | |
| | | | | | |
| Barrels of fluid produced daily: | | Abandonment procedure: Air Dry, Back Fill and Cover | | | |
| Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No | | Drill pits must t | pe closed within 365 days of spud date. CORPORATION COMMISS | | |
| January 3, 2007 Date | ements are true and | (chan) | JAN 11 4 2007 | | |
| | KCC OFFICE USE ONLY | | | | |
| Date Received: 1/4/67 Permit Nur | nber: | Perm | it Date: 1407 Lease Inspection: Yes R No | | |