For KCC Use:	1.1500
Effective Date:	1-15-07
District #	3
SGA? Yes	X No

Kansas Corporation Commission Oil & Gas Conservation Division

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

M

Expected Spud Date January 9, 2007	Spot East	it
montn day year	NE NW Sec. 8 Twp. 31 S. R. 19 Wes	st
OPERATOR: License#	feet from V N / S Line of Section	
Name: Quest Cherokee LLC		
Address: 9520 North May Avenue, Suite 300	Is SECTION _√RegularIrregular?	
Address: 9520 North May Avenue, Suite 300 City/State/Zip: Oklahoma City, Oklahoma 73120 Richard Marlin	(Note: Locate well on the Section Plat on reverse side)	
Contact Person: Itteliard Manni	County: Labette	_
Phone: (405) 286-9316	Lease Name: O'Conner, Thomas J. Jr. Trust Well #: 8-1	_
CONTRACTOR: License# Will be licensed by the KCC	Field Name: Cherokee Basin CBM	
Name: Will advise on the ACO-1	Is this a Prorated / Spaced Field?	lo
Name:	Target Formation(s): Cherokee Coals	_
Well Drilled For: Well Class; Type Equipment:	Nearest Lease or unit boundary: 660	_
Oil Enh Rec / Infield Mud Rotary	Ground Surface Elevation: 932 feet MS	
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile: Yes √N	_
OWWO Disposal Wildcat Cable	Public water supply well within one mile: Depth to bottom of fresh water: 100 Yes V No	10
Seismic;# of Holes Other	Depth to bottom of usable water: 200	_
✓ Other Coalbed Methane	Surface Pipe by Alternate: 1 / 2	
II OMINO AND	Length of Surface Pipe Planned to be set: 25	
If OWWO: old well information as follows: Operator:	Length of Conductor Pipe required:	
	Projected Total Depth: 1500	
Well Name:Original Total Depth:	Formation at Total Depth: Cherokee Coals	
Original Completion Date: Original Total Depth.	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore? Yes V No	Well Farm Pond Other Air	_
If Yes, true vertical depth:	DWR Permit #:	_
Bottom Hole Location:	(Note: Apply for Permit with DWR [])	
KCC DKT #:	Will Cores be taken? Yes ✓Ne	lo
KCC DKT #:		0
AEE	Will Cores be taken?	_
AEE	Will Cores be taken?	_
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl	Will Cores be taken? Yes ✓ No	_
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:	Will Cores be taken? If Yes, proposed zone: IDAVIT RECEIVED ugging of this well will comply with K.S.A. 5 KANSAS CORPORATION COMMIN	_
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	Will Cores be taken? If Yes, proposed zone: IDAVIT ugging of this well will comply with K.S.A. 5 KANSAS CORPORATION COMMIS JAN 0 3 2007	_
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	Will Cores be taken? If Yes, proposed zone: IDAVIT ugging of this well will comply with K.S.A. 5 KANSAS CORPORATION COMMIS JAN 0 3 2007	_
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i>	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 5 KANSAS CORPORATION COMMING. The drilling rig; the by circulating cement to the top; in all cases surgestimation in the first in the content of th	_
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dry	Will Cores be taken? If Yes, proposed zone: IDAVIT ugging of this well will comply with K.S.A. 5 KANSAS CORPORATION COMMIT THE CEIVED JAN 0 3 2007 The drilling rig; If by circulating cement to the top; in all cases surplices and property of the underlying formation. WICHTA KS istrict office on plug length and placement is necessary prior to plugging;	_
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the desired to the surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the desired to the surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the desired to the surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the desired to the surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specifi	Will Cores be taken? If Yes, proposed zone: IDAVIT ugging of this well will comply with K.S.A. 5 KANSAS CORPORATION COMMIN JAN 0 3 2007 The drilling rig; If by circulating cement to the top; in all cases surprise by since underlying formation. In underlying formation. In underlying formation. In underlying formation. In underlying formation or plug length and placement is necessary prior to plugging; ged or production casing is cemented in;	_
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement	Will Cores be taken? If Yes, proposed zone: IDAVIT ugging of this well will comply with K.S.A. 5 KANSAS CORPORATION COMMIN JAN 0 3 2007 The drilling rig; If by circulating cement to the top; in all cases sufficient brussion ine underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date.	 ISSIO
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order	Will Cores be taken? If Yes, proposed zone: IDAVIT ugging of this well will comply with K.S.A. 5 KANSAS CORPORATION COMMIN JAN 0 3 2007 The drilling rig; If by circulating cement to the top; in all cases surprise by since underlying formation. In underlying formation. In underlying formation. In underlying formation. In underlying formation or plug length and placement is necessary prior to plugging; ged or production casing is cemented in;	 ISSIO
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order	Will Cores be taken? If Yes, proposed zone: IDAVIT ugging of this well will comply with K.S.A. 5 KANSAS CORPORATION COMMIT The drilling rig; the by circulating cement to the top; in all cases surplices in the underlying formation. Wichita Ks istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate If cementing to plugged. In all cases, NOTIFY district office prior to any cementing.	 ISSIO
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the specified before well is either pluguate. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the best of	Will Cores be taken? If Yes, proposed zone: IDAVIT ugging of this well will comply with K.S.A. 5 KANSAS CORPORATION COMMIN JAN 0 3 2007 The drilling rig; the by circulating cement to the top; in all cases sufficient brussion ine underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.	 ISSIO
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the search of the province of intent to drill <i>shall be</i> posted on each and the search of the sea	Will Cores be taken? If Yes, proposed zone: IDAVIT ugging of this well will comply with K.S.A. 5 KANSAS CORPORATION COMMIT The drilling rig; the by circulating cement to the top; in all cases surplices in the underlying formation. Wichita Ks istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate If cementing to plugged. In all cases, NOTIFY district office prior to any cementing.	 ISSIO
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the specified before well is either pluguate. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the best of	Will Cores be taken? If Yes, proposed zone: IDAVIT ugging of this well will comply with K.S.A. 5 KANSAS CORPORATION COMMIN JAN 0 3 2007 The drilling rig; the by circulating cement to the top; in all cases sufficient brussion ine underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.	 ISSIO
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and an amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the surface of the specific will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall in hereby certify that the statements made herein are true and to the best of the plant of the plant of Operator or Agent: Date: January 2, 2007	Will Cores be taken? If Yes, proposed zone: IDAVIT ugging of this well will comply with K.S.A. 5 KANSAS CORPORATION COMMINION The drilling rig; the by circulating cement to the top; in all cases sufficient brussion ine underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP	 ISSIO
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the description of the specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the description of the description of the description of the specified belove well is either plug for the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the best of Date: Date: January 2, 2007 Signature of Operator or Agent:	Will Cores be taken? If Yes, proposed zone: DAVIT RECEIVED	
The undersigned hereby affirms that the drilling, completion and eventual please of that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office of intent to drill <i>shall be</i> posted on each and the district office of intent to drill <i>shall be</i> posted on each and the district of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the interpretable of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the interpretable of the well shall be completed within 30 days of the spud date or the well shall in hereby certify that the statements made herein are true and to the best of the plant of the	Will Cores be taken? If Yes, proposed zone: DAVIT	 ISSIO
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into unconsolidated materials plus a minimum of 20 feet into the set of the set of the set into the set into the set of the set into t	Will Cores be taken? If Yes, proposed zone: DAVIT	
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into th	Will Cores be taken? If Yes, proposed zone: DAVIT	
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the set of th	Will Cores be taken? If Yes, proposed zone: IDAVIT ugging of this well will comply with K.S.A. 5 KANSAS CORPORATION COMMIT The dilling rig; the by circulating cement to the top; in all cases support to plugging; the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing. The plugged. In all cases, NOTIFY district office prior to any cementing. Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.	
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the set of th	Will Cores be taken? If Yes, proposed zone: DAVIT	
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the set of th	If Yes, proposed zone: JAN 0 3 2007	
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the set of th	Will Cores be taken? If Yes, proposed zone: DAVIT	


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 099-24/74-0000	Location of Well: County: Labette
Operator: Quest Cherokee LLC	660 feet from VN/S Line of Section
Lease: O'Conner, Thomas J. Jr. Trust	1980 feet from E / 🗸 W Line of Section
Well Number: 8-1	Sec8Twp31S. R19
Field: Cherokee Basin CBM	
Number of Acres attributable to well:	Is Section: 🕢 Regular or 🔲 Irregular
QTR / QTR / QTR of acreage:NENW	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Quest Cherokee LLC		License Number: 33344			
Operator Address: 9520 North May Avenue, Suite 300 Oklahoma City, Oklahoma 73120					
Contact Person: Richard Marlin			Phone Number: (405) 286 - 9316		
Lease Name & Well No.: O'Conner, Thomas J. Jr. Trust 8-1			Pit Location (QQQQ):		
Type of Pit:	Pit is:				
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 8 Twp. 31 R. 19		
Settling Pit	If Existing, date co	onstructed:	660 Feet from 🗸 North / 🗌 South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		Feet from ☐ East / ✔ West Line of Section		
(If WP Supply API No. or Year Drilled)	1	(bbls)	Labette		
Is the pit located in a Sensitive Ground Water	Area? Yes ✓	No	Chloride concentration:mg/l		
			(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level? ☐ Yes ☑ No	Artificiał Liner? ☐ Yes		How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits):	BO Length (fe	et)10	Width (feet) N/A: Steel Pits		
	om ground level to de		40		
1 p			edures for periodic maintenance and determining ncluding any special monitoring.		
(Operation lasting approx 3 days		
Air			Speration lasting approx 3 days		
			3		
Distance to nearest water well within one-mile of pit Depth to shallo Source of infor		west fresh waterfeet.			
l 1		measured well owner electric log KDWR			
		Drilling, Work	mation: iredwell ownerelectric logKDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Air Drilled king pits to be utilized: One		
Producing Formation: Type of mater		Type of materia	al utilized in drilling/workover: Air Drilled		
Barrels of fluid produced daily: Aband		Abandonment	procedure: Air Dry, Back Fill and Cover		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits i		Drill pits must l	be closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
CORPORATION COMMISSION					
January 2, 2007	Ki	Sara)	Marlin JAN 0 3 2007		
Date		۶ 	ignature of Applicant or Agent CONSERVATION DIVISION		
KCC OFFICE USE ONLY					
Date Received: 1307 Permit Number: Permit Date: 1367 Lease Inspection: Yes V No					
Date Received: 1 3 0 Permit Num	inei.	rerm	it Date. VOI Lease Hispection. Tes 100		