For KCC Use:

## Kansas Corporation Commission Oil & Gas Conservation Division

## NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Expected Spud Date	Spot	East
month day year	9W NE 29 27 17	West
OPERATOR: License# 33344	1980 feet from VN / S Line of Section	
Name: Quest Cherokee LLC	1980feet from VE / W Line of Section	nc
9520 North May Avenue, Suite 300	Is SECTION _✓ RegularIrregular?	
City/State/Zip: Oklahoma City, Oklahoma 73120	(Note: Locate well on the Section Plat on reverse side)	
Contact Person Richard Marlin	County: Wilson	
Phone: (405) 286-9316	Lease Name: Myers, Dale Well #: 29-1	
	Field Name: Cherokee Basin CBM	
CONTRACTOR: License# Will be licensed by the KCC  Name: Will advise on the ACO-1	Is this a Prorated / Spaced Field?	√ No
Name: Will advise on the ACO-1	Target Formation(s): Cherokee Coals	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 660	
Oil Finh Rec Infield Mud Rotary		t MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:	✓ No L
OWO Disposal Wildcat Cable		✓ No
Seismic; # of Holes Other	Depth to bottom of fresh water: 100	
✓ Other Coalbed Methane	Depth to bottom of usable water:	
[A] Omer	Surface Pipe by Alternate: 1 2 1	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 25	
Operator:	Length of Conductor Pipe required:	
Well Name:	Projected Total Depth: 1500	
Original Completion Date:Original Total Depth:	Formation at Total Depth: Cherokee Coals	
5 5	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other Air	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR	
KCC DKT #:	Will Cores be taken?	√  No <b>′</b>
	tviii eelee se tainetv	
	If Yes, proposed zone:	
AFF	If Yes, proposed zone:	
AFF  The undersigned hereby affirms that the drilling, completion and eventual p	If Yes, proposed zone:	MMISSI
The undersigned hereby affirms that the drilling, completion and eventual p	If Yes, proposed zone:  IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq. CORPORATION CO	MMISSI
The undersigned hereby affirms that the drilling, completion and eventual plt is agreed that the following minimum requirements will be met:	If Yes, proposed zone:	MMISSI
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved potice of intent to drill shall be posted on ea	If Yes, proposed zone:  IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq. CORPORATION CO.  JAN 0 3 2007	7
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved potice of intent to drill shall be posted on ea	If Yes, proposed zone:  IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq. CORPORATION CO.  JAN 0 3 2007	7
The undersigned hereby affirms that the drilling, completion and eventual plt is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the second content of the secon	If Yes, proposed zone:  IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  JAN 0 3 2007  ch drilling rig;  Y by circulating cement to the top; in all cases surface proposed in the condensation.	7 JON
The undersigned hereby affirms that the drilling, completion and eventual plt is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into t.  4. If the well is dry hole, an agreement between the operator and the constants.	If Yes, proposed zone:  IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  JAN 0 3 2007  ch drilling rig;  Proposed zone:  CONSERVATION DIVISION TO BE UNDERVATION DIVISION DIVISIONE DIVISION DIVISION DIVISION DIVISION DIVISION DIVISION DIVISIONE DIVISION DIVISIONE DIVISION DIVISION DIVISIONE DI DIVISIONE DIVISIONE DIVISIONE DIVISIONE DIVISIONE DIVISIONE DIVI	7 JON
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into t.  4. If the well is dry hole, an agreement between the operator and the c.  5. The appropriate district office will be notified before well is either plus	If Yes, proposed zone:  IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq. Corporation Co.  JAN 0 3 2007  ch drilling rig;  conservation project by circulating cement to the top; in all cases surface project in the underlying formation.  district office on plug length and placement is necessary prior to plugginged or production casing is cemented in;	<b>7</b> <b> ON</b> :ng;
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into t.  4. If the well is dry hole, an agreement between the operator and the c.  5. The appropriate district office will be notified before well is either plug.  6. If an ALTERNATE II COMPLETION, production pipe shall be cement.	If Yes, proposed zone:  IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  JAN 0 3 2007  ch drilling rig;  Proposed zone:  CONSERVATION DIVISION TO BE UNDERVATION DIVISION DIVISIONE DIVISION DIVISION DIVISION DIVISION DIVISION DIVISION DIVISIONE DIVISION DIVISIONE DIVISION DIVISION DIVISIONE DI DIVISIONE DIVISIONE DIVISIONE DIVISIONE DIVISIONE DIVISIONE DIVI	<b>/ON</b> <i>Ing</i> ; e.
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be</i> as through all unconsolidated materials plus a minimum of 20 feet into t.  4. If the well is dry hole, an agreement between the operator and the c.  5. The appropriate district office will be notified before well is either plug.  6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order.	If Yes, proposed zone:  IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq. CORPORATION CO  JAN 0 3 2007  ch drilling rig;  ch by circulating cement to the top; in all cases surface production.  district office on plug length and placement is necessary prior to plugginged or production casing is cemented in;  ted from below any usable water to surface within 120 days of spud date.	ON ing; e. enting
The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into tea.  4. If the well is dry hole, an agreement between the operator and the complete district office will be notified before well is either plugent of the appropriate district office will be notified before well is either plugent.  6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	If Yes, proposed zone:  IDAVIT  lugging of this well will comply with K.S.A. 55 et. sec Corporation Co  JAN 0 3 2007  ch drilling rig;  ch by circulating cement to the top; in all cases surface processory prior to plugging the underlying formation.  district office on plug length and placement is necessary prior to plugginged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II ceme be plugged. In all cases, NOTIFY district office prior to any cementing	ON ing; e. enting
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into t.  4. If the well is dry hole, an agreement between the operator and the c.  5. The appropriate district office will be notified before well is either plug.  6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall.  I hereby certify that the statements made herein are true and to the best of the statements.	If Yes, proposed zone:  IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq. CORPORATION CO  JAN 0 3 2007  ch drilling rig;  the underlying formation.  district office on plug length and placement is necessary prior to plugging good or production casing is cemented in;  ted from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II ceme be plugged. In all cases, NOTIFY district office prior to any cementing it my knowledge and belief.	ON ing; e. enting
The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into tea.  4. If the well is dry hole, an agreement between the operator and the complete district office will be notified before well is either plugent of the appropriate district office will be notified before well is either plugent.  6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	If Yes, proposed zone:  IDAVIT  lugging of this well will comply with K.S.A. 55 et. sec Corporation Co  JAN 0 3 2007  ch drilling rig;  ch by circulating cement to the top; in all cases surface processory prior to plugging the underlying formation.  district office on plug length and placement is necessary prior to plugginged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II ceme be plugged. In all cases, NOTIFY district office prior to any cementing	ON ing; e. enting
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into t.  4. If the well is dry hole, an agreement between the operator and the c.  5. The appropriate district office will be notified before well is either plug.  6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall.  I hereby certify that the statements made herein are true and to the best of the statements.	If Yes, proposed zone:    IDAVIT	ON ing; e. enting
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into to 4. If the well is dry hole, an agreement between the operator and the constitution of the surface of the constitution of the surface of the surface casing order or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of the constitution of the statements of the operator of Agent:  Date: January 2, 2007  Signature of Operator or Agent:	If Yes, proposed zone:    IDAVIT	ON ing; e. enting
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into t.  4. If the well is dry hole, an agreement between the operator and the c.  5. The appropriate district office will be notified before well is either plug.  6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall.  I hereby certify that the statements made herein are true and to the best on the complete of the complete of the production of the plug shall.  For KCC Use ONLY	If Yes, proposed zone:    IDAVIT	PON  Ing; e. enting g.
The undersigned hereby affirms that the drilling, completion and eventual ple is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the constitution of the district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the constitution of the plant o	If Yes, proposed zone:    IDAVIT	ON ing; e. enting
The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the constitution of the district office will be notified before well is either plus for the appropriate district office will be notified before well is either plus for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plant of the	IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  CONSERVATION DAYS  ch drilling rig;  Conservation page  the underlying cement to the top; in all cases surface page to the underlying formation.  district office on plug length and placement is necessary prior to plugging or production casing is cemented in;  ted from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II ceme be plugged. In all cases, NOTIFY district office prior to any cementing from knowledge and belief.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;	PON  Ing; e. enting g.
The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the control of the well is dry hole, an agreement between the operator and the control of the well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the well shall be common or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be reported that the statements made herein are true and to the best of the best of the plus of the plus of the spud date or the well shall be common or the well shall be commo	IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  CONSERVATION DAYS  ch drilling rig;  ch by circulating cement to the top; in all cases surface prior to plugging of the underlying formation.  district office on plug length and placement is necessary prior to plugging or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II ceme be plugged. In all cases, NOTIFY district office prior to any cementing if my knowledge and belief.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;	PON  Ing; e. enting g.
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the constitution of the surface pipe as surface casing order or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be remembered.  I hereby certify that the statements made herein are true and to the best of the surface pipe required.  For KCC Use ONLY  API # 15 - 205-27077-0000  Conductor pipe required.  Monumer feet per Alt. 12  Approved by: Left 1-10-07	IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  CONSERVATION DAYS  ch drilling rig;  Conservation page  the underlying cement to the top; in all cases surface page to the underlying formation.  district office on plug length and placement is necessary prior to plugging or production casing is cemented in;  ted from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II ceme be plugged. In all cases, NOTIFY district office prior to any cementing from knowledge and belief.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;	PON  Ing; e. enting g.
The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the control of the well is dry hole, an agreement between the operator and the control of the well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the well shall be common or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be reported that the statements made herein are true and to the best of the best of the plus of the plus of the spud date or the well shall be common or the well shall be commo	IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq. CORPORATION CO  JAN 0 3 2007  ch drilling rig;  conservation purish  the underlying formation.  district office on plug length and placement is necessary prior to plugging  gged or production casing is cemented in;  ted from below any usable water to surface within 120 days of spud date  #133,891-C, which applies to the KCC District 3 area, alternate II ceme  be plugged. In all cases, NOTIFY district office prior to any cementing  f my knowledge and belief.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please	PON  Ing; e. enting g.
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea.  3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into to the determinant of the well is dry hole, an agreement between the operator and the complete district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be provided to the best of the spud date or the well shall be provided to the best of the spud date or the well shall be provided to the best of the spud date or the well shall be provided to the best of the spud date or the well shall be provided to the best of the spud date or the well shall be provided to the best of the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the shall be provided to the spud date or the shall be provided to the shall be provi	IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq. CORPORATION CO  JAN 0 3 2007  ch drilling rig;  ch by circulating cement to the top; in all cases surface prior to plugging the underlying formation.  district office on plug length and placement is necessary prior to plugging ged or production casing is cemented in;  ted from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II ceme be plugged. In all cases, NOTIFY district office prior to any cementing if my knowledge and belief.  Title: VP  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed;  - Obtain written approval before disposing or injecting salt water.  - If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	PON  Ing; e. enting g.
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into to 4. If the well is dry hole, an agreement between the operator and the completed is either plus in the specified before well is either plus in the surface district office will be notified before well is either plus in the surface district office will be notified before well is either plus in the surface casing order must be completed within 30 days of the spud date or the well shall in the later of the spud date or the well shall in the later of the spud date or the well shall in the later of the spud date or the well shall in the later of the spud date or the well shall in the later of later of the later of the later of the later of the later of later o	IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq. CORPORATION CO  JAN 0 3 2007  ch drilling rig;  ch by circulating cement to the top; in all cases surface production.  district office on plug length and placement is necessary prior to plugging ged or production casing is cemented in;  ted from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II ceme be plugged. In all cases, NOTIFY district office prior to any cementing if my knowledge and belief.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired	PON  Ing; e. enting g.
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea.  3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into to the detail of the well is dry hole, an agreement between the operator and the composition of the surface will be notified before well is either plus in the detail of the minimum of 20 feet into the detail of the well is detailed before well is either plus in the surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of Date:    January 2, 2007	IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq. CORPORATION CO  JAN 0 3 2007  ch drilling rig;  conservation pursue  the underlying formation.  district office on plug length and placement is necessary prior to plugging  gged or production casing is cemented in;  ted from below any usable water to surface within 120 days of spud date  #133,891-C, which applies to the KCC District 3 area, alternate II ceme  be plugged. In all cases, NOTIFY district office prior to any cementing  f my knowledge and belief.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired  Signature of Operator or Agent:	PON  Ing; e. enting g.
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into to 4. If the well is dry hole, an agreement between the operator and the completed is either plus in the specified before well is either plus in the surface district office will be notified before well is either plus in the surface district office will be notified before well is either plus in the surface district office will be notified before well is either plus in the surface casing order must be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed.  I hereby certify that the statements made herein are true and to the best of the best of the spud date or the well shall be completed.  For KCC Use ONLY  API # 15 - 205-27077-000  Conductor pipe required	IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq. CORPORATION CO  JAN 0 3 2007  ch drilling rig;  ch by circulating cement to the top; in all cases surface production.  district office on plug length and placement is necessary prior to plugging ged or production casing is cemented in;  ted from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II ceme be plugged. In all cases, NOTIFY district office prior to any cementing if my knowledge and belief.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired	PON  Ing; e. enting g.

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 205-27077-0000	Location of Well: County: Wilson
Operator: Quest Cherokee LLC	1980 feet from VN / S Line of Section
Lease: Myers, Dale	1980 feet from VE / W Line of Section
Well Number: 29-1	Sec. 29 Twp. 27 S. R. 17 VEast West
Field: Cherokee Basin CBM	
Number of Acres attributable to well:	Is Section: 🗸 Regular or 📗 Irregular
QTR / QTR / QTR of acreage: SW NE	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Quest Cherokee LLC		License Number: 33344		
Operator Address: 9520 North May Avenue, Suite 300 Oklahoma City, Oklahoma 73120				
Contact Person: Richard Marlin		Phone Number: ( 405 ) 286 <sup>-</sup> 9316		
Lease Name & Well No.: Myers, Dale	#29-1		Pit Location (QQQQ):	
Type of Pit:	Pit is:		<u>SW_NE</u>	
Emergency Pit Burn Pit	Proposed Existing		Sec. 29 <sub>Twp.</sub> 27 <sub>R.</sub> 17  ✓ East	
Settling Pit	If Existing, date constructed:		1980 Feet from 🗸 North / South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:	<del> </del>	Feet from ✓ East / West Line of Section	
(If WP Supply API No. or Year Drilled)	300	(bbls)	Wilson	
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes ✓	No	Chloride concentration: mg/l	
	,	-	(For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?  Yes  No	Artificial Liner?  ☐ Yes ✓ No		How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits): 30 Length (feet) 10 Width (feet) N/A: Steel Pits				
Depth from ground level to deepest point:10(feet)				
If the pit is lined give a brief description of the liner  Describe procedures for periodic maintenance and determining				
		ncluding any special monitoring.		
Air Drilling Operation lasting approx 3 days			Operation lasting approx 3 days	
		west fresh waterfeet.		
Source of info  N feet Depth of water well feet meas			redwell owner electric logKDWR	
		Drilling, Work	over and Haul-Off Pits ONLY:	
Producing Formation: Type of mater		Type of materia	al utilized in drilling/workover: Air Drilled	
		king pits to be utilized: One		
Barrels of fluid produced daily: Abandonment		procedure: Air Dry, Back Fill and Cover		
Does the slope from the tank battery allow all spilled fluids to flow into the pit?   Yes No Drill pits must l		pe closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief KANSAS CORPORATION COMMISSION				
January 2, 2007	7) (	Haw	Warkin JAN 0 3 2007	
Date		\$	ignature of Applicant or Agent CONSERVATION DIVISION WICHTIA, KS	
KCC OFFICE USE ONLY				
Date Received: 1/3/07 Permit Num	ber:	Permi	it Date: (3 07 Lease Inspection: Yes ( No	