For KCC Use:	1 21 07
Effective Date: _	1-21-07
District #	_3
SGA? Yes	∑ No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Expected Spud Date January 22, 2007	_	
month day year	Spot	✓ East
, · · · ·	JGU, J. IVVP J. I	
OPERATOR: License# 33344		Line of Section
Name: Quest Cherokee LLC	teet from ✓ E /w	Line of Section
Address: 9520 North May Avenue, Suite 300	Is SECTIONRegularIrregular?	
Address: ———————————————————————————————————	(Note: Locate well on the Section Plat on rever	se side)
Contact Person: Richard Marlin Phone: (405) 286-9316	County: Neosho	23.1
Phone: (450) 200-3010	Lease Name: George, William E. Field Name: Cherokee Basin CBM	Well #: 23-1
CONTRACTOR: License#_Will be licensed by the KCC		
Name: Will advise on the ACO-1	Is this a Prorated / Spaced Field? Target Formation(s): Cherokee Coals	Yes ✓ No
	Nearest Lease or unit boundary: 660	
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 926	feet MSL
Oil Enh Rec / Infield Mud Rotary	Water well within one-quarter mile:	Yes ✓ No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	Yes V No
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100	
Seismic; # of Holes Other	Depth to bottom of usable water: 200 /50	
Other Coalbed Methane	Surface Pipe by Alternate: 1 2	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 25	
Operator:	Length of Conductor Pipe required:	
Well Name:	Projected Total Depth: 1500	-
Original Completion Date:Original Total Depth:	Formation at Total Depth: Cherokee Coals	
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other Air	
If Yes, true vertical depth:	DWR Permit #:	 .
Bottom Hole Location:	(Note: Apply for Permit with DWR 🔲)	
KCC DKT #:	Will Cores be taken?	Yes [✔] No
	If Yes, proposed zone:	
. FE		
AFFI	DAVIT	-O=11/c-D
The undersigned hereby affirms that the drilling, completion and eventual plu	DAVIT ugging of this well will comply with K.S.A. 5	CEIVED
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:	ugging of this well will comply with K.S.A. 5 ANS CORP	
The undersigned hereby affirms that the drilling, completion and eventual plants of the completion and eventual plants of the completion and eventual plants.	ugging of this well will comply with K.S.A. 5 ANS CORP	
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the appropriate district of intent to drill shall be posted on one	ugging of this well will comply with K.S.A. STANSAS CORP	16 2007
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be sei</i> .	ugging of this well will comply with K.S.A. SANSAS CORP JAN h drilling rig; t by circulating cement to the top; in all cases sansas and cases and cases sansas and case sansas and cases sansas cases sansas cases and cases sansas cases and cases sansas cases cases cases and cases case	16 2007 APKON DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be sei</i> .	ugging of this well will comply with K.S.A. SANSAS CORP JAN h drilling rig; t by circulating cement to the top; in all cases sansas and cases and cases sansas and case sansas and cases sansas cases sansas cases and cases sansas cases and cases sansas cases cases cases and cases case	16 2007 APKON DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plot is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> .	JAN h drilling rig; t by circulating cement to the top; in all cases scanses e underlying formation. Wike strict office on plug length and placement is necessary p	1 6 2007 APKON DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plot is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the different than the different sides of the well is dry hole, an agreement between the operator and the different plugities. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	JAN h drilling rig; t by circulating cement to the top; in all cases scanser e underlying formation. with strict office on plug length and placement is necessary project or production casing is cemented in; and from below any usable water to surface within 120 day	ATKN DIVISION CHITAKS rior to plugging; rs of spud date.
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order in the surface of the surf	JAN h drilling rig; t by circulating cement to the top; in all cases scansary p e underlying formation. strict office on plug length and placement is necessary p ged or production casing is cemented in; ad from below any usable water to surface within 120 day #133,891-C, which applies to the KCC District 3 area, alt	AFICAL DEVISION: CHITA KS Prior to plugging; vs of spud date. ernate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plot is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interprise of the approved notice of intent to drill <i>shall be</i> posted on each and the interprise of the interprise of the specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the interprise of the well is dry hole, an agreement between the operator and the difference of the interprise of the interprise of the interprise of the specified before well is either plugger. 5. The appropriate district office will be notified before well is either plugger. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be completed.	JAN h drilling rig; t by circulating cement to the top; in all cases scanser e underlying formation. wite strict office on plug length and placement is necessary p ged or production casing is cemented in; and from below any usable water to surface within 120 day #133,891-C, which applies to the KCC District 3 area, alt be plugged. In all cases, NOTIFY district office prior to	AFICAL DEVISION: CHITA KS Prior to plugging; vs of spud date. ernate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order in the surface of the surf	JAN h drilling rig; t by circulating cement to the top; in all cases scanser e underlying formation. wite strict office on plug length and placement is necessary p ged or production casing is cemented in; and from below any usable water to surface within 120 day #133,891-C, which applies to the KCC District 3 area, alt be plugged. In all cases, NOTIFY district office prior to	AFICAL DEVISION: CHITA KS Prior to plugging; vs of spud date. ernate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the total	ugging of this well will comply with K.S.A. STATISTICORP JAN h drilling rig; t by circulating cement to the top; in all cases so Conserve e underlying formation. strict office on plug length and placement is necessary p ged or production casing is cemented in; and from below any usable water to surface within 120 day #133,891-C, which applies to the KCC District 3 area, alt the plugged. In all cases, NOTIFY district office prior to my knowledge and belief.	AFICAL DEVISION: CHITA KS Prior to plugging; vs of spud date. ernate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plot is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interprise of the approved notice of intent to drill <i>shall be</i> posted on each and the interprise of the interprise of the specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the interprise of the well is dry hole, an agreement between the operator and the difference of the interprise of the interprise of the interprise of the specified before well is either plugger. 5. The appropriate district office will be notified before well is either plugger. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be completed.	h drilling rig; t by circulating cement to the top; in all cases social strict office on plug length and placement is necessary p ged or production casing is cemented in; and from below any usable water to surface within 120 day \$\frac{1}{2}\$133,891-C, which applies to the KCC District 3 area, although the plugged. In all cases, NOTIFY district office prior to my knowledge and benefit. Title: VP	AFICAL DEVISION: CHITA KS Prior to plugging; vs of spud date. ernate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plugication of the appropriate district office will be notified before well is either plugication. The appropriate district office will be notified before well is either plugication. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be the plate. I hereby certify that the statements made herein are true and to the best of Date: Date: January 15, 2007 Signature of Operator or Agent:	h drilling rig; t by circulating cement to the top; in all cases social serve e underlying formation. strict office on plug length and placement is necessary proged or production casing is cemented in; and from below any usable water to surface within 120 day \$\frac{1}{2}\$133,891-C, which applies to the KCC District 3 area, although the plugged. In all cases, NOTIFY district office prior to my knowledge and belief. Title: VP Remember to:	AFICH DIVISION CHITA KS rior to plugging; vs of spud date. ernate II cementing any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the drilling of the approved notice of intent to drill <i>shall be</i> posted on each of the drilling of the approved notice of intent to drill <i>shall be</i> posted on each of the drilling of the spud all unconsolidated materials plus a minimum of 20 feet into the drilling of the well is dry hole, an agreement between the operator and the drilling of the well is either pluggers. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed. I hereby certify that the statements made herein are true and to the best of Date: January 15, 2007	h drilling rig; t by circulating cement to the top; in all cases social serve a underlying formation. Strict office on plug length and placement is necessary proged or production casing is cemented in; and from below any usable water to surface within 120 day \$\frac{1}{2}\$133,891-C, which applies to the KCC District 3 area, although the plugged. In all cases, NOTIFY district office prior to my knowledge and benefic. Title: VP Remember 10: File Drill Pit Application (form CDP-1) with Intent to Drill;	AFIGN DEVISION: CHITA KS rior to plugging; vs of spud date. ernate !! cementing any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: January 15, 2007	h drilling rig; t by circulating cement to the top; in all cases social serve a underlying formation. Strict office on plug length and placement is necessary proged or production casing is cemented in; and from below any usable water to surface within 120 day \$\frac{1}{2}\$133,891-C, which applies to the KCC District 3 area, alto be plugged. In all cases, NOTIFY district office prior to my knowledge and befief. Title: VP Remember Io: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud of the completion form ACO-1 within 120 days of spud of the co	AFICH DIVISION: CHITA KS rior to plugging; vs of spud date. ernate II cementing any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the surface and the description of the surface and the description of the surface and the description of the surface as surface casing order and the description of the surface of t	h drilling rig; t by circulating cement to the top; in all cases social serve a underlying formation. Strict office on plug length and placement is necessary proged or production casing is cemented in; and from below any usable water to surface within 120 day \$\frac{1}{2}\$133,891-C, which applies to the KCC District 3 area, although the plugged. In all cases, NOTIFY district office prior to my knowledge and benefic. Title: VP Remember 10: File Drill Pit Application (form CDP-1) with Intent to Drill;	AFICH DIVISION CHITA KS crior to plugging; vs of spud date. ernate II cementing any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the district office of intent to drill <i>shall be</i> posted on each of the district office will be a minimum of 20 feet into the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be compared or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: January 15, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133-26776-0000 Conductor pipe required feet	In drilling rig; It by circulating cement to the top; in all cases some as underlying formation. With strict office on plug length and placement is necessary progred or production casing is cemented in; and from below any usable water to surface within 120 days at 133,891-C, which applies to the KCC District 3 area, although the plugged. In all cases, NOTIFY district office prior to my knowledge and before. Title: VP Remember Io: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud of File acreage attribution plat according to field proration	AFICH DIVISION CHITA KS gring; vs of spud date. ernate II cementing any cementing. date; orders; ver or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the district office of intent to drill <i>shall be</i> posted on each of the district office will be a minimum of 20 feet into the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be compared or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be a completed. I hereby certify that the statements made herein are true and to the best of Date: January 15, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133-26776-0000 Conductor pipe required 1000 feet per Alt. 12	Independent of the prior to the top; in all cases some production casing is cemented in; and from below any usable water to surface within 120 days at 133,891-C, which applies to the KCC District 3 area, although the plugged. In all cases, NOTIFY district office prior to my knowledge and before. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud of File acreage attribution plat according to field proration.	AFICH DIVISION CHITA IS guing; re of spud date. ernate II cementing any cementing. date; orders; ver or re-entry; ted;
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plugication. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: January 15, 2007	In drilling rig; It by circulating cement to the top; in all cases some strict office on plug length and placement is necessary progred from below any usable water to surface within 120 days at 133,891-C, which applies to the KCC District 3 area, althe plugged. In all cases, NOTIFY district office prior to my knowledge and before. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud of File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to worker - Submit plugging report (CP-4) after plugging is completed.	AFICAL DIVISION: CHITA KS rior to plugging; vs of spud date. ernate II cementing any cementing. date; orders; ver or re-entry; ted; alt water.
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the set of the specified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the production of the statements of the specific plantary 15, 2007 For KCC Use ONLY API # 15 - /333-26776-0000 Conductor pipe required // Signature of Operator or Agent: // Signature of Op	In drilling rig; It by circulating cement to the top; in all cases social server as underlying formation. It by circulating cement to the top; in all cases social server as underlying formation. It by circulating cement to the top; in all cases social server as underlying formation. It by circulating cement to the top; in all cases social server peged or production casing is cemented in; and from below any usable water to surface within 120 day at 133,891-C, which applies to the KCC District 3 area, alt be plugged. In all cases, NOTIFY district office prior to my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud of File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to workor. Submit plugging report (CP-4) after plugging is completed. Obtain written approval before disposing or injecting sa	AFICAL DIVISION: CHITA KS rior to plugging; vs of spud date. ernate II cementing any cementing. date; orders; ver or re-entry; ted; alt water.
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plugication. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: January 15, 2007	In drilling rig; It by circulating cement to the top; in all cases social server as underlying formation. It is to production casing is cemented in; and from below any usable water to surface within 120 day is a plugged. In all cases, NOTIFY district office prior to my knowledge and benefic. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud of the completion is proportional in the plugging report (CP-4) after plugging is completed. Obtain written approval before disposing or injecting set. If this permit has expired (See: authorized expiration days).	AFICAL DIVISION: CHITA KS rior to plugging; vs of spud date. ernate II cementing any cementing. date; orders; ver or re-entry; ted; alt water.
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the set of the specified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the production of the statements of the specific plantary 15, 2007 For KCC Use ONLY API # 15 - /333-26776-0000 Conductor pipe required // Signature of Operator or Agent: // Signature of Op	In drilling rig; It by circulating cement to the top; in all cases social service of the control	AFRANDIVISION CHITA Sugging; vs of spud date. ernate II cementing any cementing. date; orders; ver or re-entry; ted; alt water.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 133-26776-0000	Location of Well: County: Neosho
Operator: Quest Cherokee LLC	1980 feet from N / S Line of Section
Lease: _George, William E.	800 feet from 🗸 E / W Line of Section
Well Number: 23-1	Sec. 23 Twp. 29 S. R. 19 VEast Wes
Field: Cherokee Basin CBM	
Number of Acres attributable to well:	Is Section: 🗸 Regular or 🗌 Irregular
QTR / QTR / QTR of acreage: NE _ SE	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

				n
		•		
	·			
·				
ļ		•	•	
	·			
1				
		. a		EXAMPLE :
		})		1
			-	
		,		SDb · ⊞0—1980
				80t 1980
1				10
		,		
				3390
		•		
			.	
	•	·	·	SEWARD CO.
1	•	·	I	#

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Quest Cherokee LLC		License Number: 33344		
Operator Address: 9520 North May	/ Avenue, Su	ite 300 Ok	lahoma City, Oklahoma 73120	
Contact Person: Richard Marlin			Phone Number: (405) 286 - 9316	
Lease Name & Well No.: George, William E. #23-1			Pit Location (QQQQ):	
Type of Pit:	Pit is:			
Emergency Pit Burn Pit	✓ Proposed		Sec. 23 Twp. 29 R. 19 ✓ East ☐ West	
Settling Pit	If Existing, date constructed:		Feet from North / 🗸 South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:		800 Feet from 🗸 East / West Line of Section	
(If WP Supply API No. or Year Drilled)	300	(bbls)	Neosho County	
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes ✓	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level? Yes V No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	BO Length (fe	eet)10	Width (feet) N/A: Steel Pits	
Depth fr	om ground level to de	eepest point:	10 (feet)	
			Operation lasting approx 3 days	
Distance to nearest water well within one-mile of pit Depth to shallo Source of infor		west fresh waterfeet.		
l .t.		measu	redwell ownerelectric logKDWR	
Emergency, Settling and Burn Pits ONLY:			over and Haul-Off Pits ONLY:	
<u> </u>			at utilized in drilling/workover: Air Drilled king pits to be utilized: One	
I		l .	of working pits to be utilized: One	
Barrels of fluid produced daily: Al		Abandonment	procedure: Air Dry, Back Fill and Cover	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must l	pe closed within 365 days of spud date.	
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.				
January 15, 2007 Date JAN 1 6 2007 Signature of Applicant or Agent Signature of Applicant or Agent WICHTA, KS				
KCC OFFICE USE ONLY				
Date Received: Permit Date: Permit Date:				