For KCC Use: Effective Date: District # SGA?

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Form C-1

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date	Spot
month day year	Spot
OPERATOR: License# 33344	660 feet from VN / S Line of Section
Name: Quest Cherokee LLC	660 Feet from VE / W Line of Section
Address: 9520 North May Avenue, Suite 300	Is SECTION ✓ Regular Irregular?
Address: 9520 North May Avenue, Suite 300 City/State/Zip: Oklahoma City, Oklahoma 73120 Richard Martin	·
Contact Person: Richard Marlin	(Note: Locate well on the Section Plat on reverse side) County: Neosho
Phone: (405) 286-9316	Lease Name: Hizey, Ray G. Well #: 26-1
	Field Name: Cherokee Basin CBM
CONTRACTOR: License# Will be licensed by the KCC	Is this a Prorated / Spaced Field? Yes ✓ No
Name: Will advise on the ACO-1	Target Formation(s): Cherokee Coals
	Nearest Lease or unit boundary: 660
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 958 feet MSL
Oil Enh Rec 🗸 Infield Mud Rotary	Water well within one-quarter mile: Yes: ✓ No
✓ Gas Storage Pool Ext. ✓ Air Rotary	Public water supply well within one mile: Yes ✓ No
CWWD Disposal Wildcat Cable	Depth to bottom of fresh water: 100
Seismic;# of Holes Other	Depth to bottom of usable water. 200 / 50
✓ Other Coalbed Methane	Surface Pipe by Alternate: 1 \(\sqrt{2} \)
M OWNAID: and well intermedian as follows:	Length of Surface Pipe Planned to be set: 25
If OWWO: old well information as follows:	Length of Conductor Pipe required:
Operator:	Projected Total Depth: 1500
Well Name:Original Total Depth:	✓ Formation at Total Depth: Cherokee Coals
Original Completion Date:Original lotal Depth:	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other Air
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
	ii tes, proposed zone.
AEE	RECEIVED
	IDAVIT RECEIVED
The undersigned hereby affirms that the drilling, completion and eventual p	RECEIVED WANSAS CORPORATION COMMISSION Lugging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:	IDAVIT RECEIVED
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	RECEIVED WANSAS CORPORATION COMMISSING of this well will comply with K.S.A. 55 et. seq. JAN 1 6 2007
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea	IDAVIT KANSAS CORPORATION COMMISSION Lugging of this well will comply with K.S.A. 55 et. seq. JAN 1 6 2007 CONSERVATION DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	IDAVIT KANSAS CORPORATION COMMISSION Lugging of this well will comply with K.S.A. 55 et. seq. JAN 1 6 2007 CONSERVATION DIVISION Let by circulating cement to the top; in all cases surface place in the condensation.
The undersigned hereby affirms that the drilling, completion and eventual plt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the desired of the well is dry hole, an agreement between the operator and the contents.	IDAVIT RECEIVED KANSAS CORPORATION COMMISSION Long the drilling rig; CONSERVATION DIVISION The by circulating cement to the top; in all cases surface place in the second composition of the compositi
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the constitution of the second of the secon	IDAVIT RECEIVED KANSAS CORPORATION COMMISSION Ligging of this well will comply with K.S.A. 55 et. seq. JAN 1 6 2007 CONSERVATION DIVISION The by circulating cement to the top; in all cases surface production. Instrict office on plug length and placement is necessary prior to plugging; Instrict office on production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the s	IDAVIT RECEIVED KANSAS CORPORATION COMMISSION Ligging of this well will comply with K.S.A. 55 et. seq. JAN 1 6 2007 CONSERVATION DIVISION The by circulating cement to the top; in all cases surface purchase in the underlying formation. Listrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.
The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the control of the surface propriate district office will be notified before well is either pluging the surface propriate district office will be notified before well is either pluging. 5. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order	IDAVIT RECEIVED KANSAS CORPORATION COMMISSION Linguing of this well will comply with K.S.A. 55 et. seq. JAN 1 6 2007 Conservation division The underlying formation. Identifying formation. Id
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the composition of the set of the specific structure. It completely be notified before well is either pluging the set of the	IDAVIT RECEIVED KANSAS CORPORATION COMMISSION Conservation Division The drilling rig; Conservation Division The underlying formation. Set or underlying formation. Set or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the first through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the first through a propriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of the spud date.	IDAVIT RECEIVED KANSAS CORPORATION COMMISSION The drilling rig; CONSERVATION DIVISION The by circulating cement to the top; in all cases surface purchase to plugging; the underlying formation. The underlying formation. The instrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; the driving formation is cemented in; the instrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; the instrict office of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the first through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the first through a propriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of the spud date.	IDAVIT RECEIVED KANSAS CORPORATION COMMISSION Conservation Division The underlying formation. Received the underlying formation. Received the underlying formation. Received the underlying formation. Received the top; in all cases surface production to the top; in all cases surface production to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be so</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the description of the de	IDAVIT RECEIVED KANSAS CORPORATION COMMISSION CONSERVATION DIVISION The by circulating cement to the top; in all cases surface purchase to plugging; the underlying formation. Sistrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into te 4. If the well is dry hole, an agreement between the operator and the constitution of the surface propriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of the constitution of the statements of the spud date or the well shall Date: January 15, 2007 Signature of Operator or Agent:	IDAVIT RECEIVED KANSAS CORPORATION COMMISSION The drilling rig; CONSERVATION DIVISION The by circulating cement to the top; in all cases surface purchase to be underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief Title: VP Remember to:
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the completed with the statement between the operator of the completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the complete of the statements of the operator of Agent: [For KCC Use ONLY]	IDAVIT RECEIVED KANSAS CORPORATION COMMISSION Ch drilling rig; CONSERVATION DIVISION The by circulating cement to the top; in all cases surface purchase to be underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of the district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of Date: January 15, 2007	IDAVIT RECEIVED KANSAS CORPORATION COMMISSION The drilling rig; CONSERVATION DIVISION The by circulating cement to the top; in all cases surface purchase to be underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief Title: VP Remember to:
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of the set of the well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of Date: January 15, 2007	IDAVIT RECEIVED KANSAS CORPORATION COMMISSION CONSERVATION DIVISION The drilling rig; CONSERVATION DIVISION The underlying formation. Sillistrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of the set of the well is either plus or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of Date: January 15, 2007	IDAVIT RECEIVED KANSAS CORPORATION COMMISSION The drilling rig; CONSERVATION DIVISION The underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of the set of the well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of Date: January 15, 2007	IDAVIT RECEIVED KANSAS CORPORATION COMMISSION CONSERVATION DIVISION The drilling rig; CONSERVATION DIVISION The underlying formation. Sillistrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of the set in the set of the well is either plus of the appropriate district office will be notified before well is either plus or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of Date: January 15, 2007	IDAVIT KANSAS CORPORATION COMMISSION Conservation Division The drilling rig; Conservation Division The underlying formation. Identification casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best o Date: January 15, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133 - 26778-0000 Conductor pipe required	IDAVIT RECEIVED KANSAS CORPORATION COMMISSION Ch drilling rig; CONSERVATION DIVISION The underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into to 4. If the well is dry hole, an agreement between the operator and the completed within 30 days of the spud date or the well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: January 15, 2007	IDAVIT KANSAS CORPORATION COMMISSION In the drilling rig; CONSERVATION DIVISION The underlying formation. Instrict office on plug length and placement is necessary prior to plugging; Iged or production casing is cemented in; Iged or production casing is cemented in; Iged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired
The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into to 4. If the well is dry hole, an agreement between the operator and the completed within 30 days of the spud date or the well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: January 15, 2007	IDAVIT KANSAS CORPORATION COMMISSION JAN 1 6 2007 Conservation Division to by circulating cement to the top; in all cases surface placetimal as set ne underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Signature of Operator or Agent:
The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the continuous of the well is dry hole, an agreement between the operator and the continuous of the well is either plus of the province of the well is either plus of the well shall be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plus of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plus of the plus of the plus of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plus of th	IDAVIT KANSAS CORPORATION COMMISSION JAN 1 6 2007 Conservation Division to by circulating cement to the top; in all cases surface placetimal as set ne underlying formation. Instrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 133-26778000	Location of Well: County: Neosho
Operator: Quest Cherokee LLC	660 feet from N / S Line of Section
Lease: Hizey, Ray G.	660 feet from ✓ N / S Line of Section 660 feet from ✓ E / W Line of Section
Well Number: 26-1	Sec26 Twp S. R19 V East Wes
Field: Cherokee Basin CBM	_
Number of Acres attributable to well:	ls Section: ☑ Regular or ☐ Irregular
QTR / QTR / QTR of acreage: NE NE	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Quest Cherokee LLC		License Number: 33344	
Operator Address: 9520 North May Avenue, Suite 300 Oklahoma City, Oklahoma 73120			
Contact Person: Richard Marlin		Phone Number: (405) 286 - 9316	
Lease Name & Well No.: Hizey, Ray G. #26-1			Pit Location (QQQQ):
Type of Pit:	Pit is:		
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 26 Twp. 29 R. 19 ✓ East ☐ West
Settling Pit	If Existing, date constructed:		660 Feet from 🗸 North / 🗌 South Line of Section
Workover Pit Haul-Off Pit	Pit capacity:	<u> </u>	Feet from ✓ East / ☐ West Line of Section
(If WP Supply API No. or Year Drilled)	300	(bbls)	Neosho County
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)
Is the bottom below ground level? Yes No	Artificial Liner? ☐ Yes ✓	No	How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits): 30 Length (feet) 10 Width (feet) N/A: Steel Pits			
Depth fi	rom ground level to de	eepest point:	10 (feet)
If the pit is lined give a brief description of the material, thickness and installation procedure			edures for periodic maintenance and determining ncluding any special monitoring.
		Operation lasting approx 3 days	
		3	
			S. C.
		Depth to shallo Source of infor	west fresh waterfeet.
NA_ feet Depth of water well_	feet		redwell owner electric logKDWR
Emergency, Settling and Burn Pits ONLY: Drilling, Workover and Haul-Off Pits ONLY:		over and Haul-Off Pits ONLY:	
Producing Formation: Type of materi		Type of materia	al utilized in drilling/workover: Air Drilled
		king pits to be utilized: One	
Barrels of fluid produced daily: Abandonment procedure: Air [procedure: Air Dry, Back Fill and Cover	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be		pe closed within 365 days of spud date.	
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.			
KANSAS CORPORATION COMMISSI			
January 15, 2007 Date	4,	chard .	1 Jarles
Date Signature of Applicant or Agent CONSERVATION DIVISION WCHIA KS			
KCC OFFICE USE ONLY			
Date Received: 1 14 07 Permit Number: Permit Date: 1 14 07 Lease Inspection: Yes 1 No			