For KCC Use:	1-21-07
Effective Date:_	1-21-01
District #	_3
SGA? Yes	No No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1 December 2002

Form must be Typed Form must be Signed All blanks must be Filled

Expected Spud Date January 22, 2007 month day year	Spot	
/ ' '	Sec Sec S. H West	1
OPERATOR: License# 33344	1980 feet from VN / S Line of Section	
Name. Quest Cherokee LLC	reet from [E / V]W Line of Section	
9520 North May Avenue, Suite 300	Is SECTION RegularIrregular?	
Address: City/State/Zip: Oklahoma City, Oklahoma 73120	(Note: Locate well on the Section Plat on reverse side)	
Contact Person: Richard Marlin	County: Labette	
Phone: (405) 286-9316	Lease Name: Kepley, Ida A. Well #: 29-1	-
	Field Name: Cherokee Basin CBM	_
CONTRACTOR: License# Will be licensed by the KCC		_
Name: Will advise on the ACO-1	Is this a Prorated / Spaced Field? YesYes)
	Target Formation(s): Cherokee Coals	_
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 530	-
Oil Enh Rec / Infield Mud Rotary	Ground Surface Elevation: 972 feet MSL	
✓ Gas Storage Pool Ext. ✓ Air Rotary	Water well within one-quarter mile: Yes ✓ No	المريد
	Public water supply well within one mile:	3
OWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100	_
Seismic;# of Holes Other	Depth to bottom of usable water: 200	
Other Coalbed Methane	Surface Pipe by Alternate: 1 / 2	
It ONIMO, and well internation as falls	Length of Surface Pipe Planned to be set: 25	
If OWWO: old well information as follows:		-
Operator:	Length of Conductor Pipe required:	
Well Name:	Projected Total Depth: 1500 Cherokee Coals	-
Original Completion Date:Original Total Depth:	Politiation at total Deptil.	-
B. V. J. B. V. J. J. V.	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well Farm Pond Other Air	_
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR 🔲)	
KCC DKT #:		
	Will Cores be taken? Yes ✓ No	,
	Will Cores be taken? Yes ✓ No)
	If Yes, proposed zone:) -
AFF	If Yes, proposed zone: IDAVIT RECEIVED	_
AFF	If Yes, proposed zone:	_
AFF	If Yes, proposed zone: IDAVIT RECEIVED lugging of this well will comply with K.S.A. 55 et. CAPORATION CON	MMISSIC
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:	If Yes, proposed zone: IDAVIT RECEIVED	MMISSIC
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be nosted on ear	If Yes, proposed zone: IDAVIT RECEIVED lugging of this well will comply with K.S.A. 55 et. SANSAS CORPORATION CON JAN 1 6 2007	MMISSIO
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> nosted on ear	If Yes, proposed zone: IDAVIT RECEIVED lugging of this well will comply with K.S.A. 55 et. SANSAS CORPORATION CON JAN 1 6 2007	MMISSIO
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> nosted on ear	If Yes, proposed zone: IDAVIT RECEIVED lugging of this well will comply with K.S.A. 55 et. CANSAS CORPORATION COL JAN 1 6 2007 ch drilling rig; et by circulating cement to the top; in all cases surface property and the surface of the surfac	MMISSIO
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the	If Yes, proposed zone: IDAVIT RECEIVED lugging of this well will comply with K.S.A. 55 et. CANSAS CORPORATION COL JAN 1 6 2007 ch drilling rig; et by circulating cement to the top; in all cases surface property and the surface of the surfac	MMISSIO
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be</i> see through all unconsolidated materials plus a minimum of 20 feet into the	If Yes, proposed zone: IDAVIT RECEIVED lugging of this well will comply with K.S.A. 55 et. GANSAS CORPORATION COL JAN 1 6 2007 ch drilling rig; et by circulating cement to the top; in all cases surface property and the underlying formation. WICHITA, KS district office on plug length and placement is necessary prior to plugging;	MMISSIO
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ear 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the total the total the total the well is dry hole, an agreement between the operator and the continuous statements. The appropriate district office will be notified before well is either plug to the following the shall be cements.	If Yes, proposed zone: IDAVIT RECEIVED lugging of this well will comply with K.S.A. 55 et. CANSAS CORPORATION COM JAN 1 6 2007 ch drilling rig; et by circulating cement to the top; in all cases surface possession of the underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.	MMISSIC
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea: 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into tl 4. If the well is dry hole, an agreement between the operator and the cl 5. The appropriate district office will be notified before well is either plug in a national plus shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order	If Yes, proposed zone: IDAVIT RECEIVED lugging of this well will comply with K.S.A. 55 et. CANSAS CORPORATION COM JAN 16 2007 ch drilling rig; et by circulating cement to the top; in all cases surface post EXATION DIVISION to the underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing	MMISSIC
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea: 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into tl 4. If the well is dry hole, an agreement between the operator and the cl 5. The appropriate district office will be notified before well is either plug in a national plus shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order	If Yes, proposed zone: IDAVIT RECEIVED lugging of this well will comply with K.S.A. 55 et. CANSAS CORPORATION COM JAN 1 6 2007 ch drilling rig; et by circulating cement to the top; in all cases surface possession of the underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.	MMISSIC
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea: 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into tl 4. If the well is dry hole, an agreement between the operator and the cl 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order	If Yes, proposed zone: IDAVIT RECEIVED lugging of this well will comply with K.S.A. 55 et. SANSAS CORPORATION COM JAN 16 2007 ch drilling rig; et by circulating cement to the top; in all cases surface property with the underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.	MMISSIC
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of the spud date.	If Yes, proposed zone: IDAVIT RECEIVED lugging of this well will comply with K.S.A. 55 et. CANSAS CORPORATION COM JAN 16 2007 ch drilling rig; et by circulating cement to the top; in all cases surface property with the underlying formation. Identically the underlying formation. Identically the underlying formation is necessary prior to plugging; aged or production casing is cemented in; aged or production casing is cemented in; aged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and fielief.	MMISSIC
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the constitution of the surface of the well is either plug. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	If Yes, proposed zone: IDAVIT RECEIVED lugging of this well will comply with K.S.A. 55 et. SANSAS CORPORATION COM JAN 16 2007 ch drilling rig; et by circulating cement to the top; in all cases surface property with the underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.	MMISSIC
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ear 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the second of the thing of the transfer of the well is dry hole, an agreement between the operator and the construction of the specified before well is either plug that the statements in the specified before well is either plug or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the specified within 30 days of the spud date.	IDAVIT RECEIVED lugging of this well will comply with K.S.A. 55 et. SANSAS CORPORATION COM JAN 16 2007 ch drilling rig; et by circulating cement to the top; in all cases surface post wichita, KS the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and felief. Title: VP	MMISSIC
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea: 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the set of the well is either plug for a purpopriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date. Date: January 15, 2007 Signature of Operator or Agent:	If Yes, proposed zone: IDAVIT RECEIVED lugging of this well will comply with K.S.A. 55 et. CANSAS CORPORATION COM JAN 16 2007 ch drilling rig; et by circulating cement to the top; in all cases surface property with the underlying formation. Identically the underlying formation. Identically the underlying formation is necessary prior to plugging; aged or production casing is cemented in; the drom below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and felief. Title: VP Remember to:	MMISSIC
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea: 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of the set of th	IDAVIT RECEIVED lugging of this well will comply with K.S.A. 55 et. SANSAS CORPORATION CON JAN 1 6 2007 ch drilling rig; but by circulating cement to the top; in all cases surface properties to the underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and felief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;	MMISSIC
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea: 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of the surface pipe as specified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the place. Date: January 15, 2007	IDAVIT RECEIVED lugging of this well will comply with K.S.A. 55 et. SANSAS CORPORATION CON JAN 1 6 2007 ch drilling rig; but by circulating cement to the top; in all cases surface propertions with the underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and felief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;	MMISSIC
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the construction of the district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the Date: January 15, 2007	IDAVIT RECEIVED lugging of this well will comply with K.S.A. 55 et. SANSAS CORPORATION CON JAN 1 6 2007 ch drilling rig; et by circulating cement to the top; in all cases surface poet within 16 2007 the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and felief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	MMISSIC
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea: 3. The minimum amount of surface pipe as specified below shall be sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sether plus of the well is dry hole, an agreement between the operator and the construction of the sether plus of the appropriate district office will be notified before well is either plus or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the planuary 15, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - O99 - 24/ISD - ODDO Conductor pipe required feet	IDAVIT RECEIVED lugging of this well will comply with K.S.A. 55 et. SANSAS CORPORATION COM JAN 16 2007 ch drilling rig; et by circulating cement to the top; in all cases surface post with the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and felief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;	MMISSIC
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea: 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the construction of the surface of the construction of the surface of the surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the Dest of Date: January 15, 2007	IDAVIT lugging of this well will comply with K.S.A. 55 et. GANSAS CORPORATION CON JAN 1 6 2007 ch drilling rig; et by circulating cement to the top; in all cases surface pipe Fraction of Wichita, KS in the underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and felief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;	MMISSIC
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea: 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of the set of the well is either plus of the materials plus a minimum of 20 feet into the set of the well is either plus of the well is either plus of the well is either plus of the appropriate district office will be notified before well is either plus of the pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plant of the best of the plant of the plant of the best of the plant of the	IDAVIT RECEIVED lugging of this well will comply with K.S.A. 55 et. SANSAS CORPORATION COM JAN 16 2007 ch drilling rig; et by circulating cement to the top; in all cases surface post with the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and felief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;	MMISSIC
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea: 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the construction of the surface of the construction of the surface of the surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the Dest of Date: January 15, 2007	IDAVIT RECEIVED lugging of this well will comply with K.S.A. 55 et. GENSAS CORPORATION COM JAN 16 2007 ch drilling rig; et by circulating cement to the top; in all cases surface prospectively be underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and felief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	MMISSIC
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ear 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the construction of the surface will be notified before well is either plug to the surface casing order must be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the surface price of the surface price of the surface of the surface price of the surface of th	IDAVIT RECEIVED lugging of this well will comply with K.S.A. 55 et. CANSAS CORPORATION COM JAN 16 2007 ch drilling rig; et by circulating cement to the top; in all cases surface posser/Ationapylshe underlying formation. district office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and felief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.	MMISSIC
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ear 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the construction of the surface will be notified before well is either plug to the surface and the conformal of the surface of the surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the surface of the surf	IDAVIT RECEIVED lugging of this well will comply with K.S.A. 55 et. GENSAS CORPORATION COM JAN 16 2007 ch drilling rig; et by circulating cement to the top; in all cases surface prospectively be underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and felief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	MMISSIC
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ear 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the construction of the surface will be notified before well is either plug to the surface and the conformal of the surface of the surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the surface of the surf	IDAVIT RECEIVED lugging of this well will comply with K.S.A. 55 et. CANSAS CORPORATION COM JAN 16 2007 ch drilling rig; et by circulating cement to the top; in all cases surface posser/Ationapy Silestrict office on plug length and placement is necessary prior to plugging; good or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and felief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	MMISSIC
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the term of the well is dry hole, an agreement between the operator and the construction of the surface will be notified before well is either plug to the surface properties district office will be notified before well is either plug to the surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plug to the surface pipe required to the properties of the prior of the properties of the prior of the properties of the properties of the properties of the properties of the prior o	IDAVIT RECEIVED lugging of this well will comply with K.S.A. 55 et. CANSAS CORPORATION CON JAN 16 2007 ch drilling rig; et by circulating cement to the top; in all cases surface pipe FRATIONOMISI the underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and felief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired	MMISSIC

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 099-24180-0000	Location of Well: County: Labette
Operator: Quest Cherokee LLC	1980 feet from VN / S Line of Section
Lease: Kepley, Ida A	feet from E / W Line of Section
Well Number: 29-1	Sec Twp S. R
Field: Cherokee Basin CBM	_
Number of Acres attributable to well: SW NW	Is Section: ✓ Regular or ☐ Irregular —
QTR / QTR / QTR of acreage: SW NW	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Quest Cherokee LLC		License Number: 33344			
Operator Address: 9520 North May Avenue, Suite 300 Oklahoma City, Oklahoma 73120					
Contact Person: Richard Marlin			Phone Number: (405) 286 - 9316		
Lease Name & Well No.: Kepley, Ida A. #29-1		Pit Location (QQQQ):			
Type of Pit:	Pit is:				
Emergency Pit Burn Pit	✓ Proposed		Sec. 29 Twp. 31 R. 19		
Settling Pit	If Existing, date constructed:		1980 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)			Feet from East / 🗸 West Line of Section		
	300	(bbls)	<u>Labette</u> County		
Is the pit located in a Sensitive Ground Water	Area? Yes ✓] No	Chloride concentration: mg/l		
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?		
Yes ✓ No	Yes ✓				
Pit dimensions (all but working pits):3	O Length (fe		Width (feet) N/A: Steel Pits		
Depth fr	om ground level to de	epest point:	10 (feet)		
If the pit is lined give a brief description of the material, thickness and installation procedure			dures for periodic maintenance and determining noluding any special monitoring.		
		Air Drilling	Air Drilling Operation lasting approx SAS SORPORATION COMMISSION		
			JAN 16 2007		
			ONSERVATION DIVISION TO		
Distance to nearest water well within one-mile	of pit	Depth to shallo Source of infor	wast frosh water foot WICHITA, KS		
NA feet Depth of water wellfeet			mation: redwell ownerelectric logKDWR pover and Haul-Off Pits ONLY: all utilized in drilling/workover: Air Drilled king pits to be utilized: One		
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:			
		Type of materia	Type of material utilized in drilling/workover: Air Drilled		
Number of producing wells on lease:Number			Number of working pits to be utilized: One		
Barrels of fluid produced daily:		Abandonment procedure: Air Dry, Back Fill and Cover			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
January 15, 2007	// //	chard ,	// Jarlin		
Date		1 5	gnature of Applicant or Agent		
KCC OFFICE USE ONLY					
Date Received: 1/14/07 Permit Number: Permit			it Date: 1 (6 67 Lease Inspection: Yes 7 No		