For KCC Use: Effective Date: _ District # ____3 SGA? X Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed

Expected Spud Date	Spot ✓ East
month day year	SE - SE - Sec. 16 Twp. 28 S. R. 15 West
PERATOR: License# 33539	660' feet from N / S Line of Section
amo. Cherokee Wells LL&	660' feet from VE / W Line of Section
4916 Camp Route Rhyd Suite 204	Is SECTION <u>✓ Regular</u> Irregular?
ity/State/Zip: Fort Worth, TX 76107	(Note: Locate well on the Section Plat on reverse side)
Contact Person, Ribilia Wison	County: Wilson
hone: (620) 378-3650	Lease Name. Row Well #- A-5
33072	Field Name: Cherokee Basin Coal/Mississippian
CONTRACTOR: License# ³³⁰⁷² lame: Well Refined Drilling Co., LLC	Is this a Prorated / Spaced Field?
ame: Well Neillied Dhalling Co., LCC	Target Formation(s): Mississippian
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 660'
Oil / Enh Rec / Infield / Mud Rotary	Ground Surface Elevation: 866.2' feet MSI
✓ Gas Storage Pool Ext. ✓ Air Rotary	Water well within one-quarter mile: Yes ✓ No
OWO Disposal Wildcat Cable	Public water supply well within one mile:
Seismic; # of Holes Other	Depth to bottom of fresh water: 100 + Depth to bottom of usable water. 200 - 150
Other	, , , , , , , , , , , , , , , , , , ,
Laminal	Surface Pipe by Alternate: 1 2 2 Length of Surface Pipe Planned to be set: 40 Feet
OWWO: old well information as follows:	Length of Conductor Pipe required: None
Operator:	Projected Total Depth: 1,350 Feet
Well Name:	Formation at Total Depth: Mississippian
Original Completion Date: Original Total Depth:	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well ✓ Farm Pond Other
Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
(CC DKT #;	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
ACC	IDAVIT RECEIVED
Fine undersigned hereby affirms that the drilling, completion and eventual p	MISSAS LERGICIALION COMMISSIO
the undersigned mereny amining that the unimity, completion and eventual p	
	** ** ** ** ** ** ** ** ** ** ** ** **
t is agreed that the following minimum requirements will be met:	JAN 16 2007
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea	ch drilling rig;
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be set</i>	ch drilling rig; of by circulating cement to the top; in all cases surface! (Signature) the set
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the operator.	ch drilling rig; on SERVATION DIVISION of by circulating cement to the top; in all cases surface! Sign April be set the underlying formation. district office on plug length and placement is necessary prior to plugging;
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be sethrough all unconsolidated materials plus a minimum of 20 feet into the sether specified below the companient of the sether plugible. 4. If the well is dry hole, an agreement between the operator and the companient of the sether plugible sether plugible.</i>	ch drilling rig; on SERVATION DIVISION of by circulating cement to the top; in all cases surface of the set the underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in;
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constant of the set o	ch drilling rig; onservation division of by circulating cement to the top; in all cases surface of the set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be so</i> through all unconsolidated materials plus a minimum of 20 feet into the title that the well is dry hole, an agreement between the operator and the constant of the surface	ch drilling rig; Polyser by circulating cement to the top; in all cases surface of the set the underlying formation. Statistict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be sustained</i> through all unconsolidated materials plus a minimum of 20 feet into the surface of the well is dry hole, an agreement between the operator and the control of the surface casing order must be completed within 30 days of the spud date or the well shall	ch drilling rig; It by circulating cement to the top; in all cases surface of the set to the underlying formation. It is thick office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the total t	ch drilling rig; on SERVATION DIVISION of by circulating cement to the top; in all cases surface place. The underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be sethough</i> all unconsolidated materials plus a minimum of 20 feet into the sethough all unconsolidated materials plus a minimum of 20 feet into the sethough all unconsolidated materials plus a minimum of 20 feet into the sethough all unconsolidated materials plus a minimum of 20 feet into the sethough all unconsolidated materials plus a minimum of 20 feet into the sethough all unconsolidated materials plus a minimum of 20 feet into the sethough all the sethough all the sethough and the sethough all the	ch drilling rig; SINSERVATION DIVISION of by circulating cement to the top; in all cases surface of the set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate it cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be sus</i> through all unconsolidated materials plus a minimum of 20 feet into the substitution of the substit	ch drilling rig; Provided by circulating cement to the top; in all cases surface of the set the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and the set the from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the second of the second o	ch drilling rig; SONSERVATION DIVISION set by circulating cement to the top; in all cases surface of the set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Office Manager
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the statement of the surface of the surface of the well is dry hole, an agreement between the operator and the construction of the surface of the	ch drilling rig; Provided by circulating cement to the top; in all cases surface of the set the underlying formation. District office on plug length and placement is necessary prior to plugging; good or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the complete of the set into the complete of the set into the complete of the spuddate of the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205 - 27090-0000	ch drilling rig; Provided by circulating cement to the top; in all cases surface of the set the underlying formation. District office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Office Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the construction of the well is district office will be notified before well is either pluging the surface casing order must be completed within 30 days of the spudication of the well shall be the surface casing order must be completed within 30 days of the spudicate or the well shall be the surface casing order must be completed within 30 days of the spudicate or the well shall be the surface casing order of the well shall be completed. Signature of Operator or Agent: 1/15/07 Signature of Operator or Agent: Conductor pipe required 1/15/07 For KCC Use ONLY API # 15 - 205 - 27090-0000 Conductor pipe required 1/15/07 For Ecc Use ONLY API # 15 - 205 - 27090-0000	ch drilling rig; Poly circulating cement to the top; in all cases surface of the set the underlying formation. District office on plug length and placement is necessary prior to plugging; good or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementin be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Office Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the time well is dry hole, an agreement between the operator and the constitution of the statement of the materials because the operator and the constitution of the statement of the materials because the specified before well is either pluging the statement of the statement of the specified before well is either pluging the statement of the specified before well is either pluging the statement of the specified before well is either pluging to the specified before well is	ch drilling rig; Policy by circulating cement to the top; in all cases surface of the set the underlying formation. District office on plug length and placement is necessary prior to plugging; good or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Office Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the construction of the well is either plus of the surface of the well is either plus of the surface casing order must be completed within 30 days of the spud date or the well shall be the surface cating order must be completed within 30 days of the spud date or the well shall be the surface cating order must be completed within 30 days of the spud date or the well shall be the surface cating order of the surface cating order must be completed within 30 days of the spud date or the well shall be the surface of Operator or Agent: 1/15/07 Signature of O	ch drilling rig; Set by circulating cement to the top; in all cases surface of the set the underlying formation. District office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementin be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Pitte: Office Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the time well is dry hole, an agreement between the operator and the constitution of the statement of the materials because the operator and the constitution of the statement of the materials because the specified before well is either pluging the statement of the statement of the specified before well is either pluging the statement of the specified before well is either pluging the statement of the specified before well is either pluging to the specified before well is	ch drilling rig; PASERVATION DIVISION Pet by circulating cement to the top; in all cases surface prior to plugging; the underlying formation. District office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Pitte: Office Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the construction of the well is either plus of the surface of the well is either plus of the surface casing order must be completed within 30 days of the spud date or the well shall be the surface cating order must be completed within 30 days of the spud date or the well shall be the surface cating order must be completed within 30 days of the spud date or the well shall be the surface cating order of the surface cating order must be completed within 30 days of the spud date or the well shall be the surface of Operator or Agent: 1/15/07 Signature of O	ch drilling rig; SNSERVATION DIVISION set by circulating cement to the top; in all cases surface place be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Office Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the second shall be second and the surface well is dry hole, an agreement between the operator and the composition of the specified before well is either plugible. The appropriate district office will be notified before well is either plugible. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date or the well shall hereby certified. For KCC Use ONLY API # 15 - 205 - 27090 - 0000 Conductor pipe required	ch drilling rig; Sonservation Division In the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; Ided from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate it cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the second state of the well is dry hole, an agreement between the operator and the composition of the specified before well is either plus an appropriate district office will be notified before well is either plus and all the statements of the spuddate or the well shall be composited within 30 days of the spuddate or the well shall be before the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205 - 27090 - 0000 Conductor pipe required	ch drilling rig; set by circulating cement to the top; in all cases surface piets and be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Office Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 205-27090-0000	Location of Well: County: Wilson
Operator: Cherokee Wells LLS	660' feet from N / ✓ S Line of Section
Lease: Row	660' feet from 🗸 E / W Line of Section
Well Number: A-5	Sec. 16 Twp. 28 S. R. 15 Vest West
Field: Cherokee Basin Coal/Mississippian	
Number of Acres attributable to well:	Is Section: 📝 Regular or 🔲 Irregular
QTR / QTR / QTR of acreage: SE - SE -	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW
	PLAT
	ade attributable acreage for prorated or spaced wells.)
(Show footage to t	the nearest lease or unit boundary line.)

Row A-5



RECEIVED KANSAS CORPORATION COMMISSION JAN 16 2007

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Cherokee Wells LLC		License Number: 33539		
Operator Address: 4916 Camp Boy	vie Blvd., Sui	te 204 Foi	rt Worth, TX 76107	
Contact Person: Rhonda Wilson		Phone Number: (620) 378 - 3650		
Lease Name & Well No.: Row A-5		Pit Location (QQQQ):		
Type of Pit:	Pit is:			
Emergency Pit Burn Pit	Proposed Existing		Sec. 16 Twp. 28 R. 15	
Settling Pit	If Existing, date constructed:		660 Feet from North / V South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:		Feet from ✓ East / ☐ West Line of Section	
(If WP Supply API No. or Year Drilled)	800	(bbls)	Wilson County	
Is the pit located in a Sensitive Ground Water	Area? ✓ Yes	No	Chloride concentration: mg/l	
			(For Emergency Pits and Settling Pits only)	
Is the bottom below ground level? Yes No	Artificial Liner? ☐ Yes ✓	No	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	10 Length (fe	_{het)} 40		
Pit dimensions (all but working pits): Length (feet) Width (feet) N/A: Steel Pits Depth from ground level to deepest point: 6 (feet)				
material, thickness and installation procedure			KANSAS CORPORATION COMMISS JAN 1 6 2007 CONSERVATION DIVISION WICHITA, KS	
Dioterios to manage management		Depth to shallo Source of info	west fresh waterfeet. mation:	
n/a feet Depth of water well	of water wellfeetmeas		ured well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:			Drilling, Workover and Haul-Off Pits ONLY:	
			Type of material utilized in drilling/workover: Fresh Water	
			Number of working pits to be utilized: One Abandonment procedure: Remove Fluids, Allow to Dry and Level Surface	
		procedure.		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		Drill pits must	be closed within 365 days of spud date.	
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.				
1/15/07 Date Signature of Applicant or Agent				
KCC OFFICE USE ONLY				
Date Received: \\(\(\begin{align*} \lorenth{\lorenth{G}}\lorenth{\lorenth{G}}\right) \\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	nber:	Perm	nit Date: \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	