For KCC Use:	1-22-07
Effective Date: _	1-22-07
District #	
SGA2 Vos	. Ma

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 December 2002 Form must be Typed

Must be approved by KCC five (5) days prior to commencing well Expected Spud Date January 18, 2007 Spot	All blanks must be Filled
Expected Spud Date January 18, 2007 Spot	
	East
month day year NW NE SE Sec. 12 Twp. 1	19 S. R. 25 West
ODEDATOR: License# 5086 1/	V / V S Line of Section
Name: Pintail Petroleum, Ltd. 1090 feet from VE	/ W Line of Section
Address: 225 N. Market, Suite 300 Is SECTION Regular Irregular?	
City/State/Zip: Wichita, KS (Note: Locate well on the Section Pla	at on reverse side)
Contact Person Flip Phillips County Ness	ar on reverse side)
Phone: 316-263-2243 Lease Name: Schneider 'DD'	Well #: 1-12
Field Name: Wildcat	
CONTRACTOR: License# 50000	Yes V No
Name: Murfin Drilling Co., Inc. Murfin Drilling Co., Inc. Is this a Prorated / Spaced Field? Target Formation(s): Mississippian	
Well Drilled For: Well Class: Type Equipment: Nearest Lease or unit boundary: 1090'	
Ground Surface Elevation: 2351	feet MSL
Gas Storage Pool Ext. Air Rotary Water well within one-quarter mile:	Yes No
Coble Public water supply well within one mile:	Yes ✔No
Depth to bottom of fresh water: 100	
Other Depth to bottom of usable water:	
Surface Pipe by Alternate: 1 2	
If OWWO: old well information as follows: Length of Surface Pipe Planned to be set:	
Operator: Length of Conductor Pipe required: None	
Well Name: Projected Total Depth: 4300 Original Completion Pate: Original Total Depth: Mississippian	
Original Competion Date. Original Iolal Deptil.	
Water Source for Drilling Operations: Directional, Deviated or Horizontal wellbore? Yes No Well Farm Pond Other X	
If Yes, true vertical depth: Directional, Deviated or Horizontal wellbore? Yes V No Well Farm Pond Other X DWR Permit #:	· ·-
Bottom Hole Location: (Note: Apply for Permit with E	DIMIC A
VCC DVT #:	Yes No
* A Hached 196 Russi	
* attached Ocharation of Youling	
AFFIDATI	RECEIVED
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 (AN)	SAS CORPORATION COMMISSIO
It is agreed that the following minimum requirements will be met:	JAN 16 2007
Notify the appropriate district office <i>prior</i> to spudding of well;	Je414 1 0 5001
2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;	_UONSERVATION DIVISION
 The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases su through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 	WICHITA, KS
4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is nec	
5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;	
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within	,
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i>	
I hereby certify that the statements made herein are true and to the best of my knowledge and belief.	phonic any comenting.
Thereby certify that the statements made herein are tide and to the bestor my knowledge and belief.	
Date: 01/15/2007 Signature of Operator or Agent) Little: Agen	t
	
Remember to:	
For KCC Use ONLY - File Drill Pit Application (form CDP-1) with Intel	
[- File Completion Form ACC-1 within 100 down	
API # 15 - 135 - 24600 - 0000 - File Completion Form ACO-1 within 120 days	~
Conductor pipe required feet - Notify appropriate district office 48 hours prior	to workover or re-entry;
Conductor pipe required feet - File acreage attribution plat according to field - Notify appropriate district office 48 hours prior - Submit plugging report (CP-4) after plugging is	•
Conductor pipe required feet - File acreage attribution plat according to field - Notify appropriate district office 48 hours prior - Submit plugging report (CP-4) after plugging is	s completed;
Conductor pipe required feet Minimum surface pipe required 200 Approved by: 244 1-17-07	s completed; jecting salt water.
Conductor pipe required 1000 feet Minimum surface pipe required 2000 feet per Alt. (2) Approved by: 244 1-17-07 This authorization expires: 7-17-07 This authorization expires: 7-17-07 File acreage attribution plat according to field Notify appropriate district office 48 hours prior Submit plugging report (CP-4) after plugging is Obtain written approval before disposing or in this permit has expired (See: authorized expired). If this permit has expired (See: authorized expired) for the address of the box below and return to the address of the box below and the box below th	s completed; jecting salt water. viration date) please
Conductor pipe required 1000 feet Notify appropriate district office 48 hours prior Submit plugging report (CP-4) after plugging in Obtain written approval before disposing or in If this permit has expired (See: authorized exp	s completed; jecting salt water. piration date) please
Conductor pipe required 100 feet Minimum surface pipe required 200 feet per Alt. (2) Approved by: 24+1-17-07 This authorization expires: 7-17-07 (This authorization void if drilling not started within 6 months of effective date.) File acreage attribution plat according to field Notify appropriate district office 48 hours prior Submit plugging report (CP-4) after plugging is Obtain written approval before disposing or in If this permit has expired (See: authorized expected the box below and return to the address	s completed; jecting salt water. viration date) please


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 135 - 24600 - 0000	Location of Well: County: Ness
Operator: Pintail Petroleum, Ltd.	2440 feet from N / V S Line of Section
Lease: Schneider 'DD'	1090 feet from Feet from E / W Line of Section
Well Number: 1-12	Sec. 12 Twp. 19 S. R. 25 ☐ East ✓ West
Number of Acres attributable to well: * 40 Acre Unit	Is Section: ✓ Regular or irregular
QTR / QTR / QTR of acreage: NW - NE - SE	If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)



RECEIVED
KANSAS CORPORATION COMMISSION
JAN 1 6 2007

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Pintail Petroleur	n, Ltd.		License Number: 5086	}
Operator Address: 225 N. Marke		0		
Contact Person: Flip Phillips			Phone Number: (316) 263 - 2	243
Lease Name & Well No.: Schneider 'DD' #1-12		<u> </u>	Pit Location (QQQQ):	
Type of Pit: Pit is:			<u>NW</u> . NE . SE .	
Emergency Pit Burn Pit	✔ Proposed	Existing	Sec. 12 Twp. 19 R. 25	East V West
Settling Pit	If Existing, date of	constructed:	2440 Feet from North /	
Workover Pit Haul-Off Pit			1090 Feet from 🗸 East /	
(If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Ness	
Is the pit located in a Sensitive Ground Water	A2 4			County
s the pit located in a Sensitive Ground water	Area? Fres	No_	Chloride concentration:	
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not	used?
Yes No	Yes	No	Mud and Bentonite	
Pit dimensions (all but working pits):8	Length (fe	eet) <u>80</u>	Width (feet)	N/A: Steel Pits
Depth fr	om ground level to de	eepest point: 4	(feet)	
.,	.	liner integrity, in	1 17 1 14 1	niningRECEIVED AS CORPORATION CONIN
,		liner integrity, in	ncluding any special monitoring. KANSA	AS CORPORATION COMM JAN 16 2007 CONSERVATION DIVISION
	- Alexandra	Depth to shallo	west fresh water 180 feet.	JAN 16 2007
,	e of pit	Depth to shallor Source of infor	west fresh water 180 feet.	JAN 16 2007 ONSERVATION DIVISION WICHITA, KS
Distance to nearest water well within one-mile 3੫a feet Depth of water well	e of pit Ч∽of feet	Depth to shallo Source of infor	west fresh water 180 feet.	JAN 16 2007 ONSERVATION DIVISION WICHITA, KS
Distance to nearest water well within one-mile 3년제 feet Depth of water well Emergency, Settling and Burn Pits ONLY:	e of pit	Depth to shallor Source of informal measu Drilling, Worke	west fresh water 180 feet. mation: red well owner electric log	JAN 1 6 2007 CONSERVATION DIVISION WICHITA, KS KDWR
Distance to nearest water well within one-mile 343 feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation:	e of pit 4 🐼 feet	Depth to shallor Source of inform measu Drilling, Worke Type of materia	west fresh water 180 feet. mation: redwell owner electric logover and Haul-Off Pits ONLY:	JAN 16 2007 CONSERVATION DIVISION WICHITA, KS
Distance to nearest water well within one-mile 3식원 feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation:	e of pit 4 🐼 feet	Depth to shallor Source of inform measu Drilling, Worke Type of materia Number of worl	west fresh water 180 feet. mation: red well owner electric log over and Haul-Off Pits ONLY: I utilized in drilling/workover: Fresh wate	JAN 1 6 2007 CONSERVATION DIVISION WICHITA, KS KDWR
Distance to nearest water well within one-mile 3431 feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all	e of pit 4 🐼 feet	Depth to shallor Source of inform measu Drilling, Worke Type of materia Number of work Abandonment	west fresh water 180 feet. mation: red well owner electric log over and Haul-Off Pits ONLY: I utilized in drilling/workover: Fresh wate	JAN 1 6 2007 CONSERVATION DIVISION WICHITA, KS KDWR
Distance to nearest water well within one-mile 3431 feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all	e of pit 4 feet spilled fluids to	Depth to shallor Source of informeasu Drilling, Worker Type of material Number of world Abandonment Drill pits must be	west fresh water 180 feet. mation: red well owner electric log over and Haul-Off Pits ONLY: I utilized in drilling/workover: Fresh wate king pits to be utilized: 3 orocedure: Evaporate and backfill e closed within 365 days of spud date.	JAN 1 6 2007 CONSERVATION DIVISION WICHITA, KS KDWR
Distance to nearest water well within one-mile 343 feet Depth of water well	e of pit 4 feet spilled fluids to	Depth to shallor Source of information measurement Drilling, Worker Type of material Number of work Abandonment Drill pits must becorrect to the best	west fresh water 180 feet. mation: red well owner electric log over and Haul-Off Pits ONLY: I utilized in drilling/workover: Fresh wate king pits to be utilized: 3 orocedure: Evaporate and backfill e closed within 365 days of spud date.	JAN 1 6 2007 CONSERVATION DIVISION WICHITA, KS KDWR
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? I hereby certify that the above state	spilled fluids to	Depth to shallor Source of information measurement Drilling, Worker Type of material Number of work Abandonment Drill pits must becorrect to the best	west fresh water 180 feet. mation: red well owner electric log over and Haul-Off Pits ONLY: I utilized in drilling/workover: Fresh wate string pits to be utilized: 3 procedure: Evaporate and backfill e closed within 365 days of spud date. of my knowledge and belief.	JAN 1 6 2007 CONSERVATION DIVISION WICHITA, KS KDWR