For KCC Use:	1-24-07
Effective Date:	1-23-07
District #	
SGA? X Yes	∏ No

Kansas Corporation Commission Oil & Gas Conservation Division

NOTICE OF INTENT TO DRILL

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Expected Spud Date month day year	Spot SE SW NW See 1 Tue 22	Eas
	sec twp.	
DPERATOR: License# 33699 V	2540 feet from V N /	S Line of Section
Name: T-N-T Engineering, Inc.	reet from E /	✓ W Line of Section
Address: 3711 Maplewood, Suite 201	Is SECTION ✓ RegularIrregular?	
City/State/Zip: Wichita Falls, Texas 76308	(Note: Locate well on the Section Plat on	reverse side)
Contact Person: Hal Gill	County: Stafford	
Phone: 940 691-9157	Lease Name: Helmers Unit	Well #: 1
CONTRACTOR: License# Misst be licensed by KCC	Field Name: Max	
Name: Unknown (first available) Advise on Aco-I	Is this a Prorated / Spaced Field? Target Formation(s): Arbuckle	Yes √ 1
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 230' (unit bou	ndary) WLE
✓ Oil Enh Rec ✓ Infield ✓ Mud Rotary	0	feet MS
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:	Yes 🗸 N
OWWO Disposal Wildcat Cable	Public water supply well within one mile:	Yes ✓ N
Seismic: # of Hotes Other	Depth to bottom of fresh water: 101	/ <u></u>
	Depth to bottom of usable water: /80	
Other	Surface Pipe by Alternate: √ 1 2	_
f OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 600'	
Operator:	Length of Conductor Pipe required:	
Well Name:	Projected Total Depth: 3700'	
Original Completion Date: Original Total Depth:	Formation at Total Depth: Arbuckle	
·	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well ✓ Farm Pond Other	
Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR	
KCC DKT #: 07-CONS- 117-CWCE	Will Cores be taken?	Yes V
	If Yes, proposed zone:	
AFF	IDAVIT RE	CEIVED
AFF: The undersigned hereby affirms that the drilling, completion and eventual p	KANSAS CORF	PORATION COMMISSION
is agreed that the following minimum requirements will be met:	NOV	1 2 7 2006
is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	NO/	/ 27 2006
 sagreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall if hereby certify that the statements made herein are true and to the best of 	ch drilling rig; conserved by circulating cement to the top; in all cases surfact by circulating cement to the top; in all cases surfact he underlying formation. Conserved by circulating cement to the top; in all cases surfact he underlying formation. Conserved by circulating cases and placement is necessary and conserved in; ed from below any usable water to surface within 120 and 133,891-C, which applies to the KCC District 3 area to plugged. In all cases, NOTIFY district office prior to the cases are the plugged.	VATION DIVISION ICHITASKE be set ary prior to plugging; O days of spud date. a, alternate II cementi
 sagreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug of a proportiate district office will be notified before well is either plug of an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the spud date. 	ch drilling rig; Tonser To by circulating cement to the top; in all cases surfact the underlying formation. Idistrict office on plug length and placement is necessariged or production casing is cemented in; and from below any usable water to surface within 120 #133,891-C, which applies to the KCC District 3 area to plugged. In all cases, NOTIFY district office prior to my knowledge and belief. Title: Engineer	VATION DIVISION CONTRACTOR TO PROPERTY PRIOR TO PROPERTY
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the drift of the well is dry hole, an agreement between the operator and the drift of the appropriate district office will be notified before well is either plug of the shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the centre of the well shall be the centre of the well shall be the centre of the statements made herein are true and to the best of the centre of the well shall be the centre	ch drilling rig; CONSER It by circulating cement to the top; in all cases surfact the underlying formation. Idistrict office on plug length and placement is necessariged or production casing is cemented in; the deform below any usable water to surface within 12th #133,891-C, which applies to the KCC District 3 area to plugged. In all cases, NOTIFY district office print Title: Engineer Remember to:	VATION DIVISION ICATION DIVISION ICATION DIVISION ICATION SKell be set any prior to plugging; Dividing date. a, alternate II cementing to any cementing.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an accordance of the approved notice of intent to drill <i>shall be</i> posted on each an accordance of the approved notice of intent to drill <i>shall be</i> posted on each an accordance of the approved notice of intent to drill <i>shall be</i> posted on each an accordance of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate of the	ch drilling rig; conserved by circulating cement to the top; in all cases surfact the underlying formation. district office on plug length and placement is necessary and the underlying formation. district office on plug length and placement is necessary and the pluged or production casing is cemented in; ed from below any usable water to surface within 120 #133,891-C, which applies to the KCC District 3 area to be plugged. In all cases, NOTIFY district office prior in the plugged and belief. Title: Engineer Remember to: File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of significant in the plugging of the plugging is co	NATION DIVISION CONTROL OF THE PROPERTY OF SPUND date. any prior to plugging; Drill; Drill; pud date; ration orders; vorkover or re-entry; mpleted;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into the set of the set	ch drilling rig; CONSER In by circulating cement to the top; in all cases surface the underlying formation. Idistrict office on plug length and placement is necessar tiged or production casing is cemented in; ted from below any usable water to surface within 120 #133,891-C, which applies to the KCC District 3 area to be plugged. In all cases, NOTIFY district office print from knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of si File acreage attribution plat according to field profession. Notify appropriate district office 48 hours prior to we Submit plugging report (CP-4) after plugging is co Obtain written approval before disposing or injectic. If this permit has expired (See: authorized expiration)	NATION DIVISION CONTRACTOR
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an according all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the drift of the appropriate district office will be notified before well is either plug of the set of th	ch drilling rig; conserved by circulating cement to the top; in all cases surfact the underlying formation. Illistrict office on plug length and placement is necessariged or production casing is cemented in; ed from below any usable water to surface within 12th #133,891-C, which applies to the KCC District 3 area to be plugged. In all cases, NOTIFY district office print may knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of significant plugging and plugging to Submit plugging report (CP-4) after plugging is conditionally of the control of the completion of the c	NATION DIVISION CONTRACTOR DIVISION CONTRACTOR DIVISION CONTRACTOR DIVISION CONTRACTOR C
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of	ch drilling rig; CONSER In by circulating cement to the top; in all cases surface the underlying formation. Idistrict office on plug length and placement is necessar tiged or production casing is cemented in; ted from below any usable water to surface within 120 #133,891-C, which applies to the KCC District 3 area to be plugged. In all cases, NOTIFY district office print from knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of si File acreage attribution plat according to field profession. Notify appropriate district office 48 hours prior to we Submit plugging report (CP-4) after plugging is co Obtain written approval before disposing or injectic. If this permit has expired (See: authorized expiration)	NATION DIVISION CONTRACTOR DIVISION CONTRACTOR DIVISION CONTRACTOR DIVISION CONTRACTOR C


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 185-23420-0000	Location of Well: County:	Stafford
Operator: T-N-T Engineering, Inc.		
Lease: Helmers Unit	900	feet from VN/ S Line of Section feet from E / V W Line of Section
Well Number: 1 Field: Max		S. R. 12 East ✓ West
Number of Acres attributable to well: 10	Is Section: 🔀 Regular of	r Irregular
QTR / QTR / QTR of acreage:SESWNW	If Section is Irregular, loca Section corner used: NE	te well from nearest corner boundary.


PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)



RECEIVED KANSAS CORPORATION COMMISSION

NOV 27 2006

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached; (Co-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: T-N-T Engineeri	na, Inc.		License Number: 33699
Operator Address: 3711 Maplew		201. Wic	33039
Contact Person: Rick Popp		Phone Number: (620) 786 - 5514	
Lease Name & Well No.: Helmers Unit # 1		Pit Location (QQQQ):	
Type of Pit:	Pit is:		S/2 SE SW NW
Emergency Pit Burn Pit Settling Pit ✓ Drilling Pit Workover Pit Haul-Off Pit	If Existing, date		Sec. 1 Twp. 22S R 12 East V West 2540 Feet from V North / South Line of Section 900 Feet from East / V West Line of Section
(If WP Supply API No. or Year Drilled)	, ,	(bbls)	Stafford County
Is the pit located in a Sensitive Ground Water			Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)
Is the bottom below ground level? Yes No	Artificial Liner? ☐ Yes ✓	No	How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits): 8	O Length (fi		
			NOV 2 7 2006 CONSERVATION DIVISION WIGHTIA, KS
			WIGHTIA, KS
1/42 () 5			vest fresh water 2/ unknown feet.
Emergency, Settling and Burn Pits ONLY:		ł	nation: KHKLS ©
Emergency, Settling and Burn Pits ONLY:	76 feet	measur	· · · · · · · · · · · · · · · · · · ·
Producing Formation:		Drilling, Worko	edwell ownerelectric logKDWR ver and Haul-Off Pits ONLY: utilized in drilling/workover: fresh water
Producing Formation: Number of producing wells on lease:		Drilling, Worko Type of material Number of work	nation: WHKLS © edwell ownerelectric logKDWR ver and Haul-Off Pits ONLY: utilized in drilling/workover:fresh water ing pits to be utilized:3
Producing Formation:		Drilling, Worko Type of material Number of work Abandonment p	nation: MKKS © edwell ownerelectric logKDWR ver and Haul-Off Pits ONLY: utilized in drilling/workover:fresh water ing pits to be utilized:3 rocedure:Evaporate fluids, break up and backfill
Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all s	pilled fluids to	Drilling, Worko Type of material Number of work Abandonment p and cover wit Drill pits must be	nation: WHKLS © edwell ownerelectric logKDWR ver and Haul-Off Pits ONLY: utilized in drilling/workover:fresh water ing pits to be utilized:3 rocedure:Evaporate fluids, break up and backfill th topsoil closed within 365 days of spud date.
Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all s flow into the pit?	pilled fluids to	Drilling, Worko Type of material Number of work Abandonment p and cover wit Drill pits must be	nation: WHKLS © edwell ownerelectric logKDWR ver and Haul-Off Pits ONLY: utilized in drilling/workover:fresh water ing pits to be utilized:3 rocedure:Evaporate fluids, break up and backfill th topsoil closed within 365 days of spud date.
Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all s flow into the pit? I hereby certify that the above statem	pilled fluids to ents are true and c	Drilling, Worko Type of material Number of work Abandonment p and cover wit Drill pits must be	mation: WHKLS (E) edwell ownerelectric logKDWR ver and Haul-Off Pits ONLY: utilized in drilling/workover:fresh water ing pits to be utilized:3 rocedure:Evaporate fluids, break up and backfill th topsoil closed within 365 days of spud date. of my knowledge and belief.



CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR BRIAN J. MOLINE, CHAIR ROBERT E. KREHBIEL, COMMISSIONER MICHAEL C. MOFFET, COMMISSIONER

January 18, 2007

Mr. Hal Gill T-N-T Engineering, Inc. 3711 Maplewood Ste 201 Wichita Falls, TX 76308

Re: Drilling Pit Application

Helmers Unit Lease Well No. 1 NW/4 Sec. 01-22S-12W Stafford County, Kansas

Dear Mr. Gill:

District staff has inspected the location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has instructed that no earthen pits are to be used at the location. Steel pits are to be used. Please inform the Commission in writing as to which disposal well you will utilize to dispose of the contents in the steel pits and the amount of fluid that will be disposed. If a haul-off pit is necessary please file, form CDP-1, Application for Surface Pit. This location will have to be inspected prior to approval of the haul-off pit application.

If fluids are taken to an authorized disposal well, please call the District Office at (620) 225-8888. Please file form CDP-5, Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

Sincerely,

Kathy Haynes

Environmental Protection and Remediation Department

Cc: File



CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR BRIAN J. MOLINE, CHAIR ROBERT E. KREHBIEL, COMMISSIONER MICHAEL C. MOFFET, COMMISSIONER

HAUL-OFF PIT APPLICATION FILING REQUIREMENTS

82-3-607.	DISPOSAL OF DIKE AND PIT CONTENTS.
(a)	Each operator shall perform one of the following when disposing of dike or pit contents:
(1)	Remove the liquid contents to a disposal well or other oil and gas operation approved by the commission or to road maintenance or construction locations approved by the department;
(2)	dispose of reserve pit waste down the annular space of a well completed according to the alternate I requirements of K.A.R. 82-3-106, if the waste to be disposed of was generated during the drilling and completion of the well; or
(3)	dispose of the remaining solid contents in any manner required by the commission. The requirements may include any of the following:
	(A) Burial in place, in accordance with the grading and restoration requirements in K.A.R. 82-3-602 (f);
	(B) removal and placement of the contents in an on-site disposal area approved by the commission;
	(C) removal and placement of the contents in an off-site disposal area on acreage owned by the same landowner or to another producing lease or unit operated by the same operator, if prior written permission from the landowner has been obtained; or
	(D) removal of the contents to a permitted off-site disposal area approved by the department.
(b)	Each violation of this regulation shall be punishable by the following:
	A \$1,000 penalty for the first violation; a \$2,500 penalty for the second violation; and a \$5,000 penalty and an operator license review for the third violation.
	will be located in an on-site disposal area:

Haul-off pit is located in an off-site disposal area on another **producing** lease or unit operated by the same operator: Yes No If yes, written permission from the land owner must be obtained. Attach permission and a copy of the lease assignment that covers the acreage where the haul-off pit is to be located, to the haul-off pit application.

Haul-off pit is located in an off-site disposal area on acreage owned by the same landowner:

permission to haul-off pit application.

□Yes □No

If yes, written permission from the land owner must be obtained. Attach written