For KCC Use: Effective Date:	1-27-07	
District #	3	
SGA? Yes	I No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

					_
Expected Spud Date	1	_28	07	Spot	<u>k</u> East
	month	day	year	SE NW NW Sec. 14 Twp. 17 8	
OPERATOR: License#	6168			14440 feet from N / X	S Line of Section
	r Scheun	eman		14100 feet from K E /	W Line of Section
Address: 27800 Ple				is SECTION <u>x</u> Regular irregular?	
City/State/Zip: _Wellsvil				(Note: Locate well on the Section Plat on re-	verse side)
Contact Person: Eester S	cheunema	n		County: Niami	
Phone: (795) 883-4	621			Lease Name: Boyscout	_Well #: <u>11-5</u>
	h ooo			Field Name: Rantaul	· · · · · · · · · · · · · · · · · · ·
CONTRACTOR: License#				Is this a Prorated / Spaced Field?	Yes X No
Name: Dale	<u>Jackson</u>	····	·	Target Formation(s): Squirrel	<u> </u>
Well Drilled For:	Well Class:	Time Co	wiomant:	Nearest Lease or unit boundary:	
_ / _		·	juipment:	Ground Surface Elevation: N.A.	feet MSL
XOil Enh Rec	Infield "		d Rotary—	Water well within one-quarter mile:	Yes X No
Gas Storage	Pool Ext		Rotary	Public water supply well within one mile:	Yes X No
Owwo Disposal	Wildcat	Cat	DI&	Depth to bottom of fresh water: 20	
Seismic;# of Holes	s Other			Depth to bottom of usable water:180	
Other				Surface Pipe by Alternate: 1 X 2	/
If OWWO: old well information a	as follows:			Length of Surface Pipe Planned to be set: 20	
Operator:				Length of Conductor Pipe required:	
Well Name:				Projected Total Depth:	
Original Completion Date:				Formation at Total Depth: Squire	.e.r
			_	Water Source for Drilling Operations:	
Directional, Deviated or Horizon			Yes X No	Well X Farm Pond Other	
If Yes, true vertical depth:				DWR Permit #:	
Data - Mala Lacatera					_
Bottom Hole Location:				(Note: Apply for Permit with DWR])
KCC DKT #:				Will Cores be taken?	Yes X No
KCC DKT #:			AFI	Will Cores be taken? If Yes, proposed zone:	Yes X No
The undersigned hereby affirm It is agreed that the following of 1. Notify the appropriate di 2. A copy of the approved 3. The minimum amount of through all unconsolidate 4. If the well is dry hote, ar 5. The appropriate district of 6. If an ALTERNATE II COI Or pursuant to Appendix must be completed withi	ns that the dril minimum requ istrict office pi notice of inter f surface pipe ed materials p n agreement l office will be r MPLETION, p x "B" - Easten in 30 days of	ling, completic frements will the for to spudie to drill shall as specified blus a minimul between the contified before production plants and the spud date	AFF on and eventual poe met: ng of well; I be posted on eximal be some of 20 feet into operator and the well is either plue shall be cementace casing order or the well shall	Will Cores be taken? If Yes, proposed zone: FIDAVIT Dlugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface particle in the underlying formation. district office on plug length and placement is necessary agged or production casing is cemented in; attendary from below any usable water to surface within 120 or #133,891-C, which applies to the KCC District 3 area, be plugged. In all cases, NOTIFY district office prior	Pipe shall be set I prior to plugging; days of spud date. alternate II cementing
The undersigned hereby affirm It is agreed that the following of the appropriate displayed in the second of the se	ns that the dril minimum requ istrict office pi notice of inter f surface pipe ed materials p n agreement l office will be r MPLETION, p x "B" - Easten in 30 days of	ling, completic frements will the for to spudie to drill shall as specified blus a minimul between the contified before production plants and the spud date	AFF on and eventual poe met: ng of well; I be posted on eximal be some of 20 feet into operator and the well is either plue shall be cementace casing order or the well shall	Will Cores be taken? If Yes, proposed zone: FIDAVIT Dlugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; tet by circulating cement to the top; in all cases surface particle to the underlying formation. district office on plug length and placement is necessary ged or production casing is cemented in; attend from below any usable water to surface within 120 or #133,891-C, which applies to the KCC District 3 area, be plugged. In all cases, NOTIFY district office prior of my knowledge and belief.	pipe shall be set of prior to plugging; days of spud date, alternate II cementing to any cementing.
The undersigned hereby affirm It is agreed that the following n 1. Notify the appropriate di 2. A copy of the approved 3. The minimum amount of through all unconsolidate 4. If the well is dry hote, ar 5. The appropriate district of 6. If an ALTERNATE II COI Or pursuant to Appendix must be completed withi	ns that the dril minimum requ istrict office pi notice of inter f surface pipe ed materials p n agreement l office will be r MPLETION, p x "B" - Easten in 30 days of	ling, completic frements will the control of the control of to drill shall as specified the control of the spud data are true of the spud data of the	AFF on and eventual to met: ing of well; if be posted on eximate the below shall be some of 20 feet into operator and the well is either plue shall be cementace casing order or the well shall and to the best	Will Cores be taken? If Yes, proposed zone: FIDAVIT Dlugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; the the underlying formation. district office on plug length and placement is necessary gged or production casing is cemented in; at #133,891-C, which applies to the KCC District 3 area, be plugged. In all cases, NOTIFY district office prior of my knowledge and belief. Title: OWNET	pipe shall be set of prior to plugging; days of spud date, alternate II cementing to any cementing.
The undersigned hereby affirm It is agreed that the following in 1. Notify the appropriate di 2. A copy of the approved of 3. The minimum amount of through all unconsolidate 4. If the well is dry hote, as 5. The appropriate district of 6. If an ALTERNATE II COI Or pursuant to Appendix must be completed within I hereby certify that the statem Date: 1-17-07 S For KCC Use ONLY API # 15 - 121 - 29 3 Conductor pipe required Minimum surface pipe require	ns that the drill minimum requ istrict office pr notice of inter of surface pipe ed materials pl office will be r MPLETION, p x "B" - Easten in 30 days of ments made he Signature of C	ling, completic frements will to for to spudding as specified belose a minimum between the contified before production plants and the spud date erein are true	AFi on and eventual be met: ng of well; I be posted on exit below shall be so m of 20 feet into perator and the exit well is either plue a shall be cemer face casing orde or the well shall and to the best gent:	Will Cores be taken? If Yes, proposed zone: FIDAVIT Dlugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; ach drilling	pipe shall be set I prior to plugging; days of spud date. alternate II cementing to any cementing. Operater will; d date; inn orders; rkover or re-entry; pleted;
The undersigned hereby affirm It is agreed that the following of the appropriate displayed and through all unconsolidate and through all unconsolidate and through all unconsolidate and the appropriate district and the appropriate appropriate approved that the statem approved by: April	ns that the dril minimum requ istrict office pr notice of inter of surface pipe ed materials pr n agreement l office will be r MPLETION, pr x "B" - Easten in 30 days of ments made he Signature of C	ling, completic frements will to for to spudding to drill shall as specified belove the continuous the controduction plant Kansas surfithe spud date be rein are true specified before the spud date or an are true specified before the spud date or an are true specified before the spud date or an are true specified by the spud date or an are true specified to the specified by the	AFi on and eventual be met: ng of well; I be posted on exit below shall be so m of 20 feet into perator and the exit well is either plue a shall be cemer face casing orde or the well shall and to the best gent:	Will Cores be taken? If Yes, proposed zone: PIDAVIT Dlugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; ach drilling	pipe shall be set of prior to plugging; days of spud date, alternate II cementing to any cementing. Operator rill; d date; ion orders; rkover or re-entry; pleted; salt water.
The undersigned hereby affirm It is agreed that the following of the appropriate displayed and the approved of through all unconsolidate. If the well is dry hote, are 5. The appropriate district of the appropriate of the appro	ns that the drill minimum requistrict office protice of interference of materials profice will be removed by the min 30 days of ments made here. 3555000 None.	ling, completic frements will to spudding to drill shall as specified blus a minimul between the contified before freduction pipe freduction p	AFF on and eventual per met: In the posted on eximple of the shall be some of 20 feet into operator and the well is either plue shall be cementace casing order or the well shall and to the best operator. In the posted on eximple of the shall be comentated as or the well shall and to the best opent:	Will Cores be taken? If Yes, proposed zone: FIDAVIT Dlugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; ach drilling	pipe shall be set I prior to plugging; days of spud date. alternate II cementing to any cementing. Operater will; d date; don orders; rkover or re-entry; pleted; salt water. date) please
The undersigned hereby affirm It is agreed that the following of the appropriate displayed and through all unconsolidate and through all unconsolidate and through all unconsolidate and the appropriate district and the appropriate appropriate approved that the statem are the approved by: April	ns that the drill minimum requistrict office protice of interference of materials profice will be removed by the min 30 days of ments made here. 3555000 None.	ling, completic frements will to spudding to drill shall as specified blus a minimul between the contified before freduction pipe freduction p	AFF on and eventual per met: In the posted on eximple of the shall be some of 20 feet into operator and the well is either plue shall be cementace casing order or the well shall and to the best operator. In the posted on eximple of the shall be comentated as or the well shall and to the best opent:	Will Cores be taken? If Yes, proposed zone: PIDAVIT Dlugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; the the underlying formation. district office on plug length and placement is necessary gged or production casing is cemented in; the from below any usable water to surface within 120 or # #133,891-C, which applies to the KCC District 3 area, be plugged. In all cases, NOTIFY district office prior of my knowledge and belief. File Completion Form ACO-1 within 120 days of spu File acreage attribution plat according to field prorat Notify appropriate district office 48 hours prior to wor Submit plugging report (CP-4) after plugging is com Obtain written approval before disposing or injecting If this permit has expired (See: authorized expiration check the box below and return to the address belo	pipe shall be set I prior to plugging; days of spud date. alternate II cementing to any cementing. Operater will; id date; idn orders; rkover or re-entry; pleted; salt water. date) please
The undersigned hereby affirm It is agreed that the following of the appropriate displayed and through all unconsolidate and through all unconsolidate and through all unconsolidate and the appropriate district of the appropriate appropriate that the statem that the statem that the appropriate that the appropriate approved by: Post 1 - 17 - 07	ns that the drill minimum requistrict office protice of interference of materials profice will be removed by the min 30 days of ments made here. 3555000 None.	ling, completic frements will to spudding to drill shall as specified blus a minimul between the contified before freduction pipe freduction p	AFF on and eventual per met: In the posted on eximple of the shall be some of 20 feet into operator and the well is either plue shall be cementace casing order or the well shall and to the best operator. In the posted on eximple of the shall be comentated as or the well shall and to the best opent:	Will Cores be taken? If Yes, proposed zone: PIDAVIT Dlugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; Let by circulating cement to the top; in all cases surface particle of the underlying formation. district office on plug length and placement is necessary ged or production casing is cemented in; Intel from below any usable water to surface within 120 or #133,891-C, which applies to the KCC District 3 area, be plugged. In all cases, NOTIFY district office prior of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to D. File Completion Form ACO-1 within 120 days of sputh of the plugging report (CP-4) after plugging is community appropriate district office 48 hours prior to work of the promit has expired (See: authorized expiration).	pipe shall be set I prior to plugging; days of spud date. alternate II cementing to any cementing. Operater will; id date; idn orders; rkover or re-entry; pleted; salt water. date) please

JAN 19 2007

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 121-28355-0000	Location of Well: County: Miami
Operator: Lester Scheuneman	14440 teet from N/KS Line of Section
Lease: Boyscout	4100 feet from E / W Line of Section
Well Number: H-5	Sec. 14 Twp. 17 S. R. 21 [X] East [] Wes
Field: Rantaul	
Number of Acres attributable to well: 200	ls Section: X Regular or Irregular
QTR / QTR / QTR of acreage: SE - NW - NV	If Section is irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW
	and the second of the second o

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton. Miami Co.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (CO-7 for oil wells; CG-8 for gas wells).

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Lester Scheuneman			License Number: 6168	
Operator Address: 27800 Plea	sant Vallev R	d. Wellsv	ille, Ks. 66092	
Contact Person: Lester Scheum			Phone Number: (785) 883-4621	
Lease Name & Well No.: Boyscout	H-5		Pit Lecation (QQQQ).	
Type of Pit:	Pit is:		NE _ SE _ NW - NW _	
Emergency Pit Burn Pit	X Proposed Existing		Sec. 14 Twp. 17 R. 21 X East West	
Settling Pit	If Existing, date cor	nstructed:	4440 Feet from North / 区 South Line of Section	
	Pit capacity:		4100 Feet from X East / West Line of Section	
	80		Fiami County	
is the pit located in a Sensitive Ground Water	Area? Yes X	No	Chloride concentration:mg/l (For Emergency Pits and Settling Pits only)	
is the bottom below ground level? [] Yes [] No	Artificial Liner?	lo	How is the oit lined if a plastic liner is not used? clay	
	20 Length (fer		Width (feet) N/A: Steel Pits	
Distance to nearest water well within one-mile of pit		Depth to shallowest fresh waterfeet. Source of information:		
N/A feet Depth of water well feet		measuredwell ownerelectric logKDWR		
Emergency, Settling and Burn Pits ONLY		Driffing, Workover and Haul-Off Pits ONLY:		
Producing Formation:	1		al utilized in drilling/workover: <u>Fresh water mud.</u>	
Number of producing wells on lease:		Number of working pits to be utilized: 1 Abandonment procedure: Evaporate & backfill		
Barrels of fluid produced daily:		Abandonment	procedure:	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date		
I hereby certify that the above sta	ntements are true and o	correct to the bes	st of my knowledge and belief.	
1-17-07 Date		Les	Signature of Applicant or Agent	
	ксс	OFFICE USE C	DMLY	
Date Received: 1 19 07 Permit No	ımber:	Perr	nit Date: 1 19 07 Lease Inspection: Yes Q No	

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

RECEIVED

JAN 19 2007