For KCC Use: Effective Date: _ District #_

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed

Expected Spud Date 02 15 2007	Spot ,	√ East
month day year	WE E/2-SW - SW Sec. 18 Twp. 25 S.	R. 22 Wes
DPERATOR: License#33551	660'feet from N / ✓ S	Line of Section
Vame: S & K Oil Company	4280°	V Line of Section
P. O. Box 184	Is SECTION Regular Irregular?	
City/State/Zip: Blue Mound, Kansas	(Note: Locate well on the Section Plat on rever	rea sidal
Contact Person: Steve Jackson	County: Bourbon	ise side/
Phone: 913-756-2622	Lease Name. Swisher	Well #:13
	Field Name: Bronson Zenia	
CONTRACTOR: License# 4339	Is this a Prorated / Spaced Field?	Yes ✓ N
Name: Dale Jackson Production	Target Formation(s): Bartlesville	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 165'	
	Ground Surface Elevation: 1030'	feet MS
Oil Finh Rec Infield Mud Rotary	Water well within one-quarter mile:	Yes ✓ N
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	Yes ✓ N
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 15'	
Seismic; # of Holes Other	Depth to bottom of usable water: 150'	
Other	Surface Pipe by Atternate: 1 2	•
f OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'	
Operator:	Length of Conductor Pipe required: None	
Well Name:	Projected Total Depth: 670'	
Original Completion Date:Original Total Depth:	Formation at Total Depth: Bartlesville	
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Water Source for Drilling Operations:	
	Well Farm Pond Other Return Water	
f Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR	
KCC DKT #:	Will Cores be taken?	Yes ✓ N
	If Yes, proposed zone:	
AFI	FIDAVIT	
The undersigned hereby affirms that the drilling, completion and eventual	plugging of this well will comply with K.S.A. 55 et. seq.	
t is agreed that the following minimum requirements will be met:		
	ach drilling rig;	
21	set by circulating cement to the top; in all cases surface pip the underlying formation. district office on plug length and placement is necessary paged or production casing is cemented in; need from below any usable water to surface within 120 days or #133,891-C, which applies to the KCC District 3 area, all be plugged. In all cases, NOTIFY district office prior to	orior to plugging; ys of spud date. ternate II cementing any cementing.
 The minimum amount of surface pipe as specified below shall be sthrough all unconsolidated materials plus a minimum of 20 feet into If the well is dry hole, an agreement between the operator and the The appropriate district office will be notified before well is either plue If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: /-/O - O 7 	set by circulating cement to the top; in all cases surface pip the underlying formation. district office on plug length and placement is necessary p agged or production casing is cemented in; need from below any usable water to surface within 120 days or #133,891-C, which applies to the KCC District 3 area, all be plugged. In all cases, NOTIFY district office prior to of my knowledge and belief.	orior to plugging; ys of spud date. ternate II cementin any cementing.
3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best poate: /-/O- 0 7 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 0//- 23234-0000 Conductor pipe required feet Minimum surface pipe required feet per Alt. X (2)	the underlying formation. district office on plug length and placement is necessary pugged or production casing is cemented in; need from below any usable water to surface within 120 days at #133,891-C, which applies to the KCC District 3 area, all be plugged. In all cases, NOTIFY district office prior to of my knowledge and belief. Title: Title:	prior to plugging; ys of spud date. ternate II cementing any cementing. I; date; n orders; over or re-entry; sted;
3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud shall hereby certify that the statements made herein are true and to the best of the spud shall hereby certify that the statements made herein are true and to the best of the spud shall hereby certify that the statements made herein are true and to the best of the spud shall hereby certify that the statements made herein are true and to the best of the spud shall hereby certify that the statements made herein are true and to the best of the spud shall hereby certify that the statements made herein are true and to the best of the spud shall hereby certify that the statements made herein are true and to the best of the spud shall hereby certify that the statements made herein are true and to the best of the spud shall hereby certify that the statements made herein are true and to the best of the spud shall hereby certify that the statements made herein are true and to the best of the spud shall hereby certify that the statements made herein are true and to the best of the spud shall hereby certify that the statements made herein are true and to the best of the spud shall hereby certify that the statements of the spud shall hereby certified between the spud shall hereby certified hereby	the underlying formation. district office on plug length and placement is necessary purged or production casing is cemented in; need from below any usable water to surface within 120 days if #133,891-C, which applies to the KCC District 3 area, all be plugged. In all cases, NOTIFY district office prior to of my knowledge and belief. Title: OWYU Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill File Completion Form ACO-1 within 120 days of spuding in according to field proration. Notify appropriate district office 48 hours prior to worker. Submit plugging report (CP-4) after plugging is completed.	ys of spud date. ternate II cementing. any cementing. I; date; n orders; over or re-entry; elted; alt water.
3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best plate: /-/O- O 7 Signature of Operator or Agent: For KCC Use ONLY API # 15 - O//- 23 23 4-0000 Conductor pipe required None feet Minimum surface pipe required feet per Alt. X (2) Approved by: Last 1-22-07	the underlying formation. district office on plug length and placement is necessary pugged or production casing is cemented in; need from below any usable water to surface within 120 days of #133,891-C, which applies to the KCC District 3 area, at be plugged. In all cases, NOTIFY district office prior to of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to worker. Submit plugging report (CP-4) after plugging is complete.	ys of spud date. ternate II cementing. di; date; n orders; over or re-entry; elted; alt water.
3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: /-/O - O 7 Signature of Operator or Agent: For KCC Use ONLY API # 15 - O//- 23234-0000 Conductor pipe required None feet Minimum surface pipe required feet per Alt. X (2) Approved by: Furth 1-22-07	the underlying formation. district office on plug length and placement is necessary pugged or production casing is cemented in; nted from below any usable water to surface within 120 days if #133,891-C, which applies to the KCC District 3 area, all be plugged. In all cases, NOTIFY district office prior to of my knowledge and belief. Title: Dill Pit Application (form CDP-1) with Intent to Drill - File Completion Form ACO-1 within 120 days of spud - Notify appropriate district office 48 hours prior to workd - Submit plugging report (CP-4) after plugging is completed. If this permit has expired (See: authorized expiration discheck the box below and return to the address below.	ys of spud date. ternate II cementing. any cementing. I; date; n orders; over or re-entry; elted; alt water.
3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best plate: /-/O- O 7 Signature of Operator or Agent: For KCC Use ONLY API # 15 - O//- 23 23 4-0000 Conductor pipe required None feet Minimum surface pipe required feet per Alt. X (2) Approved by: Last 1-22-07	the underlying formation. district office on plug length and placement is necessary purged or production casing is cemented in; need from below any usable water to surface within 120 days at #133,891-C, which applies to the KCC District 3 area, all be plugged. In all cases, NOTIFY district office prior to of my knowledge and belief. Title:	ys of spud date. ternate II cementing. any cementing. I; date; n orders; over or re-entry; eted; alt water. ate) please

KECEIVED

JAN 19 2007

CONSERVATION DIVISION WICKITA, KS

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 011-23234-0000	Location of Well: County: Bourbon
Operator: S & K Oil Company	660' feet from N / ✓ S Line of Section
Lease: Swisher	4280' feet from 🗸 E / 🗌 W Line of Section
Well Number: 13	Sec. 18 Twp. 25 S. R. 22 ✓ East West
Field: Bronson Zenia	
Number of Acres attributable to well: OTB (OTB (OTB (OTB strange)) NE SW SW	Is Section: 📝 Regular or 🔲 Irregular
QTR / QTR / QTR of acreage: NE _ SW _ SW _ SW	If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

1			1			-
i			1			
i		•	1	-	•	-
1			1			•
1			1			
ł			- 1			
1			1		•	•
			- 1			•
			1			
1						
1						
					-	
1						
				•	•	•
1						
1						
						· · · · · ·
i			1			
i			[,	•	
1			j	_	_	_
					-	
	•					-
	• .	-		•	-	•
		-		•		•
		-	**************************************	•	•	•
		-	**************************************	•	•	• •
		-	**************************************	•	•	•
		-	**************************************	•	•	· ·
	• • •					
	·					: : :
	• • •					
	·					
	·					

NOTE: In all cases locate the spot of the proposed drilling locaton.



JAN 19 2007

JAN 1 2 2007

in plotting the proposed location of the well, you must show:

- CONSERVATION DIVISION SECULO SECUE SECULO SECUE SECULO SECUE SECULO SECULO SECULO SECULO SECULO SECUE SECULO SECUE SE 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-I April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

		· · · · · · · · · · · · · · · · · · ·			
Operator Name: S & K Oil Company			License Number: 33551		
Operator Address: P. O. Box 184 Blue Mound, Kansas 66010					
Contact Person: Steve Jackson			Phone Number: (913) 756 - 2622		
Lease Name & Well No.: Swisher #1 工 3			Pit Location (QQQQ):		
Type of Pit:	Pit is:		SW NE SW SW		
Emergency Pit Burn Pit	Proposed Existing		Sec. 18 _{Twp.} 25S _{R.} 22		
Settling Pit	If Existing, date constructed:		1125' North / 🗸 South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		4125Feet from ✓ East / West Line of Section		
(If WP Supply API No. or Year Drilled)	45 BBLS	(bbls)	Bourbon County		
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes ✓	No No	Chloride concentration: mg/l		
	1		(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner? Yes ✓	No	How is the pit lined if a plastic liner is not used?		
Y les [No	les V	140	Clay & Dirt		
Pit dimensions (all but working pits):	25' Length (fe	eet) 10'	Width (feet) N/A: Steel Pits		
Depth fi	om ground level to de	eepest point:5	S' (feet)		
If the pit is lined give a brief description of the liner material, thickness and installation procedure.		,	edures for periodic maintenance and determining including any special monitoring.		
		Depth to shallo Source of infor	west fresh waterfeet.		
NA feet Depth of water well	feet	measu	measured well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Hauf-Off Pits ONLY:			
Producing Formation:		1	Type of material utilized in drilling/workover: Return Water		
			of working pits to be utilized: One		
Barrels of fluid produced daily:		Abandonment procedure: Pump Water Out Hall To Next Pit			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill		Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
1-16-0% Date Signature of Applicant or Agent					
KCC OFFICE USE ONLY					
Date Received: 19 01 Permit Number: Permit Date: 19 01 Lease Inspection: Yes A No					

Mail to: KCC - Conservation Division, 130 S. Market Room 2078, Wichita, Kansas 67202

CONSERVATION DIVISION

CONSERVATION DIVISION WICKITA, KS

JAN 19 2007

KANSAS

CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR
BRIAN J. MOLINE, CHAIR
ROBERT E. KREHBIEL, COMMISSIONER
MICHAEL C. MOFFET, COMMISSIONER

NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.