For KCC Use: Effective Date: District # SGA? Yes X No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

		Must be app	proved by KCC five	e (5) days prior to commencing well
Expected Spud Date	02	15	2007	Spot
	month	day	year 1	NE - SW - SW Sec. 18 Twp. 25 S. R. 22
UPERAIUH: License#	3551			990' feet from N / VS Line of Section
Name: S & K Oil Company				reet from [✔] E / [] W Line of Section
Address: P. O. Box 184				Is SECTION Regular Irregular?
City/State/Zip: Blue Mound, I				(Note: Locate well on the Section Plat on reverse side)
Contact Person: Steve Jacks	son			County: Bourbon
Phone: 913-756-2622			· · · · · · · · · · · · · · · · · · ·	Lease Name: Swisher Well #.14
CONTRACTOR: License#-	4339			Field Name: Bronson Zenia
Name: Dale Jackson Produ	ction			Is this a Prorated / Spaced Field?
				Target Formation(s): Bartlesville
Well Drilled For:	Well Class:	Type I	Equipment:	Nearest Lease or unit boundary: 165'
Oil Finh Re	ec 🗸 Infield	✓ M	lud Rotary	Ground Surface Elevation: 1030' fee
Gas Storage	e 🔲 Pool Ex	ct. 🔲 A	ir Rotary	Water well within one-quarter mile: Public water supply well within one mile: Yes
OWWO Dispose	al Wildcat	c	able	Public water supply well within one mile: Depth to bottom of fresh water: 15' Yes
Seismic;# of I	Holes Other			Depth to bottom of usable water: 150'
Other			 	Surface Pipe by Alternate: 1 / 2
(d			Length of Surface Pipe Planned to be set: 20'
f OWWO: old well informa				Length of Conductor Pipe required: None
				Projected Total Depth: 670'
Well Name:		Outsiand Taked	Donth.	Formation at Total Depth: Bartlesville
Original Completion Da	le:	Original lotal	Depin:	Water Source for Drilling Operations:
Directional, Deviated or Hor	rizontal wellbore?		☐ Yes 🗸 No	Well Farm Pond Other Return Water
f Yes, true vertical depth:				DWR Permit #:
Bottom Hole Location:				(Note: Apply for Permit with DWR)
KCC DKT #:				Will Cores be taken?
				If Yes, proposed zone:
				FIDAVIT
				plugging of this well will comply with K.S.A. 55 et. seg.
It is agreed that the followi	-			
through all unconsol 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appe	ved notice of inte nt of surface pipe idated materials e, an agreement rict office will be COMPLETION, endix "B" - Easte	nt to drill shad as specified plus a minim between the notified before production pirm Kansas su	all be posted on ead below shall be so um of 20 feet into to e operator and the core well is either plu- ipe shall be cemen urface casing order	ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to pluggit agged or production casing is cemented in; nted from below any usable water to surface within 120 days of spud date r #133,891-C, which applies to the KCC District 3 area, alternate II ceme be plugged. In all cases, NOTIFY district office prior to any cementing
hereby certify that the sta	atements made h	erein are tru	e and to the best o	of my knowledge and belief.
1 12 20			1	- //
Date: /-/0-07	Signature of 0	Operator or A	Agent:	Title: OWNER
	*****			Remember to:
For KCC Use ONLY				- File Drill Pit Application (form CDP-1) with Intent to Drill;
API # 15 - 011-23	235-0000	2		- File Completion Form ACO-1 within 120 days of spud date;
Conductor pipe required_	None	fee	ot i	- File acreage attribution plat according to field proration orders;
	20		1/2	Notify appropriate district office 48 hours prior to workover or re-entry; Submit abusing appropriate (CDA) after abusing its assumption.
Minimum surface pipe req Approved by: 24H 1-3			et per Alt. X (2)	 Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
<u>•</u>	7.40			If this permit has expired (See: authorized expiration date) please
This authorization expires:				check the box below and return to the address below.
(This authorization void if di	rming not started Wi	unim o months	ur approval date.)	Well Not Drilled - Permit Expired
Spud date:	Agent:			Signature of Operator or Agent: RECEIVED
			J	DENSAS CORPORATION COLUMNSON
	Mail to: KCC	- Conservat	ion Division, 130	S. Market RECEIVED JAN 1 2 2007

KCC WICHITA

JAN 19 2007

CONSERVATION DIVISION
WICHITALKS

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 0//- 23235 つつ	Location of Well: County: Bournor.
Operator: S & K Oil Company	990' feet from N / ✓ S Line of Section
Lease: Swisher	4280' feet from ✓ E / W Line of Section
Well Number: 14	Sec. 18 Twp. 25 S. R. 22 ✓ East Wes
Field: Bronson Zenia	
Number of Acres attributable to well:	Is Section: 🗸 Regular or 📋 Irregular
QTR / QTR / QTR of acreage: NE _ SW SW	If Section is irregular, locate well from nearest corner boundary. Section comer used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

i				i			
1				l			•
1				i	-		
l				1			
	•		•	ļ		•	•
				1			
				l			
1				1			
1				!			•
1				i			
	•			l	•		•
!							
i							•
į							
	-			l			
ŀ							
ĺ	•	•			-	-	-
1				!	•		
1	•	•	•		•	•	•
i							
					-		
				i			
	•			i .	•	•	
Ì							
i	•		•	'	-	•	•
					-		
İ	•	•	•		-	•	•

	•		•				•
1	•	-	•			•	
	• •	-	• •			•	•
	• •	-	• •		• .	•	
	• •	-	• •			•	
	• •	-	• •		• .	•	
	• •	-	• •		• .	•	
	• •	-	• •		• .	•	
	· · ·	•	· · ·		•		
	· · · · · · ·	-	• • • • • • •		•		
	· · · · · · ·	-	• • • • • • •		•		
	· · · · · · ·	•	• • • • • • •		•		
	· · · · · · ·	-	• • • • • • •		•		
	· · · · · · ·	-	• • • • • • •		•		
	· · · · · · ·	-	• • • • • • •		•		
					•		

EXAMPLE		-
-		
· · · · · · · · · · · · · · · · · · ·	1980	
	3390'	
•	: :	
SEWARDCO		

NOTE: In all cases locate the spot of the proposed drilling locaton.

in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
 4. If proposed location is located within a prorated or spaced field a certificate of acreage attributes the attached Too Fine Wells; CG-8 for gas wells).

JAN 19 2007

JAN 1 2 2007

ONSERVATION DIVISION KCC WICHITA WICHITA, KS

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: S & K Oil Company	1	License Number: 33551				
Operator Address: P. O. Box 184 Blue Mound, Kansas 66010						
Contact Person: Steve Jackson		Phone Number: (913) 756 - 2622				
Lease Name & Well No.: Swisher #1	I I 4	Pit Location (QQQQ):				
Type of Pit:	Pit is:		SW NE SW SW			
Emergency Pit Burn Pit	√ Proposed	Existing	Sec. 18 Twp. 25S R. 22			
Settling Pit	If Existing, date c	onstructed:	1125' Feet from North / South Line of Section			
Workover Pit Haul-Off Pit	Pit capacity:		4125 Feet from ✓ East / West Line of Section			
(if WP Supply API No. or Year Drilled)		(bbls)	Bourbon County			
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes 🗸] No	Chloride concentration: mg/l			
le the bottom below around level?	Artificial Liner?		(For Emergency Pits and Settling Pits only)			
is the bottom below ground level?	Artificial Liner? Yes ✓	No	How is the pit lined if a plastic liner is not used? Clay & Dirt			
9						
Pit dimensions (all but working pits):2	D Length (fo					
Depth fr	om ground level to de	eepest point:	O' (feet)			
If the pit is lined give a brief description of the material, thickness and installation procedure			edures for periodic maintenance and determining including any special monitoring.			
material, theoriess and metallicator procedure	••	mici integrity, ii	nadaling arry special monitoring.			
Distance to nearest water well within one-mik	e of pit	Depth to shallo Source of infor	west fresh water feet. mation:			
NAfeet Depth of water well	feet	measu	redwell owner electric logKDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:				
Producing Formation:		Type of materia	Type of material utilized in drilling/workover: Return Water			
Number of producing wells on lease:			working pits to be utilized: One			
Barrels of fluid produced daily:		Abandonment	Abandonment procedure: Pump Water Out Hall To Next Pit			
Does the slope from the tank battery allow all flow into the pit? Yes No	spilled fluids to	Drill pits must be closed within 365 days of spud date.				
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. RECEIVED						
KANSAS CORPORATION COMMISSIO						
<u> 1- 16- 07</u> Date	*//	JAN 1 2 2007				
CONSERVATION DUTOUS						
KCC OFFICE USE ONLY WICHITA, KS						
Date Received: 1 19 07 Permit Number: Permit Date: 1 19 07 Lease Inspection: Yes V No						

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

RECEIVED
JAN 1 9 2007

KANSAS

CORPORATION COMMISSION

KATHLEEN SEBELLUS, GOVERNOR
BRIAN J. MOLINE, CHAIR
ROBERT E. KREHBIEL, COMMISSIONER
MICHAEL C. MOFFET, COMMISSIONER

NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.