For KCC Use:	1-20 0-
Effective Date:	1-27-07
District #	<u> </u>
SGA? TYPes [	No

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

### **NOTICE OF INTENT TO DRILL**

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

OPERATOR: License# 4706   OPERATOR: License# 4706   OPERATOR: License# 4706   OPERATOR: License# 4706   Name: Measenger Petroleum, Inc. Address: 528 S. Main  Contact Person: Jon F. Messenger  Group From the Contact Person: Jon F. Messenger  Group From E. Storfing Drilling Co.  Well Drilled Fo: Well Class  Verification From From From From From From From From	Must be approved by KCC five	e (5) days prior to commencing well		
September   Section   Se	Expected Spud Date			
Name	,	•		
Address: S25 S. Main Address: Kingman, KS 67068 ClayState/Zip: Jon F. Messenger Contact Parson: Jon F. Messenger Phone: 020-532-5400  Contract Parson: Jon F. Messenger Contract Parson: Jon F. Messenger Phone: 020-532-5400  Contract Parson: Jon F. Messenger Contract Parson: Jon F. Me	OF EPATON. LICENSEW	4000		
Kingman, KS   G708	E2E C Moin			
County Migman  Lease Name: Bock-Kinsler   Well #.    County Migman  Lease Name: Bock-Kinsler   Well #.    County Migman  Lease Name: Bock-Kinsler   Well #.    Lease Name: Bock-Kinsler	Kingman KS 67068			
Plane   S2C-532-5400   Lease & Sterling Orilling Co.	Unity/State/Zip:			
Field Name   Sarlisch (ext)   Sterling Drilling Co.   Sterling Co.   Sterling Drilling Co.   Sterling Co.	Outlier Tologia			
Sterling Drilling Co.    Sterling Drilling Co.   Sterling Drilling Co.   Sterling Drilling Co.   Sterling Drilling Co.   Type Equipment:   Well Critical For.   Well Class:   Type Equipment:   Well Critical For.   Well Class:   Type Equipment:   Well Critical For.   Well Critical Fo	Phone:	Lease Name: Book-Nillsiel Well #; '		
Name: Sterling Dnilling Co.    Sterling Dnilling Co.   Well Cilcas: Type Equipment:   Type Equipment:	CONTRACTOR: License# 5142			
Ground Surface Elevation 1888	Starting Drilling Co	Target Formation(s): KC & Mississippain		
Water well within one-quarter mile:	Well Drilled For: Well Class: Type Equipment:			
Value   Val	✓ Oil ✓ Enh Rec Infield ✓ Mud Rotary			
Public water supply well within one mile:   Yes   No				
Seismic; # of Holes   Other   Depth to bottom of usable water: 180   Surface Pipe Planned to be set: 180   Surface Pipe Planned to be set: 200 min   Length of Surface Pipe Planned to be set: 200 min   Length of Surface Pipe Planned to be set: 200 min   Length of Conductor Pipe required: more   Projected Total Depth:   Mississippian   Water Source for Drilling Operations:   Water Source for Drilling Operation of the Source Pipe set Source Pi				
Dother   Surface Pipe y Alternate;     1     2     2     2     3     2     2     3				
Surface Pipe by Atternate:		<u> </u>		
Operator: Well Name: Original Completion Date: Original Completion				
Well Name: Original Completion Date: Original Total Depth: Original Completion Date: Water Source for Drilling Operations: Water Source for Drilling Operation Sources one: Water Source for Drilling Operations: Water Source for Drilling Operations: Water Source for Drilling Operatio	If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 200 min		
Original Completion Date: Original Total Depth: Was Source for Drilling Operations: Water Source of Drilling Operations: Water Source of Drilling Operations: Water Source Source Plan Plan Plan Operation Water Source Source Plan Plan Plan Operation Water Source Vall Plan Plan Operation Source Plan Plan Plan Operation Source Plan Plan Plan Plan Plan Plan Plan Plan	Operator:			
Water Source for Drilling Operations:    Water Source for Drilling Operations:   Water Source for Drilling Operations:   Water Source for Drilling Operations:   Water Source for Drilling Operations:   Water Source for Drilling Operations:   Water Source for Drilling Operations:   Water Source for Drilling Operations:   Water Source for Drilling Operations:   Water Source for Drilling Operations:   Water Source for Drilling Operations:   Water Source for Drilling Operations:   Water Source for Drilling Operations:   Water Source for Drilling Operations:   Water Source for Drilling Operations:   Water Source for Drilling Operations:   Water Source for Drilling Operations:   Water Source for Drilling Operations:   Water Source for Drilling Operations:   Water Source for Drilling Operations:   Water Source Water Source Operations:   Water Source Water Source Water Source Water Source Water Drilling Operations:   Water Source Water Source Water Source Water Drilling Operations:   Water Source Water Source Water Drilling Operation with DWA     Water Source Water Source Water Drilling Operation with DWA     Water Source Water Source Water Drilling Operation with DWA     Water Source Water Source Water Drilling Operation with DWA     Water Source Water Source Water Dward Drilling Operation Water Dward Provided Water Dward Drilling Operation Water Dward Provided Water Dward Dward Water Dward Dward Provided Water Dwa	Well Name:	Projected Total Depth: 4300		
Well   Farm Pond Other   DWR Permit #: 3Pplyin for permit   DWR Permit #: 3Pplyin fo	Original Completion Date:Original Total Depth:			
If Yes, true vertical depth:  Bottom Hole Location:  KCC DKT #:  Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any useb water to surface within 120 days of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  If the provided by the production of the production of the well shall be plugged.  For KCC Use ONLY  Approved by:  Approved by:  APP # 15 - OSS	Directional Deviated or Horizontal wallborn?			
Will Cores be taken?   Yes   No.	<del>-</del> -			
Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  I hereby certify that the statements made herein are true and to the best of my knowledge and belief.  Date: 01-01-2007 Signature of Operator or Agent:  For KCC Use ONLY  Approved by: Left 1-24-07  This authorization expires:  7-24-07  This authorization expires:  Apendication void if drilling not started within 6 months of approval date.)  Soud date:  Apendication void if drilling not started within 6 months of approval date.)  Soud date:  Apendication void if drilling not started within 6 months of approval date.)  Well Not Drilled - Permit Expired  Signature of Operator or Agent:  Well Not Drilled - Permit Expired	·	•		
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kanass surface assing order #133,891-C, which applies to the KCC District 3 area, afternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  I hereby certify that the statements made herein are true and to the best of my knowledge and belief.  Pate: 01-01-2007 Signature of Operator or Agent:  For KCC Use ONLY Approved by: Left 1-24-07  (This authorization expires: 7-24-07  (This authorization expires: 7-24-07  (This authorization void if drilling not started within 6 months of approval date.)  Sould date:  Apent:  Ape				
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  I hereby certify that the statements made herein are true and to the best of my knowledge and belief.  For KCC Use ONLY  API # 15 - OSS - 2001-000 feet feet  Minimum surface pipe required	ROODKI #1			
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  I hereby certify that the statements made herein are true and to the best of my knowledge and bellef.  Pate: 01-01-2007 Signature of Operator or Agent:  File Drill Pt Application (form CDP-1) with Intent to Drill;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  This authorization void if drilling not started within 6 months of approval date.)  Sould date:  Apent:		if Yes, proposed zone:		
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  I hereby certify that the statements made herein are true and to the best of my knowledge and belief.  Pate: 01-01-2007 Signature of Operator or Agent:  For KCC Use ONLY API # 15 - 095 2008 - 000 feet per Alt. 1 X Approved by: #ull   24-07 feet per Alt. 1 X Approved by: #ull   24-07 feet per Alt. 1 X Approved by: #ull   24-07 feet per Alt. 1 X Approved by: #ull   24-07 feet per Alt. 1 X Approved by: #ull   24-07 feet per Alt. 1 X Approved by: #ull   24-07 feet per Alt. 1 X Approved by: #ull   24-07 feet per Alt. 1 X Approved by: #ull   24-07 feet per Alt. 1 X Approved by: #ull   24-07 feet per Alt. 1 X Approved by: #ull   24-07 feet per Alt. 1 X Approved by: #ull   24-07 feet per Alt. 1 X Approved by: #ull   24-07 feet per Alt. 1 X Approved by: #ull   24-07 feet per Alt. 1 X Approved by: #ull   24-07 feet per Alt. 1 X Approved by: #ull   24-07 feet per Alt. 1 X Approved by: #ull	AFF	IDAVIT		
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  I hereby certify that the statements made herein are true and to the best of my knowledge and belief.  Date: 01-01-2007 Signature of Operator or Agent:  For KCC Use ONLY API # 15 - 095 - 2081-0000 feet per Alt. 1 X Approved by: 444 1- 24-07 feet  Minimum surface pipe required	The undersigned hereby affirms that the drilling, completion and eventual p	lugging of this well will comply with K.S.A. 55 et. seq.		
2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  I hereby certify that the statements made herein are true and to the best of my knowledge and belief.  Date: 01-01-2007 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - OFS - 22081-0000 feet  Minimum surface pipe required	It is agreed that the following minimum requirements will be met:			
For KCC Use ONLY  API # 15	<ol> <li>A copy of the approved notice of intent to drill shall be posted on ea</li> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of the set of the set</li></ol>	et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  District office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing		
For KCC Use ONLY  API # 15	I hereby certify that the statements made herein are true and to the best o	f my knowledge and belief.		
For KCC Use ONLY  API # 15	Date: 01-01-2007 Signature of Operator or Agent:	Whong Title: President		
API # 15 - O95 - 22081 - 0000  Conductor pipe required None feet  Minimum surface pipe required 200 feet per Alt. 1 X  Approved by: Latt 1 - 24 - 07  This authorization expires: 7 - 24 - 07  (This authorization void if drilling not started within 6 months of approval date.)  Spud date: Agent: File Completion Form ACO-1 within 120 days of spud date;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting sait water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired  Signature of Operator or Agent: PECEIVED	<u> </u>	Remember Ko:		
Conductor pipe required feet  Minimum surface pipe required feet per Alt. 1 X  Approved by: Latt 1-24-07  This authorization expires: 7-24-07  (This authorization void if drilling not started within 6 months of approval date.)  Spud date: Agent: File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting sait water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired  Signature of Operator or Agent:				
Conductor pipe required feet  Minimum surface pipe required 200 feet per Alt. 1 X  Approved by: Latt 1-24-07  This authorization expires: 7-24-07  (This authorization void if drilling not started within 6 months of approval date.)  Spud date: Agent: Feet  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting sait water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired  Signature of Operator or Agent;	API # 15 - 095 - 22081-0000			
Minimum surface pipe required 200 feet per Alt. 1 X Approved by: full 1-24-07  This authorization expires: 7-24-07  (This authorization void if drilling not started within 6 months of approval date.)  Spud date: Agent: Feet per Alt. 1 X  Spud date: Agent: Feet per Alt. 1 X  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired  Signature of Operator or Agent; RECEIVED	Conductor pipe required feet			
Approved by: full 1-24-07  This authorization expires: 7-24-07  (This authorization void if drilling not started within 6 months of approval date.)  Spud date: Agent:  - Obtain written approval before disposing or injecting salt water.  - If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired  Signature of Operator or Agent:	200	• • • • •		
This authorization expires: 7-24-07  (This authorization void if drilling not started within 6 months of approval date.)  Spud date: Agent: If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired Signature of Operator or Agent: RECEIVED		, , , , , , , , , , , , , , , , , , , ,		
(This authorization void if drilling not started within 6 months of approval date.)  Spud date:  Agent:  Agent:  Agent:  Agent:  Agent:  Agent:  Agent:  Check the box below and return to the address below.  Well Not Drilled - Permit Expired  Signature of Operator or Agent:  Signature of Operator or Agent:	7 1/1 ~ 7	1		
Spud date: Agent: Signature of Operator or Agent: RECEIVED	The good caption approx.	check the box below and return to the address below.		
	Spud date:Agent:			

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 095-22081-0000	Location of Well: County: Kingman		
Operator: Messenger Petroleum, Inc.	1320 feet from V N / S Line of Section		
Lease: Bock-Kinsler	1320 feet from E / W Line of Section		
Well Number: 1 Field: Garlisch (ext)	Sec. 10 Twp. 29 S. R. 8 East ✓ Wes		
Number of Acres attributable to well:	ls Section: 📝 Regular or 🔲 Irregular		
QTR / QTR / QTR of acreage: C C NW	If Section is Irregular, locate well from nearest corner boundary.  Section comer used: NE NW SE SW		


#### PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)







## CONSERVATION DIVISION WICHITA, KS

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Messenger Petro	oleum, Inc.		License Number: 4706		
Operator Address: 525 S. Main Kingman, KS 67068					
Contact Person: Jon F. Messenger		Phone Number: ( 620 ) 532 - 5400			
Lease Name & Well No.: Bock-Kinsler #1		Pit Location (QQQQ):			
Type of Pit:	Pit is:		C C NW		
Emergency Pit Bum Pit	<b>✓</b> Proposed	Existing	Sec. 10 Twp. 29 S R.	8 East West	
Settling Pit	If Existing, date of	constructed:	1320	North / South Line of Section	
Workover Pit Haul-Off Pit		<del></del>	1350 1320		
(If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section		
	4500	(bbls)	Kingman	County	
Is the pit located in a Sensitive Ground Water Area? Yes And			mg/l		
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only)  How is the pit lined if a plastic liner is not used?		
Yes No	Yes 🗸	No	natural clays & l		
Pit dimensions (all but working pits):	0 Length (fe	aet) 80	Width (feet)	N/A: Steel Pits	
	om ground level to d			IVA. Steel Fits	
material, thickness and installation procedure		tiner integrity, ii	ncluding any special monitoring.		
1691 Source		Source of infor	Depth to shallowest fresh water 30 37 feet.  Source of information:   — measured ✓ well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:		
		rial utilized in drilling/workover: fresh water			
		vorking pits to be utilized: 3 - 6'D X 8'W X 30'L			
		procedure: haul off free fluids after drilling salt & upon			
Does the slope north the tank battery allow all spilled lidids to			completion, let dry, & backfill		
		be closed within 365 days of spud dat RECEIVED  SANSAS CORPORATION COMMISSION			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.  JAN 0 3 2007					
01-01-2007 Date		Jan Je	Versignature of Applicant or Agent	CONSERVATION DIVISION WICHITA, KS	
KCC OFFICE USE ONLY RFAS 472HCS					
Date Received: (/3/G 2 Permit Num)	har:	Pormi	# Date: 1/24/07 1000	Inspection: V Yes No	



CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR BRIAN J. MOLINE, CHAIR ROBERT E. KREHBFEL, COMMISSIONER MICHAEL C. MOFFET, COMMISSIONER

January 24, 2007

Mr. Jon F. Messenger Messenger Petroleum, Inc. 525 S. Main Kingman, KS 67068

Re: Drilling Pit Application

Bock-Kinsler Lease Well No. 1 NW/4 Sec. 10-29S-08W Kingman County, Kansas

Dear Mr. Messenger:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 72 hours after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (316) 630-4000 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

Environmental Protection and Remediation Department