District #_

KANSAS CORPORATION COMMISSION Oil & Gas Conservation Division

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Expected Spud Date February 10 2007	
OPERATOR: Licenses 3473 Name: William T. Wax Address P. O. Box 276 Contact Person: Bill Wax Phone: 620-724-3400 CONTRACTOR: Licenses 3473 Name: Co. Tools Well Drilled For: Well Class: Type Equipment: OND Drilled For: Well Class: Type Equipment:	of Section
OPERATOR: License# 3.70 Address: P. O. Box 276 City/State/2ip: McCune, KS 66753 Contact Person: Bill Wax Phone: 620-724-3400 CONTRACTOR: License# 3473 Name: CO. Tools Well Drilled For: Well Class: Type Equipment: Oil	
Name: William T. Wax Address P. O. Box 276 City/State/219; McCune, KS 68753 Contact Person: Bill Wax Phone: 620-724-3400 CONTRACTOR: Licenses 3473 Name: Co. Tools Well Drilled For: Well Class: Type Equipment: Water Well within one-quarter mile: Water well within one-quarter mile: Water well within one-quarter mile: Public water supply well within one mile: Depth to bottom of fresh water: ? 100 ± Surface Pipe by Alternate: 1	
City/State/Zip. McCune, KS 66753 Contact Person. Bill Wax Contact Person. Bill Wax Contract Person. Bill Wax Lease Name: Mullen Well #: Field Name: McCune Is this a Proration (s): Cattlemen Nearest Lease or unit boundary; 165 Ground Surface Elevation: Water well within one-quarter mile: Water well within one-quarter mile: Public water supply well within one-quarter mile:	of Section
County: Crawford Phone: 620-724-3400 CONTRACTOR: License# 3473 Name: Co. Tools Well Drilled For: Well Class: Type Equipment: Well Drilled For: Well Class: Type Equipment: Stranger Stranger	
Lease Name Mullen Well #:	
CONTRACTOR: License# 3473 Name: Co. Tools Well Driked For: Well Class: Type Equipment: Well Driked For: Well Class: Type Equipment: Gas Storage Pool Ext. Air Rotary Gas Storage Pool Ext. Air Rotary Outho Disposal Wildeat Cable Seismic: # of Holes Other Other Seismic of Holes Other Operator: NA Well Name: Original Completion Date: Original Total Depth: Original Completion Date: Original Completion Date: Original Total Depth: Original Completion Date: Original Total Depth: Original Completion Date: Original Completion Original Completion Original Completion Date: Original Completion Original Completion Original Completion Original Completion Original Completion Date: Original Completion Or	/W55
State Stat	. ******
Name: Co. Tools Target Formation(s): Cattlemen Nearest Lease or unit boundary: 165 Ground Surface Elevation: Well Drilled For: Well Class: Type Equipment: Gase Storage Pool Ext. Air Rotary Gase Storage Pool Ext. Air Rotary OWNO Disposal Wildcat Cable Seismic; # of Holes Other Other Seismic; # of Holes Other Other Other Official Completion as follows: Operator: N/A Well Name: Original Completion Date: Original Total Depth: Directional, Deviated or Horizontal wellbore? Yes No If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: Will Cores be taken? If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. AFFIDAVIT The undersigned hereby affirms that the drilling appropriate district office prior to spudding of well; 2. A copy of the appropriate district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface within 120 deys of story pursuant to Appendix B' - Eastern Kansas surface casing order #133.891-C, which applies to the KCC District 3 area, alternate must be completed within 30 days of the spud date or the well shallow plugged. In all cases, NOTIFY district office prior to any cell hard and the static office prior to any cell hard and the static office and belged. A the statements made herein are true and to the beginning and belged.	
Well Drilled For: Well Class: Type Equipment: Namest Lease or unit boundary: 165	Yes ✔ No
Gas Storage Pool Ext. Water Notation Water well within one quater mile: Public water supply well within one mile: Depth to bottom of fresh water: ? Depth to bottom of usable water: ? Depth to bottom of usable water of usable water: ? Depth to bottom of usable water: ? Depth to bottom of usable water of usable wat	
Gas Storage Pool Ext. Air Rotary Air Rotary Public water supply well within one mile: Depth to bottom of fresh water: ? 100	
Gas Storage Pool Ext. Air Rotary Public water supply well within one mile: Depth to bottom of tresh water: ? Observed Observed Depth to bottom of tresh water: ? Observed Observed	feet MSL Yes V No
Depth to bottom of fresh water: ? Depth to bottom of fresh water: ? Depth to bottom of usable water: ? Depth to bo	= == -
Depth to bottom of usable water. 2 Construction	Yes 🗸 No
Surface Pipe by Alternate:	
If OWWO: old well information as follows: Operator: N/A Well Name: Original Completion Date: Original Total Depth: Directional, Deviated or Horizontal wellbore? If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: Well Cores be taken? If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe as specified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 deys of so Or pursuant to Appendix 'B' - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate must be completed within 30 days of the spud date or the well shall be set to the total cases, NOTIFY district office prior to any cell hereby certify that the statements made herein are true and to the best dataset who weedge and belief.	
Operator: N/A Well Name: Original Completion Date: Original Total Depth: Original Completion Date: Original Completion Date: Original Completion Date: Original Completion Date: Original Total Depth: Water Source for Drilling Operations: Well Farm Pond Other AIR DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. **The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. **The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. **The undersigned hereby affirms that the drilling hall be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of sign of pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any centre. The production is a production of the plugged or production below.	
Well Name: Original Completion Date: Original Total Depth: Directional, Deviated or Horizontal wellbore? If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: Will Cores be taken? If Yes, proposed zone: Will Cores be taken? If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. sec. AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. sec. AFFIDAVIT The undersigned hereby affirms that the drilling of well; 2. A copy of the appropriate district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe as specified below shall be set by circulating cement to the top; in all cases surface within 120 days of specified within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cell hereby certify that the statements made herein are true and to the best throwledge and belief.	
Original Completion Date: Original Total Depth: Water Source for Drilling Operations: Directional, Deviated or Horizontal wellbore? Yes No No No No Note: Apply for Permit with DWR DWR Permit #: Water Source for Drilling Operations: Well Farm Pond Other AIR DWR Permit #: Will Cores be taken? If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. sec. CORPORA It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface in through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of sign or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cell hereby certify that the statements made herein are true and to the best statements moved and belief.	
Water Source for Drilling Operations: Water Source for Drilling Operations: Water Source for Drilling Operations: Water Source for Drilling Operations: Well Farm Pond Other AIR	
Directional, Deviated or Horizontal wellbore? Yes No	
If Yes, true vertical depth:	
Bottom Hole Location: KCC DKT #: Will Cores be taken? If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. CORPORA It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface in through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of sign or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cell hereby certify that the statements made herein are true and to the best of the plugged and belief.	
Will Cores be taken? If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. CORPORA It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pure through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to to the appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of sign or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cell hereby certify that the statements made herein are true and to the base of the provided and belief.	
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. CORPORA It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface within through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of some or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cell hereby certify that the statements made herein are true and to the best of the provided ge and belief.	Yes V No
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. CORPORA It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe as through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of so Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cell hereby certify that the statements made herein are true and to the best of the provided and belief.] 100 [-],10
 Notify the appropriate district office prior to spudding of well; A copy of the approved notice of intent to drill shall be posted on each drilling rig; The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to The appropriate district office will be notified before well is either plugged or production casing is cemented in; If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of sometimes of the completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cell hereby certify that the statements made herein are true and to the best of the provided period. 	
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to</i> The appropriate district office will be notified before well is either plugged or production casing is cemented in; If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of soor pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cell hereby certify that the statements made herein are true and to the best of the prior to be deferent. 	IVED
 Notify the appropriate district office prior to spudding of well; A copy of the approved notice of intent to drill shall be posted on each drilling rig; The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to The appropriate district office will be notified before well is either plugged or production casing is cemented in; If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of sometimes of the completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cell hereby certify that the statements made herein are true and to the best of the provided period. 	TION COMMIS
 A copy of the approved notice of intent to drill shall be posted on each drilling rig; The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to the appropriate district office will be notified before well is either plugged or production casing is cemented in; If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of some or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any content of the statements made herein are true and to the best of the production of the statements made herein are true and to the best of the production of the statements made herein are true and to the best of the prior to the statements made herein are true and to the best of the prior to the statements made herein are true and to the best of the prior to the statements made herein are true and to the best of the prior to the statements made herein are true and to the best of the prior to the statement of the prior to the statement of the prior to the	
 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of sport of pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cell hereby certify that the statements made herein are true and to the best of the production plugged. 	2007
 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of sport of pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cell hereby certify that the statements made herein are true and to the best of the production of the statement is necessary prior to any cell in the statement of the statement is necessary prior to any cell in the statement of the statement is necessary prior to any cell in the statement is necessary prior to any	d m
 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of sport of pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cell hereby certify that the statements made herein are true and to the best of the production plugged. 	PVISION
5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of sport of pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cell hereby certify that the statements made herein are true and to the best of the production casing is cemented in;	
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate must be completed within 30 days of the spud date or the well shall/be plugged. In all cases, NOTIFY district office prior to any cell hereby certify that the statements made herein are true and to the best of the plugged.	
must be completed within 30 days of the spud date or the well shall/be plugged. In all cases, NOTIFY district office prior to any confidence of the statements made herein are true and to the best of the statement of the stateme	
I hereby certify that the statements made herein are true and to the best of the statements made herein are true and to the best of the statements are true and to the best of the statement are true and to the best of the statement are true and to the best of the statement are true and to the best of the statement are true and to the best of the statement are true and to the best of the statement are true and to the best of the statement are true and to the best of the statement are true and to the best of the statement are true and to the best of the statement are true and to the best of the statement are true and to the best of the statement are true and to the best of the statement are true and to the best of the statement are true and to the best of the statement are true and to the best of the statement are true and to the best of the statement are true are true and to the statement are true are	_
All the the same of the same o	menung.
Date: 1/24/07 Signature of Operator or Agent:	
Signature of Operation of Agents.	
e /	
Remember to:	
For KCC Use ONLY - File Drill Pit Application (form CDP-1) with Intent to Drill;	
API # 15 - 037-21869-0000 - File Completion Form ACO-1 within 120 days of spud date;	
Conductor pipe required feet File acreage attribution plat according to field proration orders - Notify appropriate district office 48 hours prior to workover or	
Minimum surface pipe required feet per Alt. Y 2 - Submit plugging report (CP-4) after plugging is completed;	L
Approved by: Part 1- 26-07 - Obtain written approval before disposing or injecting salt water	L
7-21-57	re-entry;
check the box below and return to the address below	re-entry;
(This authorization void if drilling not started within 6 months of approval date.) Well Not Drilled - Permit Expired	re-entry;
Spud date: Agent: Signature of Operator or Agent:	re-entry;
Date:	re-entry;
Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202	re-entry;

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 037-21869-0000	Location of Well: County: Crawford
Operator: William T. Wax	1237.5 feet from VN / S Line of Section
Lease: Mullen	1155 feet from E / W Line of Section
Well Number: YW55 Field: McCune	Sec1Twp31S. R21
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR / QTR of acreage: S2SW - SWNE - NE	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

			37.5	RECEIVED KANSAS CORPORATION COMMISSION JAN 26 2007 CONSERVATION DIVISION WICHITA, KS
	<u>:</u>	/ : :	· -	EXAMPLE
	 			1980
	 			3390
	 			SEWARD CO.

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: William T. Wax		License Number: 3473			
Operator Address: P. O. Box 276 McCune, KS 66753					
Contact Person: Bill Wax			Phone Number: (620) 724 - 3400		
Lease Name & Well No.: Mullen YV	V55		Pit Location (QQQQ):		
Type of Pit:	Pit is:		S25 SW NE NE		
Emergency Pit Burn Pit	✔ Proposed	Existing	Sec. 1 Twp. 31 R. 21 🗾 East 🗌 West		
Settling Pit Drilling Pit	If Existing, date c	onstructed:	1237.5 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:	······································	1155 Feet from 🗸 East / West Line of Section		
(If WP Supply API No. or Year Drilled)	80	(bbls)	Crawford		
Is the pit located in a Sensitive Ground Water	Area? VYes ₩	<u>N</u> o	Chloride concentration:mg/l		
1- th- b-th b-l 1110			(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner? ✓ Yes	No	How is the pit lined if a plastic liner is not used? Native Clay		
Pit dimensions (all but working pits):2	5	3	<u></u>		
	Dength (fe	· ·	Width (feet) N/A: Steel Pits		
If the pit is lined give a brief description of the			1		
material, thickness and installation procedure		liner integrity, in	ncluding any special monitoring KANSAS CORPORATION COMMISS		
N/A		N/A	CORPORATION COMMISS		
			ו כסתל א זיי		
			ONSERVATION		
Distance to nearest water well within one-mile	of pit	Depth to shallo Source of infor			
N/A feet Depth of water wellfeet			redwell owner electric logKDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:		
Producing Formation:		Type of material utilized in drilling/workover:			
Number of producing wells on lease:		Number of working pits to be utilized: 1			
Barrels of fluid produced daily:		Abandonment procedure: Backfill when dry			
Does the slope from the tank battery allow all flow into the pit? Yes No	spilled fluids to	Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
LIHH.					
1/24/07			Mayettac		
Date Signature of Applicant or Agent					
KCC OFFICE USE ONLY					
Date Received: \\\ \alpha\colon 67 \\ Permit Number: \\\ Permit Date: \\\\ \alpha\colon 67 \\ Permit Date: \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\					